

Package ‘REMixed’

January 19, 2026

Type Package

Title Regularized Estimation in Mixed Effects Model

Version 1.1.2

Maintainer Auriane Gabaut <aurianegabaut@gmail.com>

Description

Implementation of an algorithm in two steps to estimate parameters of a model whose latent dynamics are inferred through latent processes, jointly regularized. This package uses 'Monolix' software (<<https://monolixsuite.slp-software.com/>>), which provide robust statistical method for non-linear mixed effects modeling. 'Monolix' must have been installed prior to use.

SystemRequirements 'Monolix'

(<<https://monolixsuite.slp-software.com/>>)

License GPL (>= 3)

Encoding UTF-8

LazyData true

Imports deSolve, Rsmlx, doSNOW, dplyr, fastGHQuad, ggplot2, snow,
stringr, Rmpfr

RoxygenNote 7.3.2

Depends R (>= 3.5.0), foreach

NeedsCompilation no

Author Auriane Gabaut [aut, cre],
Ariane Bercu [aut],
Mélanie Prague [aut],
Cécile Proust-Lima [aut]

Repository CRAN

Date/Publication 2026-01-19 15:30:02 UTC

Contents

AIC.remix	2
BIC.remix	3
BICc	5

computeFinalTest	6
cv.remix	8
dynFUN_demo	12
eBIC	13
extract	14
getMLXdir	15
gh.LL	16
indParm	19
initStrat	21
model.clairon	23
model.pasin	24
model.pk	25
plot.cvRemix	26
plotCalibration	27
plotConvergence	28
plotIC	29
plotInit	30
plotSAEM	31
readMLX	33
remix	35
retrieveBest	38

Index**41****AIC.remix***AIC for remix object***Description**

Computes akaike information criterion from the output of `remix` as

$$AIC = -2\mathcal{LL}_y(\hat{\theta}, \hat{\alpha}) + k \times P$$

where P is the total number of parameters estimated and $\mathcal{LL}_y(\hat{\theta}, \hat{\alpha})$ the log-likelihood of the model.

Usage

```
## S3 method for class 'remix'
AIC(object, ..., k)
```

Arguments

object	output of <code>remix</code> .
...	additional arguments.
k	numeric, the penalty per parameter to be used; the default k = 2 is the classical AIC.

Value

AIC.

References

Akaike, H. 1998. Information theory and an extension of the maximum likelihood principle, Selected papers of hirotugu akaike, 199-213. New York: Springer.

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)
lambda = 1440

res = remix(project = project,
            dynFUN = dynFUN_demo,
            y = y,
            ObsModel.transfo = ObsModel.transfo,
            alpha = alpha,
            selfInit = TRUE,
            eps1=10**(-2),
            eps2=1,
            lambda=lambda)

AIC(res)

## End(Not run)
```

BIC.remix

BIC for remix object

Description

Computes bayesian information criterion from the output of [remix](#) as

$$BIC = -2\mathcal{LL}_y(\hat{\theta}, \hat{\alpha}) + \log(N)P$$

where P is the total number of parameters estimated, N the number of subject and $\mathcal{LL}_y(\hat{\theta}, \hat{\alpha})$ the log-likelihood of the model.

Usage

```
## S3 method for class 'remix'
BIC(object, ...)
```

Arguments

object	output of <code>remix</code> .
...	additional arguments.

Value

`BIC`.

References

Schwarz, G. 1978. Estimating the dimension of a model. *The annals of statistics* 6 (2): 461-464

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10,
                             linkS="yAB",
                             R=rep(list(S=function(x){x}),5),
                             linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)
lambda = 1440

res = remix(project = project,
            dynFUN = dynFUN_demo,
            y = y,
            ObsModel.transfo = ObsModel.transfo,
            alpha = alpha,
            selfInit = TRUE,
            eps1=10**(-2),
            eps2=1,
            lambda=lambda)

BIC(res)

## End(Not run)
```

BICc*BICc*

Description

Computes corrected bayesian information criterion as

$$BICc = -2\mathcal{LL}_y(\hat{\theta}, \hat{\alpha}) + P_R \log(N) + P_F \log(n_{tot})$$

where P_F is the total number of parameters linked to fixed effects, P_R to random effects, N the number of subject, n_{tot} the total number of observations and $\mathcal{LL}_y(\hat{\theta}, \hat{\alpha})$ the log-likelihood of the model.

Usage

```
BICc(object, ...)
```

Arguments

object	output of <code>remix</code> or <code>cv.remix</code>
...	optional additional arguments.

Value

`BICc`.

References

Delattre M, Lavielle M, Poursat M-A. A note on BIC in mixed-effects models. *Elect J Stat*. 2014; 8(1): 456-475.

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)
lambda = 1440

res = remix(project = project,
            dynFUN = dynFUN_demo,
```

```

y = y,
ObsModel.transfo = ObsModel.transfo,
alpha = alpha,
selfInit = TRUE,
eps1=10**(-2),
eps2=1,
lambda=lambda)

BICc(res)

## End(Not run)

```

computeFinalTest *Compute final estimation*

Description

Computes a final saem and wald test if ‘test‘ on the final model found by remix algorithm.

Usage

```

computeFinalTest(
  remix.output,
  dynFUN,
  y,
  ObsModel.transfo,
  final.project = NULL,
  pop.set = NULL,
  prune = NULL,
  n = NULL,
  parallel = TRUE,
  ncores = NULL,
  print = TRUE,
  digits = 3,
  trueValue = NULL,
  test = TRUE,
  p.max = 0.05
)

```

Arguments

remix.output	a remix outputs. It’s important that the project path of this outputs is still existing.
dynFUN	function computing the dynamics of interest for a set of parameters. This function need to contain every sub-function that it may needs (as it is called in a foreach loop). The output of this function need to return a data.frame with time as first columns and named dynamics in other columns. It must take in input :

- *y* a named vector with the initial condition. The names are the dynamics names.
- *parms* a named vector of parameter.
- *time* vector a timepoint.

See [dynFUN_demo](#), [model.clairon](#), [model.pasin](#) or [model.pk](#) for examples.

y initial condition of the mechanism model, conform to what is asked in dynFUN.
ObsModel.transfo

list containing two lists of transformations and two vectors linking each transformations to their observation model name in the Monolix project. The list should include identity transformations and be named *S* and *R*. The two vectors should be named *linkS* and *linkR*.

Both *S* (for the direct observation models) and *linkS*, as well as *R* (for latent process models) and *linkR*, must have the same length.

- *S*: a list of transformations for the direct observation models. Each transformation corresponds to a variable $Y_p = h_p(S_p)$, where the name indicates which dynamic is observed (from dynFUN);
- *linkS* : a vector specifying the observation model names (that is used in the monolix project, alpha1, etc.) for each transformation, in the same order as in *S*;
- *R*: similarly, a list of transformations for the latent process models. Although currently there is only one latent dynamic, each $s_k, k \leq K$ transformation corresponds to the same dynamic but may vary for each Y_k observed. The names should match the output from dynFUN;
- *linkR* : a vector specifying the observation model names for each transformation, in the same order as in *R*.

<i>final.project</i>	directory of the final Monolix project (default add "_upd" to the Monolix project).
<i>pop.set</i>	population parameters setting for final estimation (see details).
<i>prune</i>	percentage for pruning ($\in [0; 1]$) in the Adaptative Gauss-Hermite algorithm used to compute the log-likelihood and its derivates (see gh.LL).
<i>n</i>	number of points for gaussian quadrature (see gh.LL).
<i>parallel</i>	logical, if the computation should be done in parallel when possible (default TRUE).
<i>ncores</i>	number of cores for parallelization (default NULL and detectCores is used).
<i>print</i>	logical, if the results and algotihm steps should be displayed in the console (default to TRUE).
<i>digits</i>	number of digits to print (default to 3).
<i>trueValue</i>	-for simulation purposes- named vector of true value for parameters.
<i>test</i>	if Wald test should be computed at the end of the iteration.
<i>p.max</i>	maximum value to each for wald test <i>p.value</i> (default 0.05).

Details

For population parameter estimation settings, see (<<https://monolixsuite.slp-software.com/r-functions/2024R1/setpopulation>>)

Value

a remix object on which final SAEM and test, if test is TRUE, have been computed.

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)

res = cv.remix(project = project,
                dynFUN = dynFUN_demo,
                y = y,
                ObsModel.transfo = ObsModel.transfo,
                alpha = alpha,
                selfInit = TRUE,
                eps1=10**(-2),
                ncores=8,
                nlambda=8,
                eps2=1)

res_with_test = computeFinalTest(retrieveBest(res0,criterion=BICc),
                                  dynFUN_demo,
                                  y,
                                  ObsModel.transfo)

## End(Not run)
```

cv.remix

REMixed algorithm over a grid of λ **Description**

Regularization and Estimation in Mixed effects model, over a regularization path.

Usage

```
cv.remix(
  project = NULL,
  final.project = NULL,
  dynFUN,
```

```

y,
ObsModel.transfo,
alpha,
lambda.grid = NULL,
alambda = 0.001,
nlambda = 50,
lambda_max = NULL,
eps1 = 10^(-2),
eps2 = 10^(-1),
selfInit = FALSE,
pop.set1 = NULL,
pop.set2 = NULL,
prune = NULL,
n = NULL,
parallel = TRUE,
ncores = NULL,
print = TRUE,
digits = 3,
trueValue = NULL,
unlinkBuildProject = TRUE,
max.iter = +Inf
)

```

Arguments

project	directory of the Monolix project (in .mlxtran). If NULL, the current loaded project is used (default is NULL).
final.project	directory of the final Monolix project (default add "_upd" to the Monolix project).
dynFUN	function computing the dynamics of interest for a set of parameters. This function need to contain every sub-function that it may needs (as it is called in a foreach loop). The output of this function need to return a data.frame with time as first columns and named dynamics in other columns. It must take in input :
y	a named vector with the initial condition. The names are the dynamics names.
parms	a named vector of parameter.
time	vector a timepoint.
	See dynFUN_demo , model.clairon , model.pasin or model.pk for examples.
y	initial condition of the mechanism model, conform to what is asked in dynFUN. If regressor used in Monolix provided a named list of vector of individual initial conditions. Each vector need to be of length 1 (same for all), or exactly the nombre of individuals (range in the same order as their id).
ObsModel.transfo	list containing two lists of transformations and two vectors linking each transformations to their observation model name in the Monolix project. The list should include identity transformations and be named S and R. The two vectors should be named linkS and linkR.

	Both <code>S</code> (for the direct observation models) and <code>linkS</code> , as well as <code>R</code> (for latent process models) and <code>linkR</code> , must have the same length.
<code>S</code>	a list of transformations for the direct observation models. Each transformation corresponds to a variable $Y_p = h_p(S_p)$, where the name indicates which dynamic is observed (from <code>dynFUN</code>);
<code>linkS</code>	a vector specifying the observation model names (that is used in the monolix project, <code>alpha1</code> , etc.) for each transformation, in the same order as in <code>S</code> ;
<code>R</code>	similarly, a list of transformations for the latent process models. Although currently there is only one latent dynamic, each $s_k, k \leq K$ transformation corresponds to the same dynamic but may vary for each Y_k observed. The names should match the output from <code>dynFUN</code> ;
<code>linkR</code>	a vector specifying the observation model names for each transformation, in the same order as in <code>R</code> .
<code>alpha</code>	named list of named vector "alpha0", "alpha1" (all <code>alpha1</code> are mandatory). The name of <code>alpha\$alpha0</code> and <code>alpha\$alpha1</code> are the observation model names from the monolix project to which they are linked (if the observations models are defined without intercept, <code>alpha\$alpha0</code> need to be set to the vector <code>NULL</code>).
<code>lambda.grid</code>	grid of user-supplied penalisation parameters for the lasso regularization (if <code>NULL</code> , the sequence is computed based on the data).
<code>alambda</code>	if <code>lambda.grid</code> is null, coefficients used to compute the grid (default to 0.05, see details).
<code>nlambda</code>	if <code>lambda.grid</code> is null, number of lambda parameter to test (default to 50).
<code>lambda_max</code>	if <code>lambda.grid</code> is null, maximum of the lambda grid to test (default is automatically computed, see details)
<code>eps1</code>	integer (>0) used to define the convergence criteria for the regression parameters.
<code>eps2</code>	integer (>0) used to define the convergence criteria for the likelihood.
<code>selfInit</code>	logical, if the SAEM is already done in the monolix project should be use as the initial point of the algorithm (if <code>FALSE</code> , SAEM is automatically compute according to <code>pop.set1</code> settings ; if <code>TRUE</code> , a SAEM through monolix need to have been launched).
<code>pop.set1</code>	population parameters setting for initialisation (see details).
<code>pop.set2</code>	population parameters setting for iterations.
<code>prune</code>	percentage for pruning ($\in [0; 1]$) in the Adaptative Gauss-Hermite algorithm used to compute the log-likelihood and its derivates (see gh.LL).
<code>n</code>	number of points for gaussian quadrature (see gh.LL).
<code>parallel</code>	logical, if the computation should be done in parallel when possible (default <code>TRUE</code>).
<code>ncores</code>	number of cores for parallelization (default <code>NULL</code> and detectCores is used).
<code>print</code>	logical, if the results and algorithm steps should be displayed in the console (default to <code>TRUE</code>).
<code>digits</code>	number of digits to print (default to 3).

trueValue -for simulation purposes- named vector of true value for parameters.
unlinkBuildProject logical, if the build project of each lambda should be deleted.
max. iter maximum number of iteration (default 20).

Details

See [REMixed-package](#) for details on the model. For each $\lambda \in \Lambda$, the [remix](#) is launched. For population parameter estimation settings, see (<<https://monolixsuite.slp-software.com/r-functions/2024R1/setpopulationparameters.html>>).

Value

A list of outputs of the final project and of the iterative process over each value of `lambda.grid`:

- `info` Information about the parameters.
- `project` The project path if not unlinked.
- `lambda` The grid of λ .
- `BIC` Vector of BIC values for the model built over the grid of λ .
- `BICc` Vector of BICc values for the model built over the grid of λ .
- `LL` Vector of log-likelihoods for the model built over the grid of λ .
- `LL.pen` Vector of penalized log-likelihoods for the model built over the grid of λ .
- `res` List of all REMixed results for each λ (see [remix](#)).
- `outputs` List of all REMixed outputs for each λ (see [remix](#)).

Examples

```

## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)

res = cv.remix(project = project,
               dynFUN = dynFUN_demo,
               y = y,
               ObsModel.transfo = ObsModel.transfo,
               alpha = alpha,
               selfInit = TRUE,
               eps1=10**(-2),
               ncores=8,
               nlambda=8,

```

```
  eps2=1)

## End(Not run)
```

dynFUN_demo
Dynamic functions demo

Description

Example of solver for `remix` and `cv.remix` algorithm. It is perfectly adapted for the Monolix demo project (see `getMLXdir`).

Usage

```
dynFUN_demo
```

Format

`dynFUN_demo` function of `t`, `y`, `parms` :

`t` vector of timepoint.

`y` initial condition, named vector of form `c(AB=<...>,S=<...>)`.

`parms` named vector of model parameter ; should contain `phi_S,delta_AB,delta_S`.

Details

Suppose you have antibodies secreting cells $-S-$ that produces antibodies $-AB-$ at rate φ_S . These two biological entities decay respectively at rate δ_S and δ_{AB} . The biological mechanism behind is :

$$\begin{cases} \frac{d}{dt}S(t) &= -\delta_S S(t) \\ \frac{d}{dt}AB(t) &= \varphi_S S(t) - \delta_{AB} AB(t) \\ (S(0), AB(0)) &= (S_0, AB_0) \end{cases}$$

References

Pasin C, Balelli I, Van Effelterre T, Bockstal V, Solforosi L, Prague M, Douoguih M, Thiébaut R, for the EBOVAC1 Consortium. 2019. Dynamics of the humoral immune response to a prime-boost Ebola vaccine: quantification and sources of variation. *J Virol* 93 : e00579-19. <https://doi.org/10.1128/JVI.00579-19>

See Also

`model.pasin`, `getMLXdir`.

Examples

```
t = seq(0,300,1)
y =c(AB=1000,S=5)
parms = c(phi_S = 611, delta_AB = 0.03, delta_S=0.01)

res <- dynFUN_demo(t,y,parms)

plot(res[,"time"],
     log10(res[,"AB"]),
     ylab="log10(AB(t))",
     xlab="time (days)",
     main="Antibody titer over the time",
     type="l")

plot(res[,"time"],
     res[,"S"],
     ylab="S(t)",
     xlab="time (days)",
     main="Antibody secreting cells quantity over time",
     type="l")
```

eBIC

eBIC

Description

Computes extended bayesian information criterion as

$$eBIC = -2\mathcal{LL}_y(\hat{\theta}, \hat{\alpha}) + P \log(N) + 2\gamma \log(\binom{N}{k}, K))$$

where P is the total number of parameters estimated, N the number of subject, $\mathcal{LL}_y(\hat{\theta}, \hat{\alpha})$ the log-likelihood of the model, K the number of submodel to explore (here the number of biomarkers tested) and k the number of biomarkers selected in the model.

Usage

`eBIC(object, ...)`

Arguments

<code>object</code>	output of <code>remix</code> or <code>cv.remix</code> .
<code>...</code>	optional additional arguments.

Value

`eBIC`.

References

Chen, J. and Z. Chen. 2008. Extended Bayesian information criteria for model selection with large model spaces. *Biometrika* 95 (3): 759-771.

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)
lambda = 1440

res = remix(project = project,
            dynFUN = dynFUN_demo,
            y = y,
            ObsModel.transfo = ObsModel.transfo,
            alpha = alpha,
            selfInit = TRUE,
            eps1=10**(-2),
            eps2=1,
            lambda=lambda)

eBIC(res)

## End(Not run)
```

extract

extract remix results from cvRemix object

Description

Extracts a build from a cvRemix object.

Usage

```
extract(fit, n)
```

Arguments

fit	output of cv.remix ;
n	rank (in the ‘fit\$lambda’) to extract.

Value

outputs from `remix` algorithm of rank ‘n‘ computed by `cv.remix`.

See Also

`cv.remix`, `remix`.

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)

cv.outputs = cv.Remix(project = project,
                      dynFUN = dynFUN_demo,
                      y = y,
                      ObsModel.transfo = ObsModel.transfo,
                      alpha = alpha,
                      selfInit = TRUE,
                      eps1=10**(-2),
                      ncores=8,
                      eps2=1)

res <- extract(cv.outputs,6)

plotConvergence(res)

trueValue = read.csv(paste0(dirname(project),"~/demoSMLX/Simulation/populationParameters.txt"))

plotSAEM(res,paramToPlot = c("delta_S_pop","phi_S_pop","delta_AB_pop"),trueValue=trueValue)

## End(Not run)
```

getMLXdir

Get monolix demo project path

Description

Get monolix demo project path

Usage

```
getMLXdir()
```

Value

path to the monolix demo from REMix package.

See Also

[dynFUN_demo](#).

Examples

```
print(getMLXdir())
```

gh.LL

Adaptive Gauss-Hermite approximation of log-likelihood derivatives

Description

Computes Adaptive Gauss-Hermite approximation of the log-likelihood and its derivatives in NLMEM with latent observation processes, see [REMixed-package](#) for details on the model.

Usage

```
gh.LL(
  dynFUN,
  y,
  mu = NULL,
  Omega = NULL,
  theta = NULL,
  alpha1 = NULL,
  covariates = NULL,
  ParModel.transfo = NULL,
  ParModel.transfo.inv = NULL,
  Sobs = NULL,
  Robs = NULL,
  Serr = NULL,
  Rerr = NULL,
  ObsModel.transfo = NULL,
  data = NULL,
  n = NULL,
  prune = NULL,
  parallel = TRUE,
  ncores = NULL,
  onlyLL = FALSE,
  verbose = TRUE,
  precBits = 10
)
```

Arguments

dynFUN	function computing the dynamics of interest for a set of parameters. This function need to contain every sub-function that it may needs (as it is called in a foreach loop). The output of this function need to return a data.frame with <code>time</code> : as first columns and named dynamics in other columns. It must take in input :
	<ul style="list-style-type: none"> • <code>y</code> : a named vector with the initial condition. The names are the dynamics names. • <code>parms</code> : a named vector of parameter. • <code>time</code> : vector a timepoint.
	See <code>dynFUN_demo</code> , <code>model.clairon</code> , <code>model.pasin</code> or <code>model.pk</code> for examples.
y	initial condition of the mechanism model, conform to what is asked in <code>dynFUN</code> . If regressor used in Monolix provided a named list of vector of individual initial conditions. Each vector need to be of length 1 (same for all), or exactly the numbre of individuals (range in the same order as their id).
mu	list of individuals random effects estimation (vector of r.e. need to be named by the parameter names), use to locate the density mass; (optional, see description).
Omega	list of individuals estimated standard deviation diagonal matrix (matrix need to have rows and columns named by the parameter names), use to locate the density mass; (optional, see description).
theta	<p>list of model parameters containing (see details)</p> <ul style="list-style-type: none"> • <code>phi_pop</code> : named vector with the population parameters with no r.e. $(\phi_{l \text{ pop}})_{l \leq L}$ (NULL if none) ; • <code>psi_pop</code> : named vector with the population parameters with r.e. $(\psi_{l \text{ pop}})_{l \leq m}$; • <code>gamma</code> : named list (for each parameters) of named vector (for each covariates) of covariate effects from parameters with no r.e. ; • <code>beta</code> : named list (for each parameters) of named vector (for each covariates) of covariate effects from parameters with r.e.. • <code>alpha0</code> : named vector of $(\alpha_{0k})_{k \leq K}$ parameters (names are identifier of the observation model, such as in a Monolix project); • <code>omega</code> : named vector of estimated r.e. standard deviation; <p>(optional, see description).</p>
alpha1	named vector of regularization parameters $(\alpha_{1k})_{k \leq K}$, with identifier of observation model as names, (optional, see description).
covariates	matrix of individual covariates (size N x n). Individuals must be sorted in the same order than in <code>mu</code> and <code>Omega</code> , (optional, see description).
ParModel.transfo	named list of transformation functions $(h_l)_{l \leq m}$ and $(s_k)_{k \leq K}$ for the individual parameter model (names must be consistent with <code>phi_pop</code> and <code>psi_pop</code> , missing entries are set by default to the identity function ; optional, see description).
ParModel.transfo.inv	Named list of inverse transformation functions for the individual parameter model (names must be consistent with <code>phi_pop</code> and <code>psi_pop</code> ; optional, see description).

Sobs	list of individuals trajectories for the direct observation models $(Y_{pi})_{p \leq P, i \leq N}$. Each element $i \leq N$ of the list, is a list of $p \leq P$ data.frame with time $(t_{pij})_{j \leq n_{ip}}$ and observations $(Y_{pij})_{j \leq n_{ip}}$. Each data.frame is named with the observation model identifiers.
Rob	list of individuals trajectories for the latent observation models $(Z_{ki})_{k \leq K, i \leq N}$. Each element $i \leq N$ of the list, is a list of $k \leq K$ data.frame with time $(t_{kij})_{j \leq n_{ik}}$ and observations $(Z_{kij})_{j \leq n_{ik}}$. Each data.frame is named with the observation model identifiers.
Serr	named vector of the estimated error model constants $(\varsigma_p)_{p \leq P}$ with observation model identifiers as names.
Rerr	named vector of the estimated error model constants $(\sigma_k)_{k \leq K}$ with observation model identifiers as names.
ObsModel.transfo	<p>list containing two lists of transformations and two vectors linking each transformations to their observation model name in the Monolix project. The list should include identity transformations and be named S and R. The two vectors should be named linkS and linkR.</p> <p>Both S (for the direct observation models) and linkS, as well as R (for latent process models) and linkR, must have the same length.</p> <ul style="list-style-type: none"> • S: a list of transformations for the direct observation models. Each transformation corresponds to a variable $Y_p = h_p(S_p)$, where the name indicates which dynamic is observed (from dynFUN); • linkS : a vector specifying the observation model names (that is used in the monolix project, alpha1, etc.) for each transformation, in the same order as in S; • R: similarly, a list of transformations for the latent process models. Although currently there is only one latent dynamic, each $s_k, k \leq K$ transformation corresponds to the same dynamic but may vary for each Y_k observed. The names should match the output from dynFUN; • linkR : a vector specifying the observation model names for each transformation, in the same order as in R.
data	output from <code>readMLX</code> containing parameters "mu", "Omega", "theta", "alpha1", "covariates", "ParModel.transfo", "ParModel.transfo.inv", "Sobs", "Rob", "Serr", "Rerr", "ObsModel.transfo" extract from a monolix project.
n	number of points per dimension to use for the Gauss-Hermite quadrature rule.
prune	integer between 0 and 1, percentage of pruning for the Gauss-Hermite quadrature rule (default NULL).
parallel	logical, if computation should be done in parallel.
ncores	number of cores to use for parallelization, default will detect the number of cores available.
onlyLL	logical, if only the log-likelihood should be computed (and not $\partial_{\alpha_1} LL$ or $\partial_{\alpha_1}^2 LL$).
verbose	logical, if progress bar should be printed through the computation.
precBits	precision if needed

Details

Based on notation introduced [REMixed-package](#). The log-likelihood of the model $LL(\theta, \alpha_1)$ for a set of population parameters θ and regularization parameters α_1 is estimated using Adaptive Gausse-Hermite quadrature, using conditional distribution estimation to locate the mass of the integrand. If the project has been initialized as a Monolix project, the user can use `readMLX` function to retrieve all the project information needed here.

Value

A list with the approximation by Gauss-Hermite quadrature of the likelihood L , the log-likelihood LL , the gradient of the log-likelihood dLL , and the Hessian of the log-likelihood $ddLL$ at the point θ, α provided.

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10,
                             linkS="yAB",
                             R=rep(list(S=function(x){x}),5),
                             linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

data <- readMLX(project,ObsModel.transfo,alpha)

LL <- gh.LL(dynFUN = dynFUN_demo,
            y = c(S=5,AB=1000),
            ObsModel.transfo=ObsModel.transfo,
            data = data)

print(LL)

## End(Not run)
```

indParm

Generate individual parameters

Description

Generate the individual parameters of individual whose covariates are covariates and random effects η_i .

Usage

```
indParm(theta, covariates, eta_i, transfo, transfo.inv)
```

Arguments

theta	list with at least phi_pop, psi_pop, gamma, beta (named ; corresponding to the model parameter $\phi_{pop}, \psi_{pop}, \gamma, \beta$) :
	<ul style="list-style-type: none"> • phi_pop named vector of population parameters without r.e ; • psi_pop named vector of population parameters with r.e ; • gamma named list of vector of covariates effects for phi_pop parameters, if NULL no covariates effect on parameters. ; • beta named list of vector of covariates effects for each psi_pop, if NULL no covariates effect on parameters.
covariates	line data.frame of individual covariates ;
eta_i	named vector of random effect for each psi parameter ;
transfo	named list of transformation functions $(h_l)_{l \leq m}$ and $(s_k)_{k \leq K}$ for the individual parameter model (names must be consistent with phi_pop and psi_pop, missing entries are set by default to the identity function).
transfo.inv	named list of inverse transformation functions for the individual parameter model (names must be consistent with phi_pop and psi_pop).

Details

The models used for the parameters are :

$$h_l(\psi_{li}) = h_l(\psi_{lpop}) + X_i \beta_l + \eta_{li}$$

with h_l the transformation, β_l the vector of covariates effect and with η_i the random effects associated ψ_l parameter ;

$$g_k(\phi_{ki}) = g_k(\phi_{kpop}) + X_i \gamma_k$$

with g_k the transformation and γ_k the vector of covariates effect associated ϕ_k parameter.

Value

a list with phi_i and psi_i parameters.

See Also

[model.clairon](#), [model.pasin](#).

Examples

```

phi_pop = c(delta_S = 0.231, delta_L = 0.000316)
psi_pop = c(delta_Ab = 0.025, phi_S = 3057, phi_L = 16.6)
gamma = NULL
covariates = data.frame(cAGE = runif(1,-15,15), G1 = rnorm(1), G2 = rnorm(1))
beta = list(delta_Ab=c(0,1.2,0),phi_S = c(0.93,0,0),phi_L=c(0,0,0.8))

theta=list(phi_pop = phi_pop,psi_pop = psi_pop,gamma = gamma, beta = beta)
eta_i = c(delta_Ab = rnorm(1,0,0.3),phi_S=rnorm(1,0,0.92),phi_L=rnorm(1,0,0.85))
transfo = list(delta_Ab=log,phi_S=log,phi_L=log)
transfo.inv = list(delta_Ab = exp,phi_S=exp,phi_L=exp)

```

```
indParm(theta,covariates,eta_i,transfo,transfo.inv)
```

initStrat	<i>Initialization strategy</i>
-----------	--------------------------------

Description

Selecting an initialization point by grouping biomarkers of project and running the SAEM. Initial condition is then selected using maximum log-likelihood.

Usage

```
initStrat(
  project,
  alpha,
  ObsModel.transfo,
  Nb_genes = 2,
  trueValue = NULL,
  pop.set = NULL,
  useSettingsInAPI = FALSE,
  conditionalDistributionSampling = FALSE,
  print = TRUE,
  digits = 2,
  unlinkTemporaryProject = TRUE,
  seed = NULL
)
```

Arguments

project	directory of the Monolix project (in .mlxtran). If NULL, the current loaded project is used (default is NULL).
alpha	named list of named vector "alpha0", "alpha1" (all alpha1 are mandatory). The name of alpha\$alpha0 and alpha\$alpha1 are the observation model names from the monolix project to which they are linked (if the observations models are defined without intercept, alpha\$alpha0 need to be set to the vector NULL).
ObsModel.transfo	<p>list containing two lists of transformations and two vectors linking each transformations to their observation model name in the Monolix project. The list should include identity transformations and be named S and R. The two vectors should be named linkS and linkR.</p> <p>Both S (for the direct observation models) and linkS, as well as R (for latent process models) and linkR, must have the same length.</p> <ul style="list-style-type: none"> • S: a list of transformations for the direct observation models. Each transformation corresponds to a variable $Y_p = h_p(S_p)$, where the name indicates which dynamic is observed (from dynFUN);

- `linkS`: a vector specifying the observation model names (that is used in the monolix project, `alpha1`, etc.) for each transformation, in the same order as in `S`;
- `R`: similarly, a list of transformations for the latent process models. Although currently there is only one latent dynamic, each $s_k, k \leq K$ transformation corresponds to the same dynamic but may vary for each Y_k observed. The names should match the output from `dynFUN`;
- `linkR`: a vector specifying the observation model names for each transformation, in the same order as in `R`.

<code>Nb_genes</code>	Size of group of genes.
<code>trueValue</code>	-for simulation purposes- named vector of true value for parameters.
<code>pop.set</code>	population parameters setting for initialization (see details).
<code>useSettingsInAPI</code>	logical, if the settings for SAEM should not be changed from what is currently set in the project.
<code>conditionalDistributionSampling</code>	logical, if conditional distribution estimation should be done on the final project.
<code>print</code>	logical, if the results and algorithm steps should be displayed in the console (default to TRUE).
<code>digits</code>	number of digits to print (default to 2).
<code>unlinkTemporaryProject</code>	If temporary project (of genes group) is deleted (default: TRUE)
<code>seed</code>	value of the seed used to initialize the group (see <code>set.seed</code>).

Details

For population parameter estimation settings, see (<<https://monolixsuite.slp-software.com/r-functions/2024R1/setpopulation>>)

Value

a list of outputs for every group of genes tested with composition of the group, final parameter estimates, final scores estimates (OFV, AIC, BIC, BICc), temporary project directory. The final selected set is initialized in the project.

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))
```

```
initStrat(project, alpha, ObsModel.transfo, seed=1710)
## End(Not run)
```

model.clairon

Model from Clairon and al., 2023

Description

Generates the dynamics of antibodies secreting cells - S - that produces antibodies - AB - over time, with two injection of vaccine at time $t_0 = 0$ and t_{inj} , using Clairon and al., 2023, model.

Usage

```
model.clairon(t, y, parms, tinj = 21)
```

Arguments

t	vector of timepoint.
y	initial condition, named vector of form c(S=S0,Ab=A0).
parms	named vector of model parameter (should contain "fM2","theta","delta_S","delta_Ab","delta_V").
tinj	time of injection (default to 21).

Details

Model is defined as

$$\begin{cases} \frac{d}{dt}S(t) &= f_{\bar{M}_k}e^{-\delta_V(t-t_k)} - \delta_S S(t) \\ \frac{d}{dt}Ab(t) &= \theta S(t) - \delta_{Ab} Ab(t) \end{cases}$$

on each interval $I_1 = [0; t_{inj}[$ and $I_2 = [t_{inj}; +\infty[$. For each interval I_k , we have t_k corresponding to the last injection date of vaccine, such that $t_1 = 0$ and $t_2 = t_{inj}$. By definition, $f_{\bar{M}_1} = 1$ (Clairon and al., 2023).

Value

Matrix of time and observation of antibody secreting cells S and antibody titer Ab .

References

Quentin Clairon, Melanie Prague, Delphine Planas, Timothee Bruel, Laurent Hocqueloux, et al. Modeling the evolution of the neutralizing antibody response against SARS-CoV-2 variants after several administrations of Bnt162b2. 2023. hal-03946556

See Also

[indParm](#)

Examples

```

y = c(S=1,Ab=0)

parms = c(fm2 = 4.5,
          theta = 18.7,
          delta_S = 0.01,
          delta_Ab = 0.23,
          delta_V = 2.7)

t = seq(0,35,1)

res <- model.clairon(t,y,parms)

plot(res)

```

model.pasin

Model from Pasin and al., 2019

Description

Generate trajectory of the Humoral Immune Response to a Prime-Boost Ebola Vaccine.

Usage

```
model.pasin(t, y, parms)
```

Arguments

t	vector of time ;
y	initial condition, named vector of form c(Ab=<...>,S=<...>,L=<...>) ;
parms	named vector of model parameter ; should contain "theta_S","theta_L","delta_Ab","delta_S","delta_V"

Details

The model correspond to the dynamics of the humoral response, from 7 days after the boost immunization with antibodies secreting cells -S and L, characterized by their half lives- that produces antibodies -AB- at rate θ_S and θ_L . All these biological entities decay at rate repectively δ_S , δ_L and δ_{Ab} . Model is then defined as

$$\begin{cases} \frac{d}{dt}Ab(t) &= \theta_SS(t) + \theta_LL(t) - \delta_{Ab}Ab(t) \\ \frac{d}{dt}S(t) &= -\delta_SS(t) \\ \frac{d}{dt}L(t) &= -\delta_LL(t) \end{cases}$$

Value

Matrix of time and observation of antibody titer Ab, and ASCs S and L.

References

Pasin C, Balelli I, Van Effelterre T, Bockstal V, Solforosi L, Prague M, Douoguih M, Thiébaut R, for the EBOVAC1 Consortium. 2019. Dynamics of the humoral immune response to a prime-boost Ebola vaccine: quantification and sources of variation. *J Virol* 93: e00579-19. <https://doi.org/10.1128/JVI.00579-19>

See Also

[indParm](#), [model.clairon](#).

Examples

```
y = c(Ab=0,S=5,L=5)
parms = c(theta_S = 611,
           theta_L = 3.5,
           delta_Ab = 0.025,
           delta_S = 0.231,
           delta_L = 0.000152)

t = seq(0,100,5)
res <- model.pasin(t,y,parms)
plot(res)
```

model.pk

Generate trajectory of PK model

Description

The administration is via a bolus. The PK model has one compartment (volume V) and a linear elimination (clearance Cl). The parameter ka is defined as $ka = \frac{Cl}{V}$.

Usage

```
model.pk(t, y, parms)
```

Arguments

t	vector of time ;
y	initial condition, named vector of form c(C=C0) ;
parms	named vector of model parameter ; should contain either "Cl" and "V" or "ka".

Value

Matrix of time and observation of Concentration C.

See Also

[indParm](#).

Examples

```
res <- model1.pk(seq(0,30,1),c(C=100),parms=c(ka=1))

plot(res)
```

plot.cvRemix

Plot of cv.remix object

Description

Calibration plot for cvRemix object.

Usage

```
## S3 method for class 'cvRemix'
plot(x, criterion = BICc, trueValue = NULL, ...)
```

Arguments

- x output of [cv.remix](#).
- criterion which criterion function to take into account. Default is the function 'BICc', but one can use 'BIC', 'AIC', 'eBIC' or any function depending on a 'cvRemix' object.
- trueValue -for simulation purposes- named vector of true value for parameters.
- ... optional additional arguments.

Value

A plot.

See Also

[cv.remix](#)

plotCalibration	<i>Calibration plot</i>
-----------------	-------------------------

Description

Calibration plot

Usage

```
plotCalibration(
  fit,
  legend.position = "none",
  trueValue = NULL,
  criterion = BICc,
  dismin = TRUE
)
```

Arguments

fit	fit object of class <code>cvRemix</code> , from cv.remix .
legend.position	(default NULL) the default position of legends ("none", "left", "right", "bottom", "top", "inside").
trueValue	(for simulation purpose) named vector containing the true value of regularization parameter.
criterion	function ; which criterion among 'BIC', 'eBIC', 'AIC', 'BICc', or function of <code>cvRemix</code> object to take into account (default : BICc).
dismin	logical ; if minimizers of information criterion should be display.

Value

Calibration plot, over the lambda.grid.

See Also

[remix](#), [cv.remix](#).

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))
```

```

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)

res = cv.remix(project = project,
                dynFUN = dynFUN_demo,
                y = y,
                ObsModel.transfo = ObsModel.transfo,
                alpha = alpha,
                selfInit = TRUE,
                eps1=10**(-2),
                ncores=8,
                nlambda=8,
                eps2=1)

plotCalibration(res)

plotIC(res)

## End(Not run)

```

plotConvergence *Log-likelihood convergence*

Description

Log-likelihood convergence

Usage

```
plotConvergence(fit, ...)
```

Arguments

fit	fit object of class <code>remix</code> , from <code>remix</code> or a certain build from <code>cv.remix</code> output.
...	optional additional arguments.

Value

Log-Likelihood values throughout the algorithm iteration.

See Also

`remix`, `cv.remix`.

Examples

```

## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)
lambda = 1440

res = remix(project = project,
            dynFUN = dynFUN,
            y = y,
            ObsModel.transfo = ObsModel.transfo,
            alpha = alpha,
            selfInit = TRUE,
            eps1=10**(-2),
            eps2=1,
            lambda=lambda)

plotConvergence(res)

trueValue = read.csv(paste0(dirname(project),"/demoSMLX/Simulation/populationParameters.txt"))#
plotSAEM(res,paramToPlot = c("delta_S_pop","phi_S_pop","delta_AB_pop"),trueValue=trueValue)

## End(Not run)

```

plotIC

IC plot

Description

IC plot

Usage

```
plotIC(fit, criterion = BICc, dismin = TRUE)
```

Arguments

fit	fit object of class <code>cvRemix</code> , from <code>cv.remix</code> ;
criterion	which criterion among 'BICc', 'BIC', 'AIC' or 'eBIC' to take into account (default: BICc);
dismin	logical ; if minimizers of information criterion should be display.

Value

IC throughout the lambda.grid.

See Also

[remix](#), [cv.remix](#).

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)

res = cv.remix(project = project,
                dynFUN = dynFUN_demo,
                y = y,
                ObsModel.transfo = ObsModel.transfo,
                alpha = alpha,
                selfInit = TRUE,
                eps1=10**(-2),
                ncores=8,
                nlambda=8,
                eps2=1)

plotCalibration(res)

plotIC(res)

## End(Not run)
```

Description

Plot initialization

Usage

```
plotInit(init, alpha = NULL, trueValue = NULL)
```

Arguments

init	outputs from initStrat function.
alpha	named list of named vector "alpha0", "alpha1" (all alpha1 are mandatory). The name of alpha\$alpha0 and alpha\$alpha1 are the observation model names from the monolix project to which they are linked (if the observations models are defined without intercept, alpha\$alpha0 need to be set to the vector NULL).
trueValue	(for simulation purpose) named vector containing the true value of regularization parameter.

Value

log-likelihood value for all groups of genes tested.

See Also

[initStrat](#).

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

init <- initStrat(project,alpha,ObsModel.transfo,seed=1710)

plotInit(init)

## End(Not run)
```

plotSAEM

Display the value of parameters at each iteration

Description

Display the value of parameters at each iteration

Usage

```
plotSAEM(fit, paramToPlot = "all", trueValue = NULL)
```

Arguments

fit object of class `remix`, from `remix` or a certain build from `cv.remix` output.
 paramToPlot Population parameters to plot (which have been estimated by SAEM) ;
 trueValue (for simulation purpose) vector named of true values ;

Value

For each parameters, the values at the end of each iteration of `remix` algorithm is drawn. Moreover, the SAEM steps of each iteration are displayed.

See Also

`remix`, `cv.remix`.

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)
lambda = 1440

res = remix(project = project,
            dynFUN = dynFUN_demo,
            y = y,
            ObsModel.transfo = ObsModel.transfo,
            alpha = alpha,
            selfInit = TRUE,
            eps1=10**(-2),
            eps2=1,
            lambda=lambda)

plotConvergence(res)

trueValue = read.csv(paste0(dirname(project),"~/demoSMLX/Simulation/populationParameters.txt"))

plotSAEM(res,paramToPlot = c("delta_S_pop","phi_S_pop","delta_AB_pop"),trueValue=trueValue)

## End(Not run)
```

readMLX*Extract Data for REMixed Algorithm from a Monolix Project*

Description

This function retrieves all necessary information from a Monolix project file to format the input for the REMixed package. It gathers all relevant data required for the REMix algorithm.

Usage

```
readMLX(project = NULL, ObsModel.transfo, alpha)
```

Arguments

project	directory of the Monolix project (in .mlxtran). If NULL, the current loaded project is used (default is NULL).
ObsModel.transfo	<p>list containing two lists of transformations and two vectors linking each transformations to their observation model name in the Monolix project. The list should include identity transformations and be named S and R. The two vectors should be named linkS and linkR.</p> <p>Both S (for the direct observation models) and linkS, as well as R (for latent process models) and linkR, must have the same length.</p> <ul style="list-style-type: none"> • S: a list of transformations for the direct observation models. Each transformation corresponds to a variable $Y_p = h_p(S_p)$, where the name indicates which dynamic is observed (from dynFUN); • linkS : a vector specifying the observation model names (that is used in the monolix project, alpha1, etc.) for each transformation, in the same order as in S; • R: similarly, a list of transformations for the latent process models. Although currently there is only one latent dynamic, each $s_k, k \leq K$ transformation corresponds to the same dynamic but may vary for each Y_k observed. The names should match the output from dynFUN; • linkR : a vector specifying the observation model names for each transformation, in the same order as in R.
alpha	named list of named vector "alpha0", "alpha1" (all alpha1 are mandatory). The names of alpha\$alpha0 and alpha\$alpha1 are the observation model names from the monolix project to which they are linked (if the observations models are defined without intercept, alpha\$alpha0 need to be set to the vector NULL).

Details

To simplify its use, functions [remix](#), [cv.remix](#), [gh.LL](#) can be used with arguments data rather than all necessary informations "theta", "alpha1", "covariates", "ParModel.transfo", "ParModel.transfo.inv",

"Sobs", "Rob", "Serr", "Rerr", "ObsModel.transfo" that could be extract from a monolix project. If the SAEM task of the project hasn't been launched, it's the initial condition and not the estimated parameters that are returned. If the conditional distribution estimation task has been launched, parameters "mu" and "Omega" are returned too.

Value

A list containing parameters, transformations, and observations from the Monolix project in the format needed for the REMixed algorithm :

- mu list of individuals random effects estimation (vector of r.e. need to be named by the parameter names), use to locate the density mass (if conditional distribution estimation through Monolix has been launched);
- Omega list of individuals estimated standard deviation diagonal matrix (matrix need to have rows and columns named by the parameter names), use to locate the density mass (if conditional distribution estimation through Monolix has been launched);
- theta list of model parameters containing i
 - phi_pop : named vector with the population parameters with no r.e. $(\phi_{l \text{ pop}})_{l \leq L}$ (NULL if none) ;
 - psi_pop : named vector with the population parameters with r.e. $(\psi_{l \text{ pop}})_{l \leq m}$;
 - gamma : named list (for each parameters) of named vector (for each covariates) of covariate effects from parameters with no r.e. ;
 - beta : named list (for each parameters) of named vector (for each covariates) of covariate effects from parameters with r.e..
 - alpha0 : named vector of $(\alpha_{0k})_{k \leq K}$ parameters (names are identifier of the observation model, such as in a Monolix project);
 - omega : named vector of estimated r.e. standard deviation;
- alpha1 named vector of regularization parameters $(\alpha_{1k})_{k \leq K}$, with identifier of observation model as names;
- covariates matrix of individual covariates (size N x n). Individuals must be sorted in the same order than in mu and Omega;
- ParModel.transfo named list of transformation functions $(h_l)_{l \leq m}$ and $(s_k)_{k \leq K}$ for the individual parameter model (names must be consistent with phi_pop and psi_pop, missing entries are set by default to the identity function) ;
- ParModel.transfo.inv named list of inverse transformation functions for the individual parameter model (names must be consistent with phi_pop and psi_pop) ;
- Sobs list of individuals trajectories for the direct observation models $(Y_{pi})_{p \leq P, i \leq N}$. Each element $i \leq N$ of the list, is a list of $p \leq P$ data.frame with time $(t_{p,ij})_{j \leq n_{ip}}$ and observations $(Y_{p,ij})_{j \leq n_{ip}}$. Each data.frame is named with the observation model identifiers ;
- Robs list of individuals trajectories for the latent observation models $(Z_{ki})_{k \leq K, i \leq N}$. Each element $i \leq N$ of the list, is a list of $k \leq K$ data.frame with time $(t_{k,ij})_{j \leq n_{ik}}$ and observations $(Z_{k,ij})_{j \leq n_{ik}}$. Each data.frame is named with the observation model identifiers ;
- Serr named vector of the estimated error model constants $(\varsigma_p)_{p \leq P}$ with observation model identifiers as names ;
- Rerr named vector of the estimated error model constants $(\sigma_k)_{k \leq K}$ with observation model identifiers as names ;
- ObsModel.transfo same as inputObsModel.transfo list.

See Also

[remix](#), [cv.remix](#).

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

res <- readMLX(project,ObsModel.transfo,alpha)

## End(Not run)
```

remix

REMixed algorithm

Description

Regularization and Estimation in Mixed effects model.

Usage

```
remix(
  project = NULL,
  final.project = NULL,
  dynFUN,
  y,
  ObsModel.transfo,
  alpha,
  lambda,
  eps1 = 10^(-2),
  eps2 = 10^(-1),
  selfInit = FALSE,
  pop.set1 = NULL,
  pop.set2 = NULL,
  pop.set3 = NULL,
  prune = NULL,
  n = NULL,
  parallel = TRUE,
  ncores = NULL,
  print = TRUE,
```

```

verbose = FALSE,
digits = 3,
trueValue = NULL,
finalSAEM = FALSE,
test = TRUE,
max.iter = +Inf,
p.max = 0.05
)

```

Arguments

project	directory of the Monolix project (in .mlxtran). If NULL, the current loaded project is used (default is NULL).
final.project	directory of the final Monolix project (default add "_upd" to the Monolix project).
dynFUN	function computing the dynamics of interest for a set of parameters. This function need to contain every sub-function that it may needs (as it is called in a foreach loop). The output of this function need to return a data.frame with time as first columns and named dynamics in other columns. It must take in input :
y	a named vector with the initial condition. The names are the dynamics names.
parms	a named vector of parameter.
time	vector a timepoint.
	See dynFUN_demo , model.clairon , model.pasin or model.pk for examples.
y	initial condition of the mechanism model, conform to what is asked in dynFUN. If regressor used in Monolix provided a named list of vector of individual initial conditions. Each vector need to be of length 1 (same for all), or exactly the numero of individuals (range in the same order as their id).
ObsModel.transfo	<p>list containing two lists of transformations and two vectors linking each transformations to their observation model name in the Monolix project. The list should include identity transformations and be named S and R. The two vectors should be named linkS and linkR.</p> <p>Both S (for the direct observation models) and linkS, as well as R (for latent process models) and linkR, must have the same length.</p> <p>S a list of transformations for the direct observation models. Each transformation corresponds to a variable $Y_p = h_p(S_p)$, where the name indicates which dynamic is observed (from dynFUN);</p> <p>linkS a vector specifying the observation model names (that is used in the monolix project, alpha1, etc.) for each transformation, in the same order as in S;</p> <p>R similarly, a list of transformations for the latent process models. Although currently there is only one latent dynamic, each $s_k, k \leq K$ transformation corresponds to the same dynamic but may vary for each Y_k observed. The names should match the output from dynFUN;</p> <p>linkR a vector specifying the observation model names for each transformation, in the same order as in R.</p>

alpha	named list of named vector "alpha0", "alpha1" (all alpha1 are mandatory). The name of alpha\$alpha0 and alpha\$alpha1 are the observation model names from the monolix project to which they are linked (if the observations models are defined without intercept, alpha\$alpha0 need to be set to the vector NULL).
lambda	penalization parameter λ .
eps1	integer (>0) used to define the convergence criteria for the regression parameters.
eps2	integer (>0) used to define the convergence criteria for the likelihood.
selfInit	logical, if the SAEM is already done in the monolix project should be use as the initial point of the algorithm (if FALSE, SAEM is automatically compute according to pop.set1 settings ; if TRUE, a SAEM through monolix need to have been launched).
pop.set1	population parameters setting for initialisation (see details).
pop.set2	population parameters setting for iterations.
pop.set3	population parameters setting for final estimation.
prune	percentage for pruning ($\in [0; 1]$) in the Adaptative Gauss-Hermite algorithm used to compute the log-likelihood and its derivates (see gh.LL).
n	number of points for gaussian quadrature (see gh.LL).
parallel	logical, if the computation should be done in parallel when possible (default TRUE).
ncores	number of cores for parallelization (default NULL and detectCores is used).
print	logical, if the results and algotihm steps should be displayed in the console (default to TRUE).
verbose	logical, if progress bar should be printed when possible.
digits	number of digits to print (default to 3).
trueValue	-for simulation purposes- named vector of true value for parameters.
finalSAEM	logical, if a final SAEM should be launch with respect to the final selected set.
test	if Wald test should be computed at the end of the iteration.
max. iter	maximum number of iterations (default 20).
p. max	maximum value to each for wald test p.value (default 0.05).

Details

See [REMixed-package](#) for details on the model. For population parameter estimation settings, see (<https://monolixsuite.slp-software.com/r-functions/2024R1/setpopulationparameterestimationsettings>).

Value

a list of outputs of final project and through the iteration :

info informations about the parameters (project path, regularization and population parameter names, alpha names, value of lambda used, if final SAEM and test has been computed, parameters p.max and N) ;

finalRes containing loglikelihood LL and penalized loglikelihood LL.pen values, final population parameters param and final regularization parameters alpha values, number of iterations iter and time needed , if computed, the estimated standard errors standardError and if test computed, the final results before test saemBeforeTest ;
 iterOutputs the list of all remix outputs, i.e. parameters, lieklihood, SAEM estimates and convergence criterion value over the iteration.

See Also

[cv.remix](#).

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)
lambda = 382.22

res = remix(project = project,
            dynFUN = dynFUN_demo,
            y = y,
            ObsModel.transfo = ObsModel.transfo,
            alpha = alpha,
            selfInit = TRUE,
            eps1=10**(-2),
            eps2=1,
            lambda=lambda)

summary(res)

trueValue = read.csv(paste0(dirname(project),"~/demoSMLX/Simulation/populationParameters.txt"))

plotSAEM(res,paramToPlot = c("delta_S_pop","phi_S_pop","delta_AB_pop"),trueValue=trueValue)

## End(Not run)
```

Description

Extracts the build minimizing an information criterion over a grid of lambda.

Usage

```
retrieveBest(fit, criterion = BICc)
```

Arguments

fit	output of cv.remix ;
criterion	which criterion function to take into account. Default is the function 'BICc', but one can use 'BIC', 'AIC', 'eBIC' or any function depending on a 'cvRemix' object.

Value

outputs from [remix](#) algorithm achieving the best IC among those computed by [cv.remix](#).

See Also

[cv.remix](#), [remix](#), [BIC.remix](#), [eBIC](#), [AIC.remix](#), [BICc](#).

Examples

```
## Not run:
project <- getMLXdir()

ObsModel.transfo = list(S=list(AB=log10),
                        linkS="yAB",
                        R=rep(list(S=function(x){x}),5),
                        linkR = paste0("yG",1:5))

alpha=list(alpha0=NULL,
           alpha1=setNames(paste0("alpha_1",1:5),paste0("yG",1:5)))

y = c(S=5,AB=1000)

cv.outputs = cv.Remix(project = project,
                      dynFUN = dynFUN_demo,
                      y = y,
                      ObsModel.transfo = ObsModel.transfo,
                      alpha = alpha,
                      selfInit = TRUE,
                      eps1=10**(-2),
                      ncores=8,
                      eps2=1)

res <- retrieveBest(cv.outputs)

plotConvergence(res)
```

```
trueValue = read.csv(paste0(dirname(project),"/demoSMLX/Simulation/populationParameters.txt"))#'  
plotSAEM(res,paramToPlot = c("delta_S_pop","phi_S_pop","delta_AB_pop"),trueValue=trueValue)  
## End(Not run)
```

Index

* **datasets**
dynFUN_demo, 12

AIC.remix, 2, 39

BIC.remix, 3, 39
BICc, 5, 39

computeFinalTest, 6
cv.remix, 5, 8, 12–15, 26–30, 32, 33, 35, 38,
39

detectCores, 7, 10, 37
dynFUN_demo, 7, 9, 12, 16, 17, 36

eBIC, 13, 39
extract, 14

getMLXdir, 12, 15
gh.LL, 7, 10, 16, 33, 37

indParm, 19, 23, 25, 26
initStrat, 21, 31

model.clairon, 7, 9, 17, 20, 23, 25, 36
model.pasin, 7, 9, 12, 17, 20, 24, 36
model.pk, 7, 9, 17, 25, 36

plot.cvRemix, 26
plotCalibration, 27
plotConvergence, 28
plotIC, 29
plotInit, 30
plotSAEM, 31

readMLX, 18, 19, 33
remix, 2–6, 11–13, 15, 27, 28, 30, 32, 33, 35,
35, 39
retrieveBest, 38