

Writing a package that uses Rcpp

Dirk Eddelbuettel^a and Romain François^b

^a<https://dirk.eddelbuettel.com>; ^b<https://github.com/romainfrancois>

This version was compiled on January 8, 2026

This document provides a short overview of how to use Rcpp (Eddelbuettel *et al.*, 2026; Eddelbuettel and François, 2011; Eddelbuettel, 2013) when writing an R package. It shows how usage of the function `Rcpp.package.skeleton` which creates a complete and self-sufficient example package using Rcpp. All components of the directory tree created by `Rcpp.package.skeleton` are discussed in detail. This document thereby complements the *Writing R Extensions* manual (R Core Team, 2025) which is the authoritative source on how to extend R in general.

Rcpp | package | R | C++

1. Introduction

Rcpp (Eddelbuettel *et al.*, 2026; Eddelbuettel and François, 2011; Eddelbuettel, 2013) is an extension package for R which offers an easy-to-use yet featureful interface between C++ and R. However, it is somewhat different from a traditional R package because its key component is a C++ library. A client package that wants to make use of the Rcpp features must link against the library provided by Rcpp.

It should be noted that R has only limited support for C++-level dependencies between packages (R Core Team, 2025). The `LinkingTo` declaration in the package `DESCRIPTION` file allows the client package to retrieve the headers of the target package (here Rcpp), but support for linking against a library is not provided by R and has to be added manually.

This document follows the steps of the `Rcpp.package.skeleton` function to illustrate a recommended way of using Rcpp from a client package. We illustrate this using a simple C++ function which will be called by an R function.

We strongly encourage the reader to become familiar with the material in the *Writing R Extensions* manual (R Core Team, 2025), as well as with other documents on R package creation such as Leisch (2008). Given a basic understanding of how to create R package, the present document aims to provide the additional information on how to use Rcpp in such add-on packages.

2. Using `Rcpp.package.skeleton`

2.1. Overview. Rcpp provides a function `Rcpp.package.skeleton`, modeled after the base R function `package.skeleton`, which facilitates creation of a skeleton package using Rcpp.

`Rcpp.package.skeleton` has a number of arguments documented on its help page (and similar to those of `package.skeleton`). The main argument is the first one which provides the name of the package one aims to create by invoking the function. An illustration of a call using an argument `mypackage` is provided below.

```
Rcpp.package.skeleton("mypackage")
```

```
$ ls -1R mypackage/
DESCRIPTION
```

```
NAMESPACE
R
Read-and-delete-me
man
src

mypackage/R:
RcppExports.R

mypackage/man:
mypackage-package.Rd
rcpp_hello_world.Rd

mypackage/src:
Makevars           # until Rcpp 0.10.6, see below
Makevars.win        # until Rcpp 0.10.6, see below
RcppExports.cpp
rcpp_hello_world.cpp
$
```

Using `Rcpp.package.skeleton` is by far the simplest approach as it fulfills two roles. It creates the complete set of files needed for a package, and it also includes the different components needed for using Rcpp that we discuss in the following sections.

2.2. C++ code. If the `attributes` argument is set to `TRUE`¹, the following C++ file is included in the `src/` directory:

```
#include <Rcpp.h>
using namespace Rcpp;

// [[Rcpp::export]]
List rcpp_hello_world() {
  CharacterVector x =
    CharacterVector::create("foo", "bar");
  NumericVector y =
    NumericVector::create( 0.0, 1.0 );
  List z           = List::create( x, y );
  return z;
}
```

The file defines the simple `rcpp_hello_world` function that uses a few Rcpp classes and returns a `List`.

This function is preceded by the `Rcpp::export` attribute to automatically handle argument conversion because R has to be taught how to e.g. handle the `List` class.

`Rcpp.package.skeleton` then invokes `compileAttributes` on the package, which generates the `RcppExports.cpp` file (where we indented the first two lines for the more compact display here):

¹Setting `attributes` to `TRUE` is the default. This document does not cover the behavior of `Rcpp.package.skeleton` when `attributes` is set to `FALSE` as we try to encourage package developers to use attributes.

```

// Generated by using Rcpp::compileAttributes() \
//       -> do not edit by hand
// Generator token: \
//       10BE3573-1514-4C36-9D1C-5A225CD40393

#include <Rcpp.h>

using namespace Rcpp;

// rcpp_hello_world
List rcpp_hello_world();
RcppExport SEXP mypackage_rcpp_hello_world() {
BEGIN_RCPP
    Rcpp::RObject rcpp_result_gen;
    Rcpp::RNGScope rcpp_rngScope_gen;
    rcpp_result_gen =
        Rcpp::wrap(rcpp_hello_world());
    return rcpp_result_gen;
END_RCPP
}

```

This file defines a function with the appropriate calling convention, suitable for `.Call`. It needs to be regenerated each time functions exposed by attributes are modified. This is the task of the `compileAttributes` function. A discussion on attributes is beyond the scope of this document and more information is available in the attributes vignette ([Allaire et al., 2026](#)).

2.3. R code. The `compileAttributes` also generates R code that uses the C++ function.

```

# Generated by using Rcpp::compileAttributes() \
#       -> do not edit by hand
# Generator token: \
#       10BE3573-1514-4C36-9D1C-5A225CD40393

rcpp_hello_world <- function() {
  .Call('mypackage_rcpp_hello_world',
        PACKAGE = 'mypackage')
}

```

This is also a generated file so it should not be modified manually, rather regenerated as needed by `compileAttributes`.

2.4. DESCRIPTION. The skeleton generates an appropriate `DESCRIPTION` file, using both `Imports:` and `LinkingTo` for `Rcpp`:

```

Package: mypackage
Type: Package
Title: What the package does (short line)
Version: 1.0
Date: 2013-09-17
Author: Who wrote it
Maintainer: Who <yourfault@somewhere.net>
Description: More about what it does (maybe
  more than one line)
License: What Licence is it under ?
Imports: Rcpp (>= 0.11.0)
LinkingTo: Rcpp

```

`Rcpp.package.skeleton` adds the three last lines to the `DESCRIPTION` file generated by `package.skeleton`.

The `Imports` declaration indicates R-level dependency between the client package and `Rcpp`; code from the latter is being imported into the package described here. The `LinkingTo` declaration indicates that the client package needs to use header files exposed by `Rcpp`.

2.5. Now optional: `Makevars` and `Makevars.win`. This behaviour changed with `Rcpp` release 0.11.0. These files used to be mandatory, now they are merely optional.

We will describe the old setting first as it was in use for a few years. The new standard, however, is much easier and is described below.

2.6. Releases up until 0.10.6. Unfortunately, the `LinkingTo` declaration in itself was not enough to link to the user C++ library of `Rcpp`. Until more explicit support for libraries is added to R, ones needs to manually add the `Rcpp` library to the `PKG_LIBS` variable in the `Makevars` and `Makevars.win` files. (This has now changed with release 0.11.0; see below). `Rcpp` provides the unexported function `Rcpp:::LdFlags()` to ease the process:

```

## Use the R_HOME indirection to support
## installations of multiple R version
##
## NB: No longer needed, see below
PKG_LIBS = `$(R_HOME)/bin/Rscript -e \
  "Rcpp:::LdFlags()"`
```

The `Makevars.win` is the equivalent, targeting windows.

```

## Use the R_HOME indirection to support
## installations of multiple R version
##
## NB: No longer needed, see below
PKG_LIBS = $(shell \
  "${R_HOME}/bin${R_ARCH_BIN}/Rscript.exe" \
  -e "Rcpp:::LdFlags()")
```

2.7. Releases since 0.11.0. As of release 0.11.0, this is no longer needed as client packages obtain the required code from `Rcpp` via explicit function registration. The user does not have to do anything.

This means that `PKG_LIBS` can now be empty—unless some client libraries are needed. For example, `RcppCNPy` needs compression support and hence uses `PKG_LIBS= -lz`. Similarly, when a third-party library is required, it can and should be set here.

2.8. NAMESPACE. The `Rcpp.package.skeleton` function also creates a file `NAMESPACE`.

```

useDynLib(mypackage)
exportPattern("^[[:alpha:]]+")
importFrom(Rcpp, evalCpp)
```

This file serves three purposes. First, it ensure that the dynamic library contained in the package we are creating via `Rcpp.package.skeleton` will be loaded and thereby made available to the newly created R package.

Second, it declares which functions should be globally visible from the namespace of this package. As a reasonable default, we export all functions.

Third, it instructs R to import a symbol from `Rcpp`. This sets up the import of all registered function and, together with the

Imports: statement in DESCRIPTION, provides what is needed for client packages to access **Rcpp** functionality.

2.9. Help files. Also created is a directory `man` containing two help files. One is for the package itself, the other for the (single) R function being provided and exported.

The *Writing R Extensions* manual (R Core Team, 2025) provides the complete documentation on how to create suitable content for help files.

2.10. `mypackage-package.Rd`. The help file `mypackage-package.Rd` can be used to describe the new package (and we once again indented some lines):

```
\name{mypackage-package}
\alias{mypackage-package}
\alias{mypackage}
\docType{package}
\title{
  What the package does (short line)
}

\description{
  More about what it does (maybe more than one line)
  ~~ A concise (1-5 lines) description of the
  package ~~
}

\details{
\tabular{ll}{
  Package: \tab mypackage\cr
  Type: \tab Package\cr
  Version: \tab 1.0\cr
  Date: \tab 2013-09-17\cr
  License: \tab What license is it under?\cr
}
  ~~ An overview of how to use the package,
  including the most important functions ~~
}

\author{
  Who wrote it
}

Maintainer: Who <yourfault@somewhere.net>
}

\references{
  ~~ Literature or other references for
  background information ~~
}

  ~~ Optionally other standard keywords, one per
  line, from file KEYWORDS in the R
  documentation directory ~~
\keyword{ package }
\seealso{
  ~~ Optional links to other man pages, e.g. ~~
  ~~ \code{\link[<pkg>:<pkg>-package]{<pkg>}} ~~
}

\examples{
  %% ~~ simple examples of the most important
  %% functions ~~
}
```

```
\name{rcpp_hello_world}
\alias{rcpp_hello_world}
\docType{package}
\title{
  Simple function using Rcpp
}
\description{
  Simple function using Rcpp
}
\usage{
  rcpp_hello_world()
}
\examples{
\dontrun{
  rcpp_hello_world()
}
}
```

3. Using modules

This document does not cover the use of the `module` argument of `Rcpp.package.skeleton`. It is covered in the modules vignette (Eddelbuettel and François, 2026).

4. Further examples

The canonical example of a package that uses **Rcpp** is the **RcppExamples** (Eddelbuettel and François, 2025) package. **RcppExamples** contains various examples of using **Rcpp**. Hence, the **RcppExamples** package is provided as a template for employing **Rcpp** in packages.

Other CRAN packages using the **Rcpp** package are **RcppArmadillo** (Eddelbuettel *et al.*, 2025), and **minqa** (Bates *et al.*, 2024). Several other packages follow older (but still supported and appropriate) instructions. They can serve examples on how to get data to and from C++ routines, but should not be considered templates for how to connect to **Rcpp**. The full list of packages using **Rcpp** can be found at the CRAN page of **Rcpp**.

5. Other compilers

Less experienced R users on the Windows platform frequently ask about using **Rcpp** with the Visual Studio toolchain. That is simply not possible as R is built with the `gcc` compiler. Different compilers have different linking conventions. These conventions are particularly hairy when it comes to using C++. In short, it is not possible to simply drop sources (or header files) from **Rcpp** into a C++ project built with Visual Studio, and this note makes no attempt at claiming otherwise.

Rcpp is fully usable on Windows provided the standard Windows toolchain for R is used. See the *Writing R Extensions* manual (R Core Team, 2025) for details.

6. Summary

This document described how to use the **Rcpp** package for R and C++ integration when writing an R extension package. The use of the `Rcpp.package.skeleton` was shown in detail, and references to further examples were provided.

References

Allaire JJ, Eddelbuettel D, François R (2026). *Rcpp Attributes*. doi: [10.32614/CRAN.package.Rcpp](https://doi.org/10.32614/CRAN.package.Rcpp). Vignette included in R package **Rcpp**.

- Bates D, Mullen KM, Nash JC, Varadhan R (2024). *minqa: Derivative-Free Optimization Algorithms by Quadratic Approximation.* [doi: 10.32614/CRAN.package.minqa](https://doi.org/10.32614/CRAN.package.minqa). R package version 1.2.8.
- Eddelbuettel D (2013). *Seamless R and C++ Integration with Rcpp*. Use R! Springer, New York. ISBN 978-1-4614-6867-7.
- Eddelbuettel D, François R (2011). “Rcpp: Seamless R and C++ Integration.” *Journal of Statistical Software*, **40**(8), 1–18. [doi: 10.18637/jss.v040.i08](https://doi.org/10.18637/jss.v040.i08). URL <https://doi.org/10.18637/jss.v040.i08>.
- Eddelbuettel D, François R (2025). *RcppExamples: Examples using Rcpp to interface R and C++.* [doi:10.32614/CRAN.package.RcppExamples](https://doi.org/10.32614/CRAN.package.RcppExamples). R package version 0.1.10.
- Eddelbuettel D, François R (2026). *Exposing C++ functions and classes with Rcpp modules.* [doi:10.32614/CRAN.package.Rcpp](https://doi.org/10.32614/CRAN.package.Rcpp). Vignette included in R package Rcpp.
- Eddelbuettel D, François R, Allaire J, Ushey K, Kou Q, Russel N, Chambers J, Bates D (2026). *Rcpp: Seamless R and C++ Integration.* [doi: 10.32614/CRAN.package.Rcpp](https://doi.org/10.32614/CRAN.package.Rcpp). R package version 1.1.1.
- Eddelbuettel D, François R, Bates D, Ni B, Sanderson C (2025). *RcppArmadillo: Rcpp Integration for the Armadillo Templated Linear Algebra Library.* [doi: 10.32614/CRAN.package.RcppArmadillo](https://doi.org/10.32614/CRAN.package.RcppArmadillo). R package version 15.2.3-1.
- Leisch F (2008). “Tutorial on Creating R Packages.” In P Brito (ed.), *COMPSTAT 2008 – Proceedings in Computational Statistics*. Physica Verlag, Heidelberg. URL <https://CRAN.R-Project.org/doc/contrib/Leisch-CreatingPackages.pdf>.
- R Core Team (2025). *Writing R extensions.* R Foundation for Statistical Computing, Vienna, Austria. [doi:10.32614/R.manuals](https://CRAN.R-Project.org/doc/manuals/R-exts.html). URL <https://CRAN.R-Project.org/doc/manuals/R-exts.html>.