

# Package ‘broom’

January 27, 2026

**Type** Package

**Title** Convert Statistical Objects into Tidy Tibbles

**Version** 1.0.12

**Description** Summarizes key information about statistical objects in tidy tibbles. This makes it easy to report results, create plots and consistently work with large numbers of models at once. Broom provides three verbs that each provide different types of information about a model. tidy() summarizes information about model components such as coefficients of a regression. glance() reports information about an entire model, such as goodness of fit measures like AIC and BIC. augment() adds information about individual observations to a dataset, such as fitted values or influence measures.

**License** MIT + file LICENSE

**URL** <https://broom.tidymodels.org/>, <https://github.com/tidymodels/broom>

**BugReports** <https://github.com/tidymodels/broom/issues>

**Depends** R (>= 4.1)

**Imports** backports, cli, dplyr (>= 1.0.0), generics (>= 0.0.2), glue, lifecycle, purrr, rlang (>= 1.1.0), stringr, tibble (>= 3.0.0), tidyr (>= 1.0.0)

**Suggests** AER, AUC, bbmle, betareg (>= 3.2-1), biglm, binGroup, boot, btergm (>= 1.10.6), car (>= 3.1-2), carData, caret, cluster, cmprsk, coda, covr, drc, e1071, emmeans, epiR (>= 2.0.85), ergm (>= 3.10.4), fixest (>= 0.9.0), gam (>= 1.15), gee, geepack, ggplot2, glmnet, glmnetUtils, gmm, Hmisc, interp, irlba, joineRML, Kendall, knitr, ks, Lahman, lavaan (>= 0.6.18), leaps, lfe, lm.beta, lme4, lmodel2, lmtest (>= 0.9.38), lsmeans, maps, margins, MASS, mclust, mediation, metafor, mfx, mgcv, mlogit, modeldata, modeltests (>= 0.1.6), muhaz, multcomp, network, nnet, ordinal, plm, poLCA, psych, quantreg, rmarkdown, robust, robustbase, rsample, sandwich, spatialreg, spdep (>= 1.1), speedglm, spelling, stats4, survey, survival (>= 3.6-4), systemfit, testthat (>= 3.0.0), tseries, vars, zoo

**VignetteBuilder** knitr

**Config/Needs/website** tidyverse/tidytemplate

**Config/testthat/edition** 3

**Config/usethis/last-upkeep** 2025-04-25

**Encoding** UTF-8

**Language** en-US

**RoxygenNote** 7.3.3

**Collate** 'aaa-documentation-helper.R' 'null-and-default.R' 'aer.R'  
 'auc.R' 'base.R' 'bbmle.R' 'betareg.R' 'biglm.R' 'bingroup.R'  
 'boot.R' 'broom-package.R' 'broom.R' 'btergm.R' 'car.R'  
 'caret.R' 'cluster.R' 'cmprsk.R' 'data-frame.R'  
 'deprecated-0-7-0.R' 'drc.R' 'emmeans.R' 'epiR.R' 'ergm.R'  
 'fixest.R' 'gam.R' 'geepack.R' 'glmnet-cv-glmnet.R'  
 'glmnet-glmnet.R' 'gmm.R' 'hmisc.R'  
 'import-standalone-obj-type.R'  
 'import-standalone-types-check.R' 'joinerml.R' 'kendall.R'  
 'ks.R' 'lavaan.R' 'leaps.R' 'lfe.R' 'list-irlba.R'  
 'list-optim.R' 'list-svd.R' 'list-xyz.R' 'list.R' 'lm-beta.R'  
 'lmodel2.R' 'lmodel2.R' 'maps.R' 'margins.R' 'mass-fitdistr.R'  
 'mass-negbin.R' 'mass-polr.R' 'mass-ridgelm.R' 'stats-lm.R'  
 'mass-rlm.R' 'mclust.R' 'mediation.R' 'metafor.R' 'mfx.R'  
 'mgcv.R' 'mlogit.R' 'muhaz.R' 'multcomp.R' 'nnet.R' 'nobs.R'  
 'ordinal-clm.R' 'ordinal-clmm.R' 'plm.R' 'polca.R' 'psych.R'  
 'stats-nls.R' 'quantreg-nlrq.R' 'quantreg-rq.R'  
 'quantreg-rqs.R' 'robust-glmrob.R' 'robust-lmrob.R'  
 'robustbase-glmrob.R' 'robustbase-lmrob.R' 'sp.R' 'spdep.R'  
 'speedglm-speedglm.R' 'speedglm-speedglm.R' 'stats-anova.R'  
 'stats-arima.R' 'stats-decompose.R' 'stats-factanal.R'  
 'stats-glm.R' 'stats-htest.R' 'stats-kmeans.R' 'stats-loess.R'  
 'stats-mlm.R' 'stats-prcomp.R' 'stats-smooth.spline.R'  
 'stats-summary-lm.R' 'stats-time-series.R' 'survey.R'  
 'survival-aareg.R' 'survival-cch.R' 'survival-coxph.R'  
 'survival-pyears.R' 'survival-survdiff.R' 'survival-survexp.R'  
 'survival-survfit.R' 'survival-survreg.R' 'systemfit.R'  
 'tseries.R' 'utilities.R' 'vars.R' 'zoo.R' 'zzz.R'

**NeedsCompilation** no

**Author** David Robinson [aut],

Alex Hayes [aut] (ORCID: <<https://orcid.org/0000-0002-4985-5160>>),

Simon Couch [aut] (ORCID: <<https://orcid.org/0000-0001-5676-5107>>),

Emil Hvitfeldt [aut, cre] (ORCID:

<<https://orcid.org/0000-0002-0679-1945>>),

Posit Software, PBC [cph, fnd] (ROR: <<https://ror.org/03wc8by49>>),

Indrajeet Patil [ctb] (ORCID: <<https://orcid.org/0000-0003-1995-6531>>),

Derek Chiu [ctb],

Matthieu Gomez [ctb],

Boris Demeshev [ctb],

Dieter Menne [ctb],

Benjamin Nutter [ctb],  
Luke Johnston [ctb],  
Ben Bolker [ctb],  
Francois Briatte [ctb],  
Jeffrey Arnold [ctb],  
Jonah Gabry [ctb],  
Luciano Selzer [ctb],  
Gavin Simpson [ctb],  
Jens Preussner [ctb],  
Jay Hesselberth [ctb],  
Hadley Wickham [ctb],  
Matthew Lincoln [ctb],  
Alessandro Gasparini [ctb],  
Lukasz Komsta [ctb],  
Frederick Novometsky [ctb],  
Wilson Freitas [ctb],  
Michelle Evans [ctb],  
Jason Cory Brunson [ctb],  
Simon Jackson [ctb],  
Ben Whalley [ctb],  
Karissa Whiting [ctb],  
Yves Rosseel [ctb],  
Michael Kuehn [ctb],  
Jorge Cimentada [ctb],  
Erle Holgersen [ctb],  
Karl Dunkle Werner [ctb] (ORCID: <https://orcid.org/0000-0003-0523-7309>),  
Ethan Christensen [ctb],  
Steven Pav [ctb],  
Paul PJ [ctb],  
Ben Schneider [ctb],  
Patrick Kennedy [ctb],  
Lily Medina [ctb],  
Brian Fannin [ctb],  
Jason Muhlenkamp [ctb],  
Matt Lehman [ctb],  
Bill Denney [ctb] (ORCID: <https://orcid.org/0000-0002-5759-428X>),  
Nic Crane [ctb],  
Andrew Bates [ctb],  
Vincent Arel-Bundock [ctb] (ORCID: <https://orcid.org/0000-0003-2042-7063>),  
Hideaki Hayashi [ctb],  
Luis Tobalina [ctb],  
Annie Wang [ctb],  
Wei Yang Tham [ctb],  
Clara Wang [ctb],  
Abby Smith [ctb] (ORCID: <https://orcid.org/0000-0002-3207-0375>),  
Jasper Cooper [ctb] (ORCID: <https://orcid.org/0000-0002-8639-3188>),

E Auden Krauska [ctb] (ORCID: <<https://orcid.org/0000-0002-1466-5850>>),  
Alex Wang [ctb],  
Malcolm Barrett [ctb] (ORCID: <<https://orcid.org/0000-0003-0299-5825>>),  
Charles Gray [ctb] (ORCID: <<https://orcid.org/0000-0002-9978-011X>>),  
Jared Wilber [ctb],  
Vilmantas Gegzna [ctb] (ORCID: <<https://orcid.org/0000-0002-9500-5167>>),  
Eduard Szoecs [ctb],  
Frederik Aust [ctb] (ORCID: <<https://orcid.org/0000-0003-4900-788X>>),  
Angus Moore [ctb],  
Nick Williams [ctb],  
Marius Barth [ctb] (ORCID: <<https://orcid.org/0000-0002-3421-6665>>),  
Bruna Wundervald [ctb] (ORCID: <<https://orcid.org/0000-0001-8163-220X>>),  
Joyce Cahoon [ctb] (ORCID: <<https://orcid.org/0000-0001-7217-4702>>),  
Grant McDermott [ctb] (ORCID: <<https://orcid.org/0000-0001-7883-8573>>),  
Kevin Zarca [ctb],  
Shiro Kuriwaki [ctb] (ORCID: <<https://orcid.org/0000-0002-5687-2647>>),  
Lukas Wallrich [ctb] (ORCID: <<https://orcid.org/0000-0003-2121-5177>>),  
James Martherus [ctb] (ORCID: <<https://orcid.org/0000-0002-8285-3300>>),  
Chuliang Xiao [ctb] (ORCID: <<https://orcid.org/0000-0002-8466-9398>>),  
Joseph Larmorange [ctb],  
Max Kuhn [ctb],  
Michał Bojanowski [ctb],  
Hakon Malmadal [ctb],  
Clara Wang [ctb],  
Sergio Oller [ctb],  
Luke Sonnet [ctb],  
Jim Hester [ctb],  
Ben Schneider [ctb],  
Bernie Gray [ctb] (ORCID: <<https://orcid.org/0000-0001-9190-6032>>),  
Mara Averick [ctb],  
Aaron Jacobs [ctb],  
Andreas Bender [ctb],  
Sven Templer [ctb],  
Paul-Christian Buerkner [ctb],  
Matthew Kay [ctb],  
Erwan Le Pennec [ctb],  
Johan Junkka [ctb],  
Hao Zhu [ctb],  
Benjamin Soltoff [ctb],  
Zoe Wilkinson Saldana [ctb],  
Tyler Littlefield [ctb],  
Charles T. Gray [ctb],  
Shabbh E. Banks [ctb],  
Serina Robinson [ctb],  
Roger Bivand [ctb],  
Riinu Ots [ctb],  
Nicholas Williams [ctb],  
Nina Jakobsen [ctb],

Michael Weylandt [ctb],  
Lisa Lendway [ctb],  
Karl Hailperin [ctb],  
Josue Rodriguez [ctb],  
Jenny Bryan [ctb],  
Chris Jarvis [ctb],  
Greg Macfarlane [ctb],  
Brian Mannakee [ctb],  
Drew Tyre [ctb],  
Shreyas Singh [ctb],  
Laurens Geffert [ctb],  
Hong Ooi [ctb],  
Henrik Bengtsson [ctb],  
Eduard Szocs [ctb],  
David Hugh-Jones [ctb],  
Matthieu Stigler [ctb],  
Hugo Tavares [ctb] (ORCID: <<https://orcid.org/0000-0001-9373-2726>>),  
R. Willem Vervoort [ctb],  
Brenton M. Wiernik [ctb],  
Josh Yamamoto [ctb],  
Jasme Lee [ctb],  
Taren Sanders [ctb] (ORCID: <<https://orcid.org/0000-0002-4504-6008>>),  
Ilaria Prosdocimi [ctb] (ORCID:  
<<https://orcid.org/0000-0001-8565-094X>>),  
Daniel D. Sjoberg [ctb] (ORCID:  
<<https://orcid.org/0000-0003-0862-2018>>),  
Alex Reinhart [ctb] (ORCID: <<https://orcid.org/0000-0002-6658-514X>>)

**Maintainer** Emil Hvitfeldt <emil.hvitfeldt@posit.co>

**Repository** CRAN

**Date/Publication** 2026-01-27 06:10:51 UTC

## Contents

augment.betamfx	10
augment.betareg	13
augment.clm	15
augment.coxpath	17
augment.decomposed.ts	20
augment.drc	22
augment.factanal	25
augment.felm	26
augment.fixest	28
augment.gam	30
augment.glm	33
augment.glmRob	35
augment.glmrob	36
augment.htest	38

augment.ivreg . . . . .	40
augment.kmeans . . . . .	42
augment.lm . . . . .	44
augment.lmRob . . . . .	48
augment.lmrob . . . . .	49
augment.loess . . . . .	52
augment.Mclust . . . . .	53
augment.mfx . . . . .	55
augment.mjoint . . . . .	59
augment.mlogit . . . . .	61
augment.nlrq . . . . .	63
augment.nls . . . . .	65
augment.pam . . . . .	67
augment.plm . . . . .	69
augment.poLCA . . . . .	71
augment.polr . . . . .	73
augment.prcomp . . . . .	75
augment.rlm . . . . .	77
augment.rma . . . . .	79
augment.rq . . . . .	81
augment.rqs . . . . .	83
augment.sarlm . . . . .	85
augment.smooth.spline . . . . .	88
augment.speedlm . . . . .	89
augment.stl . . . . .	91
augment.survreg . . . . .	92
augment_columns . . . . .	95
bootstrap . . . . .	96
confint_tidy . . . . .	96
data.frame_tidiers . . . . .	97
durbinWatsonTest_tidiers . . . . .	99
finish_glance . . . . .	101
fix_data_frame . . . . .	101
glance.aareg . . . . .	102
glance.anova . . . . .	103
glance.aov . . . . .	105
glance.Arima . . . . .	107
glance.betamfx . . . . .	108
glance.betareg . . . . .	110
glance.biglm . . . . .	111
glance.binDesign . . . . .	113
glance.cch . . . . .	114
glance.clm . . . . .	116
glance.clmm . . . . .	118
glance.coeftest . . . . .	120
glance.coxph . . . . .	122
glance.crr . . . . .	124
glance.cv.glmnet . . . . .	126

glance.drc	128
glance.ergm	129
glance.factanal	131
glance.felm	133
glance.fitdistr	134
glance.fixest	136
glance.Gam	138
glance.gam	139
glance.garch	141
glance.geeglm	142
glance.glm	143
glance.glmnet	145
glance.glmRob	146
glance.gmm	148
glance.ivreg	150
glance.kmeans	152
glance.lavaan	154
glance.lm	156
glance.lmodel2	158
glance.lmRob	160
glance.lmrob	162
glance.margins	163
glance.Mclust	165
glance.mfx	167
glance.mjoint	169
glance.mlogit	171
glance.muhaz	173
glance.multinom	174
glance.negbin	176
glance.nlrq	177
glance.nls	179
glance.pam	180
glance.plm	182
glance.poLCA	184
glance.polr	186
glance.pyears	188
glance.ridgelm	189
glance.rlm	191
glance.rma	193
glance.rq	194
glance.sarlm	196
glance.smooth.spline	198
glance.speedglm	200
glance.speedlm	201
glance.summary.lm	203
glance.survdiff	206
glance.survexp	207
glance.survfit	209

glance.survreg	210
glance.svyglm	212
glance.svyolr	214
glance.varest	216
glance_optim	217
leveneTest_tidiers	218
list_tidiers	219
null_tidiers	220
sp_tidiers	221
summary_tidiers	222
tidy.aareg	223
tidy.acf	224
tidy.anova	225
tidy.aov	227
tidy.aovlist	228
tidy.Arima	229
tidy.betamfx	231
tidy.betareg	233
tidy.biglm	234
tidy.binDesign	236
tidy.binWidth	237
tidy.boot	239
tidy.btergm	241
tidy.cch	242
tidy.cld	244
tidy.clm	245
tidy.clmm	248
tidy.coeftest	249
tidy.confint.glht	251
tidy.confusionMatrix	253
tidy.coxph	254
tidy.crr	256
tidy.cv.glmnet	258
tidy.density	260
tidy.dist	261
tidy.drc	262
tidy.emmGrid	264
tidy.epi.2by2	266
tidy.ergm	267
tidy.factanal	269
tidy.felm	271
tidy.fitdistr	273
tidy.fixest	274
tidy.ftable	276
tidy.Gam	277
tidy.gam	279
tidy.garch	280
tidy.geeglm	282

tidy.glht	284
tidy.glm	285
tidy.glmnet	286
tidy.glmRob	288
tidy.glmrob	289
tidy.gmm	291
tidy.htest	293
tidy.ivreg	295
tidy.kappa	297
tidy.kde	298
tidy.Kendall	300
tidy.kmeans	301
tidy.lavaan	303
tidy.lm	304
tidy.lm.beta	307
tidy.lmodel2	309
tidy.lmRob	310
tidy.lmrob	311
tidy.lsmobj	313
tidy.manova	315
tidy.map	316
tidy.margins	317
tidy.Mclust	320
tidy.mediate	321
tidy.mfx	323
tidy.mjoint	325
tidy.mle2	328
tidy.mlm	329
tidy.mlogit	331
tidy.muhaz	332
tidy.multinom	333
tidy.negbin	335
tidy.nlrq	336
tidy.nls	338
tidy.numeric	339
tidy.pairwise.htest	340
tidy.pam	342
tidy.plm	343
tidy.poLCA	345
tidy.polr	347
tidy.power.htest	349
tidy.prcomp	350
tidy.pyears	353
tidy.rcorr	354
tidy.ref.grid	356
tidy.regsubsets	358
tidy.ridgelm	359
tidy.rlm	361

tidy.rma	362
tidy.roc	363
tidy.rq	365
tidy.rqs	367
tidy.sarlm	369
tidy.spec	371
tidy.speedglm	372
tidy.speedlm	373
tidy.summary.glht	375
tidy.summary.lm	376
tidy.summary_emm	378
tidy.survdiff	380
tidy.survexp	381
tidy.survfit	383
tidy.survreg	384
tidy.svyglm	386
tidy.svyolr	387
tidy.systemfit	389
tidy.table	390
tidy.ts	391
tidy.TukeyHSD	393
tidy.varest	394
tidy.zoo	395
tidy_irlba	397
tidy_optim	399
tidy_svd	400
tidy_xyz	402

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether data or newdata is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'betamfx'
augment(
  x,
  data = model.frame(x$fit),
  newdata = NULL,
  type.predict = c("response", "link", "precision", "variance", "quantile"),
  type.residuals = c("sweighted2", "deviance", "pearson", "response", "weighted",
    "sweighted"),
  ...
)
```

## Arguments

<code>x</code>	A <code>betamfx</code> object.
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
<code>type.predict</code>	Character indicating type of prediction to use. Passed to the <code>type</code> argument of <code>betareg::predict.betareg()</code> . Defaults to "response".
<code>type.residuals</code>	Character indicating type of residuals to use. Passed to the <code>type</code> argument of <code>betareg::residuals.betareg()</code> . Defaults to "sweighted2".
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

This augment method wraps `augment.betareg()` for `mfx::betamfx()` objects.

## Value

A `tibble::tibble()` with columns:

<code>.cooksdist</code>	Cooks distance.
<code>.fitted</code>	Fitted or predicted value.
<code>.resid</code>	The difference between observed and fitted values.

## See Also

`augment.betareg()`, `mfx::betamfx()`

Other mfx tidiers: `augment.mfx()`, `glance.betamfx()`, `glance.mfx()`, `tidy.betamfx()`, `tidy.mfx()`

## Examples

```
library(mfx)

# Simulate some data
set.seed(12345)
n <- 1000
x <- rnorm(n)

# Beta outcome
y <- rbeta(n, shape1 = plogis(1 + 0.5 * x), shape2 = (abs(0.2 * x)))
# Use Smithson and Verkuilen correction
y <- (y * (n - 1) + 0.5) / n

d <- data.frame(y, x)
mod_betamfx <- betamfx(y ~ x | x, data = d)

tidy(mod_betamfx, conf.int = TRUE)

# Compare with the naive model coefficients of the equivalent betareg call (not run)
# tidy(betamfx(y ~ x | x, data = d), conf.int = TRUE)

augment(mod_betamfx)
glance(mod_betamfx)
```

---

<code>augment.betareg</code>	<i>Augment data with information from a(n) betareg object</i>
------------------------------	---

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'betareg'
augment(
  x,
  data = model.frame(x),
  newdata = NULL,
  type.predict,
  type.residuals,
  ...
)
```

## Arguments

`x` A `betareg` object produced by a call to `betareg::betareg\(\)`.

data	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object x. Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the data argument. Augment will report information such as influence and cooks distance for data passed to the data argument. These measures are only defined for the original training data.
newdata	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create x. Defaults to NULL, indicating that nothing has been passed to newdata. If newdata is specified, the data argument will be ignored.
type.predict	Character indicating type of prediction to use. Passed to the type argument of the <code>stats::predict()</code> generic. Allowed arguments vary with model class, so be sure to read the <code>predict.my_class</code> documentation.
type.residuals	Character indicating type of residuals to use. Passed to the type argument of <code>stats::residuals()</code> generic. Allowed arguments vary with model class, so be sure to read the <code>residuals.my_class</code> documentation.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

For additional details on Cook's distance, see `stats::cooks.distance()`.

## Value

A `tibble::tibble()` with columns:

.cooksdist	Cooks distance.
.fitted	Fitted or predicted value.
.resid	The difference between observed and fitted values.

## See Also

`augment()`, `betareg::betareg()`

## Examples

```
# load libraries for models and data
library(betareg)

# load data
```

```

data("GasolineYield", package = "betareg")

# fit model
mod <- betareg(yield ~ batch + temp, data = GasolineYield)

mod

# summarize model fit with tidiers
tidy(mod)
tidy(mod, conf.int = TRUE)
tidy(mod, conf.int = TRUE, conf.level = .99)

augment(mod)

glance(mod)

```

---

augment.clm*Augment data with information from a(n) clm object*

---

**Description**

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'clm'
augment(
  x,
  data = model.frame(x),
  newdata = NULL,
  type.predict = c("prob", "class"),
  ...
)
```

## Arguments

x	A <code>clm</code> object returned from <code>ordinal::clm()</code> .
data	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
newdata	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
type.predict	Which type of prediction to compute, either <code>"prob"</code> or <code>"class"</code> , passed to <code>ordinal::predict.clm()</code> . Defaults to <code>"prob"</code> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## See Also

`tidy`, `ordinal::clm()`, `ordinal::predict.clm()`

Other ordinal tidiers: `augment.polr()`, `glance.clm()`, `glance.clmm()`, `glance.polr()`, `glance.svyolr()`, `tidy.clm()`, `tidy.clmm()`, `tidy.polr()`, `tidy.svyolr()`

## Examples

```
# load libraries for models and data
library(ordinal)

# fit model
```

```

fit <- clm(rating ~ temp * contact, data = wine)

# summarize model fit with tidiers
tidy(fit)
tidy(fit, conf.int = TRUE, conf.level = 0.9)
tidy(fit, conf.int = TRUE, conf.type = "Wald", exponentiate = TRUE)

glance(fit)
augment(fit, type.predict = "prob")
augment(fit, type.predict = "class")

# ...and again with another model specification
fit2 <- clm(rating ~ temp, nominal = ~contact, data = wine)

tidy(fit2)
glance(fit2)

```

---

augment.coxph

*Augment data with information from a(n) coxph object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'coxph'
augment(
  x,
  data = model.frame(x),
  newdata = NULL,
  type.predict = "lp",
  type.residuals = "martingale",
  ...
)
```

## Arguments

x	A coxph object returned from <a href="#">survival::coxph()</a> .
data	A <a href="#">base::data.frame</a> or <a href="#">tibble::tibble()</a> containing the original data that was used to produce the object x. Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the data argument. Augment will report information such as influence and cooks distance for data passed to the data argument. These measures are only defined for the original training data.
newdata	A <a href="#">base::data.frame()</a> or <a href="#">tibble::tibble()</a> containing all the original predictors used to create x. Defaults to NULL, indicating that nothing has been passed to newdata. If newdata is specified, the data argument will be ignored.
type.predict	Character indicating type of prediction to use. Passed to the type argument of the <a href="#">stats::predict()</a> generic. Allowed arguments vary with model class, so be sure to read the <code>predict.my_class</code> documentation.
type.residuals	Character indicating type of residuals to use. Passed to the type argument of <a href="#">stats::residuals()</a> generic. Allowed arguments vary with model class, so be sure to read the <code>residuals.my_class</code> documentation.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

When the modeling was performed with `na.action = "na.omit"` (as is the typical default), rows with NA in the initial data are omitted entirely from the augmented data frame. When the modeling was performed with `na.action = "na.exclude"`, one should provide the original data as a second argument, at which point the augmented data will contain those rows (typically with NAs in place of the new columns). If the original data is not provided to `augment()` and `na.action = "na.exclude"`, a warning is raised and the incomplete rows are dropped.

**Value**

A `tibble::tibble()` with columns:

<code>.fitted</code>	Fitted or predicted value.
<code>.resid</code>	The difference between observed and fitted values.
<code>.se.fit</code>	Standard errors of fitted values.

**See Also**

`stats::na.action`

`augment()`, `survival::coxph()`

Other `coxph` tidiers: `glance.coxph()`, `tidy.coxph()`

Other survival tidiers: `augment.survreg()`, `glance.aareg()`, `glance.cch()`, `glance.coxph()`, `glance.pyears()`, `glance.survdiff()`, `glance.survexp()`, `glance.survfit()`, `glance.survreg()`, `tidy.aareg()`, `tidy.cch()`, `tidy.coxph()`, `tidy.pyyears()`, `tidy.survdiff()`, `tidy.survexp()`, `tidy.survfit()`, `tidy.survreg()`

**Examples**

```
# load libraries for models and data
library(survival)

# fit model
cfit <- coxph(Surv(time, status) ~ age + sex, lung)

# summarize model fit with tidiers
tidy(cfit)
tidy(cfit, exponentiate = TRUE)

lp <- augment(cfit, lung)
risks <- augment(cfit, lung, type.predict = "risk")
expected <- augment(cfit, lung, type.predict = "expected")

glance(cfit)

# also works on clogit models
resp <- levels(logan$occupation)
n <- nrow(logan)
indx <- rep(1:n, length(resp))
logan2 <- data.frame(
  logan[indx, ],
  id = indx,
  tocc = factor(rep(resp, each = n))
)

logan2$case <- (logan2$occupation == logan2$tocc)

cl <- clogit(case ~ tocc + tocc:education + strata(id), logan2)
```

```

tidy(cl)
glance(cl)

library(ggplot2)

ggplot(lp, aes(age, .fitted, color = sex)) +
  geom_point()

ggplot(risks, aes(age, .fitted, color = sex)) +
  geom_point()

ggplot(expected, aes(time, .fitted, color = sex)) +
  geom_point()

```

---

`augment.decomposed.ts` *Augment data with information from a(n) decomposed.ts object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```

## S3 method for class 'decomposed.ts'
augment(x, ...)

```

## Arguments

- x A decomposed.ts object returned from [stats::decompose\(\)](#).
- ... Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are:
- tidy() methods will warn when supplied an exponentiate argument if it will be ignored.
  - augment() methods will warn when supplied a newdata argument if it will be ignored.

## Value

A [tibble::tibble](#) with one row for each observation in the original times series:

- |            |  |
|------------|--|
| .seasonal  | The seasonal component of the decomposition.               |
| .trend     | The trend component of the decomposition.                  |
| .remainder | The remainder, or "random" component of the decomposition. |
| .weight    | The final robust weights (stl only).                       |
| .seasadj   | The seasonally adjusted (or "deseasonalised") series.      |

## See Also

[augment\(\)](#), [stats::decompose\(\)](#)

Other decompose tidiers: [augment.stl\(\)](#)

## Examples

```
# time series of temperatures in Nottingham, 1920-1939:
nottem

# perform seasonal decomposition on the data with both decompose
# and stl:
d1 <- decompose(nottem)
d2 <- stl(nottem, s.window = "periodic", robust = TRUE)

# compare the original series to its decompositions.

cbind(
  tidy(nottem), augment(d1),
  augment(d2)
)

# visually compare seasonal decompositions in tidy data frames.

library(tibble)
```

```

library(dplyr)
library(tidyr)
library(ggplot2)

decomps <- tibble(
  # turn the ts objects into data frames.
  series = list(as.data.frame(nottem), as.data.frame(nottem)),
  # add the models in, one for each row.
  decomp = c("decompose", "stl"),
  model = list(d1, d2)
) |>
  rowwise() |>
  # pull out the fitted data using broom::augment.
  mutate(augment = list(broom::augment(model))) |>
  ungroup() |>
  # unnest the data frames into a tidy arrangement of
  # the series next to its seasonal decomposition, grouped
  # by the method (stl or decompose).
  group_by(decomp) |>
  unnest(c(series, augment)) |>
  mutate(index = 1:n()) |>
  ungroup() |>
  select(decomp, index, x, adjusted = .seasadj)

ggplot(decomps) +
  geom_line(aes(x = index, y = x), colour = "black") +
  geom_line(aes(
    x = index, y = adjusted, colour = decomp,
    group = decomp
  ))

```

augment.drc

*Augment data with information from a(n) drc object*

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'drc'
augment(
  x,
  data = NULL,
  newdata = NULL,
  se_fit = FALSE,
  conf.int = FALSE,
  conf.level = 0.95,
  ...
)
```

## Arguments

<code>x</code>	A <code>drc</code> object produced by a call to <code>drc::drm()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
<code>se_fit</code>	Logical indicating whether or not a <code>.se.fit</code> column should be added to the augmented output. For some models, this calculation can be somewhat time-consuming. Defaults to <code>FALSE</code> .
<code>conf.int</code>	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to <code>FALSE</code> .
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be

used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>.cooksdist</code>	Cooks distance.
<code>.fitted</code>	Fitted or predicted value.
<code>.lower</code>	Lower bound on interval for fitted values.
<code>.resid</code>	The difference between observed and fitted values.
<code>.se.fit</code>	Standard errors of fitted values.
<code>.upper</code>	Upper bound on interval for fitted values.

## See Also

[augment\(\)](#), [drc::drm\(\)](#)

Other drc tidiers: [glance.drc\(\)](#), [tidy.drc\(\)](#)

## Examples

```
# load libraries for models and data
library(drc)

# fit model
mod <- drm(dead / total ~ conc, type,
            weights = total, data = selenium, fct = LL.2(), type = "binomial"
            )

# summarize model fit with tidiers
tidy(mod)
tidy(mod, conf.int = TRUE)

glance(mod)

augment(mod, selenium)
```

---

augment.factanal	<i>Augment data with information from a(n) factanal object</i>
------------------	--

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'factanal'
augment(x, data, ...)
```

## Arguments

<code>x</code>	A <code>factanal</code> object created by <code>stats::factanal()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be

used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

When data is not supplied `augment.factanal` returns one row for each observation, with a factor score column added for each factor X, `(.fsX)`. This is because `stats::factanal()`, unlike other stats methods like `stats::lm()`, does not retain the original data.

When data is supplied, `augment.factanal` returns one row for each observation, with a factor score column added for each factor X, `(.fsX)`.

## See Also

[augment\(\)](#), [stats::factanal\(\)](#)

Other factanal tidiers: [glance.factanal\(\)](#), [tidy.factanal\(\)](#)

---

`augment.felm`

*Augment data with information from a(n) felm object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'felm'
augment(x, data = model.frame(x), ...)
```

## Arguments

<code>x</code>	A <code>felm</code> object returned from <a href="#">lfe::felm()</a> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

<code>.fitted</code>	Fitted or predicted value.
<code>.resid</code>	The difference between observed and fitted values.

## See Also

[augment\(\)](#), [lfe::felm\(\)](#)

Other `felm` tidiers: [tidy.felm\(\)](#)

## Examples

```
# load libraries for models and data
library(lfe)

# use built-in `airquality` dataset
head(airquality)

# no FEs; same as lm()
```

```

est0 <- felm(Ozone ~ Temp + Wind + Solar.R, airquality)

# summarize model fit with tidiers
tidy(est0)
augment(est0)

# add month fixed effects
est1 <- felm(Ozone ~ Temp + Wind + Solar.R | Month, airquality)

# summarize model fit with tidiers
tidy(est1)
tidy(est1, fe = TRUE)
augment(est1)
glance(est1)

# the "se.type" argument can be used to switch out different standard errors
# types on the fly. In turn, this can be useful exploring the effect of
# different error structures on model inference.
tidy(est1, se.type = "iid")
tidy(est1, se.type = "robust")

# add clustered SEs (also by month)
est2 <- felm(Ozone ~ Temp + Wind + Solar.R | Month | 0 | Month, airquality)

# summarize model fit with tidiers
tidy(est2, conf.int = TRUE)
tidy(est2, conf.int = TRUE, se.type = "cluster")
tidy(est2, conf.int = TRUE, se.type = "robust")
tidy(est2, conf.int = TRUE, se.type = "iid")

```

augment.fixest

*Augment data with information from a(n) fixest object*

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'fixest'
augment(
  x,
  data = NULL,
  newdata = NULL,
  type.predict = c("link", "response"),
  type.residuals = c("response", "deviance", "pearson", "working"),
  ...
)
```

## Arguments

<code>x</code>	A <code>fixest</code> object returned from any of the <code>fixest</code> estimators
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
<code>type.predict</code>	Passed to <code>predict.fixest</code> type argument. Defaults to "link" (like <code>predict.glm</code> ).
<code>type.residuals</code>	Passed to <code>predict.fixest</code> type argument. Defaults to "response" (like <code>residuals.lm</code> , but unlike <code>residuals.glm</code> ).
<code>...</code>	Additional arguments passed to <code>summary</code> and <code>confint</code> . Important arguments are <code>se</code> and <code>cluster</code> . Other arguments are <code>dof</code> , <code>exact_dof</code> , <code>forceCovariance</code> , and <code>keepBounded</code> . See <code>summary.fixest</code> .

## Value

A `tibble::tibble()` with columns:

<code>.fitted</code>	Fitted or predicted value.
<code>.resid</code>	The difference between observed and fitted values.

**Note**

Important note: `fixest` models do not include a copy of the input data, so you must provide it manually.

`augment.fixest` only works for `fixest::feols()`, `fixest::feglm()`, and `fixest::femlm()` models. It does not work with results from `fixest::feglm()`, `fixest::feNmlm()`, or `fixest::fepois()`.

**See Also**

`augment()`, `fixest::feglm()`, `fixest::femlm()`, `fixest::feols()`

Other `fixest` tidiers: `tidy.fixest()`

**Examples**

```
# load libraries for models and data
library(fixest)

gravity <-
  feols(
    log(Euros) ~ log(dist_km) | Origin + Destination + Product + Year, trade
  )

tidy(gravity)
glance(gravity)
augment(gravity, trade)

# to get robust or clustered SEs, users can either:

# 1) specify the arguments directly in the `tidy()` call

tidy(gravity, conf.int = TRUE, cluster = c("Product", "Year"))

tidy(gravity, conf.int = TRUE, se = "threeway")

# 2) or, feed tidy() a summary.fixest object that has already accepted
# these arguments

gravity_summ <- summary(gravity, cluster = c("Product", "Year"))

tidy(gravity_summ, conf.int = TRUE)

# approach (1) is preferred.
```

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many `augment` methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, `augment` tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'gam'
augment(
  x,
  data = model.frame(x),
  newdata = NULL,
  type.predict,
  type.residuals,
  ...
)
```

## Arguments

<code>x</code>	A <code>gam</code> object returned from a call to <code>mgcv:::gam()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.

newdata	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
type.predict	Character indicating type of prediction to use. Passed to the <code>type</code> argument of the <code>stats::predict()</code> generic. Allowed arguments vary with model class, so be sure to read the <code>predict.my_class</code> documentation.
type.residuals	Character indicating type of residuals to use. Passed to the <code>type</code> argument of <code>stats::residuals()</code> generic. Allowed arguments vary with model class, so be sure to read the <code>residuals.my_class</code> documentation.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

For additional details on Cook's distance, see `stats::cooks.distance()`.

## Value

A `tibble::tibble()` with columns:

.cooksdist	Cooks distance.
.fitted	Fitted or predicted value.
.hat	Diagonal of the hat matrix.
.resid	The difference between observed and fitted values.
.se.fit	Standard errors of fitted values.
.sigma	Estimated residual standard deviation when corresponding observation is dropped from model.

## See Also

`augment()`, `mgcv::gam()`

## Examples

```
# load libraries for models and data
library(mgcv)

# fit model
g <- gam(mpg ~ s(hp) + am + qsec, data = mtcars)
```

```
# summarize model fit with tidiers
tidy(g)
tidy(g, parametric = TRUE)
glance(g)
augment(g)
```

---

augment.glm*Augment data with information from a(n) glm object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'glm'
augment(
  x,
  data = model.frame(x),
  newdata = NULL,
  type.predict = c("link", "response", "terms"),
  type.residuals = c("deviance", "pearson"),
  se.fit = FALSE,
```

```
  ...
)
```

## Arguments

x	A <code>glm</code> object returned from <code>stats::glm()</code> .
data	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object x. Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the data argument. Augment will report information such as influence and cooks distance for data passed to the data argument. These measures are only defined for the original training data.
newdata	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create x. Defaults to <code>NULL</code> , indicating that nothing has been passed to newdata. If newdata is specified, the data argument will be ignored.
type.predict	Passed to <code>stats::predict.glm()</code> type argument. Defaults to "link".
type.residuals	Passed to <code>stats::residuals.glm()</code> and to <code>stats::rstandard.glm()</code> type arguments. Defaults to "deviance".
se.fit	Logical indicating whether or not a <code>.se.fit</code> column should be added to the augmented output. For some models, this calculation can be somewhat time-consuming. Defaults to <code>FALSE</code> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

If the weights for any of the observations in the model are 0, then columns ".infl" and ".hat" in the result will be 0 for those observations.

A `.resid` column is not calculated when data is specified via the `newdata` argument.

## Value

A `tibble::tibble()` with columns:

.cooksds	Cooks distance.
.fitted	Fitted or predicted value.
.hat	Diagonal of the hat matrix.
.resid	The difference between observed and fitted values.
.se.fit	Standard errors of fitted values.

.sigma	Estimated residual standard deviation when corresponding observation is dropped from model.
.std.resid	Standardised residuals.

## See Also

[stats::glm\(\)](#)

Other lm tidiers: [augment.lm\(\)](#), [glance.glm\(\)](#), [glance.lm\(\)](#), [glance.summary.lm\(\)](#), [glance.svyglm\(\)](#), [tidy.glm\(\)](#), [tidy.lm\(\)](#), [tidy.lm.beta\(\)](#), [tidy.mlm\(\)](#), [tidy.summary.lm\(\)](#)

---

`augment.glmRob`

*Augment data with information from a(n) glmRob object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a [tibble::tibble](#) with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses [splines::ns\(\)](#), [stats::poly\(\)](#), or [survival::Surv\(\)](#), it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'glmRob'
augment(x, ...)
```

## Arguments

<code>x</code>	Unused.
<code>...</code>	Unused.

---

**augment.glmrob***Augment data with information from a(n) glmrob object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'glmrob'
augment(
  x,
  data = model.frame(x),
  newdata = NULL,
  type.predict = c("link", "response"),
  type.residuals = c("deviance", "pearson"),
  se.fit = FALSE,
  ...
)
```

## Arguments

`x` A `glmrob` object returned from `robustbase::glmrob()`.

data	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object x. Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the data argument. Augment will report information such as influence and cooks distance for data passed to the data argument. These measures are only defined for the original training data.
newdata	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create x. Defaults to NULL, indicating that nothing has been passed to newdata. If newdata is specified, the data argument will be ignored.
type.predict	Character indicating type of prediction to use. Passed to the type argument of the <code>stats::predict()</code> generic. Allowed arguments vary with model class, so be sure to read the <code>predict.my_class</code> documentation.
type.residuals	Character indicating type of residuals to use. Passed to the type argument of <code>stats::residuals()</code> generic. Allowed arguments vary with model class, so be sure to read the <code>residuals.my_class</code> documentation.
se.fit	Logical indicating whether or not a <code>.se.fit</code> column should be added to the augmented output. For some models, this calculation can be somewhat time-consuming. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

For tidiers for robust models from the **MASS** package see `tidy.rlm()`.

## Value

A `tibble::tibble()` with columns:

.fitted	Fitted or predicted value.
.resid	The difference between observed and fitted values.

## See Also

`robustbase::glmrob()`

Other robustbase tidiers: `augment.lmrob()`, `glance.lmrob()`, `tidy.glmrob()`, `tidy.lmrob()`

## Examples

```
if (requireNamespace("robustbase", quietly = TRUE)) {
  # load libraries for models and data
  library(robustbase)

  data(coleman)
  set.seed(0)

  m <- lmrob(Y ~ ., data = coleman)
  tidy(m)
  augment(m)
  glance(m)

  data(carrots)

  Rfit <- glmrob(cbind(success, total - success) ~ logdose + block,
    family = binomial, data = carrots, method = "Mqle",
    control = glmrobMqle.control(tcc = 1.2)
  )

  tidy(Rfit)
  augment(Rfit)
}
```

---

augment.htest

*Augment data with information from a(n) htest object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters

the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'htest'
augment(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | An <code>htest</code> object, such as those created by <code>stats::cor.test()</code> , <code>stats::t.test()</code> , <code>stats::wilcox.test()</code> , <code>stats::chisq.test()</code> , etc.  |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Details

See `stats::chisq.test()` for more details on how residuals are computed.

## Value

A `tibble::tibble()` with exactly one row and columns:

- |                         |  |
|-------------------------|--|
| <code>.observed</code>  | Observed count.                              |
| <code>.prop</code>      | Proportion of the total.                     |
| <code>.row.prop</code>  | Row proportion (2 dimensions table only).    |
| <code>.col.prop</code>  | Column proportion (2 dimensions table only). |
| <code>.expected</code>  | Expected count under the null hypothesis.    |
| <code>.resid</code>     | Pearson residuals.                           |
| <code>.std.resid</code> | Standardized residual.                       |

## See Also

`augment()`, `stats::chisq.test()`

Other `htest` tidiers: `tidy.htest()`, `tidy.pairwise.htest()`, `tidy.power.htest()`

## Examples

```
tt <- t.test(rnorm(10))

tidy(tt)

# the glance output will be the same for each of the below tests
glance(tt)

tt <- t.test(mpg ~ am, data = mtcars)

tidy(tt)

wt <- wilcox.test(mpg ~ am, data = mtcars, conf.int = TRUE, exact = FALSE)

tidy(wt)

ct <- cor.test(mtcars$wt, mtcars$mpg)

tidy(ct)

chit <- chisq.test(xtabs(Freq ~ Sex + Class, data = as.data.frame(Titanic)))

tidy(chit)
augment(chit)
```

---

augment.ivreg

*Augment data with information from a(n) ivreg object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'ivreg'
augment(x, data = model.frame(x), newdata = NULL, ...)
```

## Arguments

<code>x</code>	An <code>ivreg</code> object created by a call to <code>AER::ivreg()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

This tidier currently only supports `ivreg`-classed objects outputted by the `AER` package. The `ivreg` package also outputs objects of class `ivreg`, and will be supported in a later release.

## Value

A `tibble::tibble()` with columns:

<code>.fitted</code>	Fitted or predicted value.
<code>.resid</code>	The difference between observed and fitted values.

**See Also**[augment\(\)](#), [AER::ivreg\(\)](#)Other ivreg tidiers: [glance.ivreg\(\)](#), [tidy.ivreg\(\)](#)**Examples**

```

# load libraries for models and data
library(AER)

# load data
data("CigarettesSW", package = "AER")

# fit model
ivr <- ivreg(
  log(packs) ~ income | population,
  data = CigarettesSW,
  subset = year == "1995"
)

# summarize model fit with tidiers
tidy(ivr)
tidy(ivr, conf.int = TRUE)
tidy(ivr, conf.int = TRUE, instruments = TRUE)

augment(ivr)
augment(ivr, data = CigarettesSW)
augment(ivr, newdata = CigarettesSW)

glance(ivr)

```

**augment.kmeans***Augment data with information from a(n) kmeans object***Description**

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether data or newdata is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'kmeans'
augment(x, data, ...)
```

## Arguments

<code>x</code>	A <code>kmeans</code> object created by <code>stats::kmeans()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

<code>.cluster</code>	Cluster assignment.
-----------------------	---------------------

## See Also

`augment()`, `stats::kmeans()`

Other kmeans tidiers: `glance.kmeans()`, `tidy.kmeans()`

## Examples

```
library(cluster)
library(modeldata)
library(dplyr)

data(hpc_data)

x <- hpc_data[, 2:5]

fit <- pam(x, k = 4)

tidy(fit)
glance(fit)
augment(fit, x)
```

---

### augment.lm

*Augment data with information from a(n) lm object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'lm'
augment(
  x,
  data = model.frame(x),
  newdata = NULL,
  se_fit = FALSE,
  interval = c("none", "confidence", "prediction"),
  conf.level = 0.95,
  ...
)
```

## Arguments

x	An <code>lm</code> object created by <code>stats::lm()</code> .
data	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
newdata	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
se_fit	Logical indicating whether or not a <code>.se.fit</code> column should be added to the augmented output. For some models, this calculation can be somewhat time-consuming. Defaults to <code>FALSE</code> .
interval	Character indicating the type of confidence interval columns to be added to the augmented output. Passed on to <code>predict()</code> and defaults to <code>"none"</code> .
conf.level	The confidence level to use for the interval created if <code>interval</code> is <code>"confidence"</code> or <code>"prediction"</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence/prediction interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li><code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li><code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

When the modeling was performed with `na.action = "na.omit"` (as is the typical default), rows with NA in the initial data are omitted entirely from the augmented data frame. When the modeling was performed with `na.action = "na.exclude"`, one should provide the original data as a

second argument, at which point the augmented data will contain those rows (typically with NAs in place of the new columns). If the original data is not provided to `augment()` and `na.action = "na.exclude"`, a warning is raised and the incomplete rows are dropped.

Some unusual `lm` objects, such as `rlm` from MASS, may omit `.cooks` and `.std.resid`. `gam` from mgcv omits `.sigma`.

When `newdata` is supplied, only returns `.fitted`, `.resid` and `.se.fit` columns.

## Value

A `tibble:::tibble()` with columns:

<code>.cooks</code>	Cooks distance.
<code>.fitted</code>	Fitted or predicted value.
<code>.hat</code>	Diagonal of the hat matrix.
<code>.lower</code>	Lower bound on interval for fitted values.
<code>.resid</code>	The difference between observed and fitted values.
<code>.se.fit</code>	Standard errors of fitted values.
<code>.sigma</code>	Estimated residual standard deviation when corresponding observation is dropped from model.
<code>.std.resid</code>	Standardised residuals.
<code>.upper</code>	Upper bound on interval for fitted values.

## See Also

`stats::na.action`

`augment()`, `stats:::predict.lm()`

Other `lm` tidiers: `augment.glm()`, `glance.glm()`, `glance.lm()`, `glance.summary.lm()`, `glance.svyglm()`, `tidy.glm()`, `tidy.lm()`, `tidy.lm.beta()`, `tidy.mlm()`, `tidy.summary.lm()`

## Examples

```
library(ggplot2)
library(dplyr)

mod <- lm(mpg ~ wt + qsec, data = mtcars)

tidy(mod)
glance(mod)

# coefficient plot
d <- tidy(mod, conf.int = TRUE)

ggplot(d, aes(estimate, term, xmin = conf.low, xmax = conf.high, height = 0)) +
  geom_point() +
  geom_vline(xintercept = 0, lty = 4) +
  geom_errorbarh()
```

```
# aside: There are tidy() and glance() methods for lm.summary objects too.
# this can be useful when you want to conserve memory by converting large lm
# objects into their leaner summary.lm equivalents.
s <- summary(mod)
tidy(s, conf.int = TRUE)
glance(s)

augment(mod)
augment(mod, mtcars, interval = "confidence")

# predict on new data
newdata <- mtcars |>
  head(6) |>
  mutate(wt = wt + 1)
augment(mod, newdata = newdata)

# ggplot2 example where we also construct 95% prediction interval

# simpler bivariate model since we're plotting in 2D
mod2 <- lm(mpg ~ wt, data = mtcars)

au <- augment(mod2, newdata = newdata, interval = "prediction")

ggplot(au, aes(wt, mpg)) +
  geom_point() +
  geom_line(aes(y = .fitted)) +
  geom_ribbon(aes(ymin = .lower, ymax = .upper), col = NA, alpha = 0.3)

# predict on new data without outcome variable. Output does not include .resid
newdata <- newdata |>
  select(-mpg)

augment(mod, newdata = newdata)

au <- augment(mod, data = mtcars)

ggplot(au, aes(.hat, .std.resid)) +
  geom_vline(size = 2, colour = "white", xintercept = 0) +
  geom_hline(size = 2, colour = "white", yintercept = 0) +
  geom_point() +
  geom_smooth(se = FALSE)

plot(mod, which = 6)

ggplot(au, aes(.hat, .cooksrd)) +
  geom_vline(xintercept = 0, colour = NA) +
  geom_abline(slope = seq(0, 3, by = 0.5), colour = "white") +
  geom_smooth(se = FALSE) +
  geom_point()

# column-wise models
a <- matrix(rnorm(20), nrow = 10)
```

```

b <- a + rnorm(length(a))
result <- lm(b ~ a)

tidy(result)

```

---

augment.lmRob

*Augment data with information from a(n) lmRob object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```

## S3 method for class 'lmRob'
augment(x, data = model.frame(x), newdata = NULL, ...)

```

## Arguments

- |                   |  |
|-------------------|--|
| <code>x</code>    | A <code>lmRob</code> object returned from <code>robust::lmRob()</code> .   |
| <code>data</code> | A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and |

cooks distance for data passed to the data argument. These measures are only defined for the original training data.

newdata	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create x. Defaults to NULL, indicating that nothing has been passed to newdata. If newdata is specified, the data argument will be ignored.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

For tidiers for robust models from the **MASS** package see `tidy.rlm()`.

## See Also

`robust::lmRob()`

Other robust tidiers: `glance.glmRob()`, `glance.lmRob()`, `tidy.glmRob()`, `tidy.lmRob()`

## Examples

```
# load modeling library
library(robust)

# fit model
m <- lmRob(mpg ~ wt, data = mtcars)

# summarize model fit with tidiers
tidy(m)
augment(m)
glance(m)
```

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many `augment` methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, `augment` tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'lmrob'
augment(x, data = model.frame(x), newdata = NULL, se_fit = FALSE, ...)
```

## Arguments

<code>x</code>	A <code>lmrob</code> object returned from <code>robustbase::lmrob()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
<code>se_fit</code>	Logical indicating whether or not a <code>.se.fit</code> column should be added to the augmented output. For some models, this calculation can be somewhat time-consuming. Defaults to <code>FALSE</code> .

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

For tidiers for robust models from the **MASS** package see [tidy.rlm\(\)](#).

## Value

A [tibble::tibble\(\)](#) with columns:

- |                      |  |
|----------------------|--|
| <code>.fitted</code> | Fitted or predicted value.                         |
| <code>.resid</code>  | The difference between observed and fitted values. |

## See Also

[robustbase::lmrob\(\)](#)

Other robustbase tidiers: [augment.glmrob\(\)](#), [glance.lmrob\(\)](#), [tidy.glmrob\(\)](#), [tidy.lmrob\(\)](#)

## Examples

```
if (requireNamespace("robustbase", quietly = TRUE)) {
  # load libraries for models and data
  library(robustbase)

  data(coleman)
  set.seed(0)

  m <- lmrob(Y ~ ., data = coleman)
  tidy(m)
  augment(m)
  glance(m)

  data(carrots)

  Rfit <- glmrob(cbind(success, total - success) ~ logdose + block,
    family = binomial, data = carrots, method = "Mqle",
    control = glmrobMqle.control(tcc = 1.2)
  )

  tidy(Rfit)
  augment(Rfit)
}
```

---

augment.loess	<i>Tidy a(n) loess object</i>
---------------	-------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'loess'
augment(x, data = model.frame(x), newdata = NULL, se_fit = FALSE, ...)
```

## Arguments

x	A loess objects returned by <code>stats:::loess()</code> .
data	A <code>base::data.frame</code> or <code>tibble:::tibble()</code> containing the original data that was used to produce the object x. Defaults to <code>stats:::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the data argument. Augment will report information such as influence and cooks distance for data passed to the data argument. These measures are only defined for the original training data.
newdata	A <code>base::data.frame()</code> or <code>tibble:::tibble()</code> containing all the original predictors used to create x. Defaults to NULL, indicating that nothing has been passed to newdata. If newdata is specified, the data argument will be ignored.
se_fit	Logical indicating whether or not a <code>.se.fit</code> column should be added to the augmented output. For some models, this calculation can be somewhat time-consuming. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

When the modeling was performed with `na.action = "na.omit"` (as is the typical default), rows with NA in the initial data are omitted entirely from the augmented data frame. When the modeling was performed with `na.action = "na.exclude"`, one should provide the original data as a

second argument, at which point the augmented data will contain those rows (typically with NAs in place of the new columns). If the original data is not provided to `augment()` and `na.action = "na.exclude"`, a warning is raised and the incomplete rows are dropped.

Note that loess objects by default will not predict on data outside of a bounding hypercube defined by the training data unless the original loess object was fit with `control = loess.control(surface = "direct")`. See `stats:::predict.loess()` for details.

## Value

A `tibble::tibble()` with columns:

<code>.fitted</code>	Fitted or predicted value.
<code>.resid</code>	The difference between observed and fitted values.
<code>.se.fit</code>	Standard errors of fitted values.

## See Also

`stats::na.action`  
`augment()`, `stats:::loess()`, `stats:::predict.loess()`

## Examples

```
lo <- loess(
  mpg ~ hp + wt,
  mtcars,
  control = loess.control(surface = "direct")
)

augment(lo)

# with all columns of original data
augment(lo, mtcars)

# with a new dataset
augment(lo, newdata = head(mtcars))
```

---

augment.Mclust

*Augment data with information from a(n) Mclust object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object.

Pass datasets to newdata to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in newdata, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether data or newdata is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'Mclust'
augment(x, data = NULL, ...)
```

## Arguments

<code>x</code>	An Mclust object return from <code>mclust::Mclust()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li><code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li><code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

<code>.class</code>	Predicted class.
<code>.uncertainty</code>	The uncertainty associated with the classification. Equal to one minus the model class probability.

**See Also**

[augment\(\)](#), [mclust::Mclust\(\)](#)  
Other mclust tidiers: [tidy.Mclust\(\)](#)

**Examples**

```
# load library for models and data
library(mclust)

# load data manipulation libraries
library(dplyr)
library(tibble)
library(purrr)
library(tidyr)

set.seed(27)

centers <- tibble(
  cluster = factor(1:3),
  # number points in each cluster
  num_points = c(100, 150, 50),
  # x1 coordinate of cluster center
  x1 = c(5, 0, -3),
  # x2 coordinate of cluster center
  x2 = c(-1, 1, -2)
)

points <- centers |>
  mutate(
    x1 = map2(num_points, x1, rnorm),
    x2 = map2(num_points, x2, rnorm)
  ) |>
  select(-num_points, -cluster) |>
  unnest(c(x1, x2))

# fit model
m <- Mclust(points)

# summarize model fit with tidiers
tidy(m)
augment(m, points)
glance(m)
```

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'mfx'
augment(
  x,
  data = model.frame(x$fit),
  newdata = NULL,
  type.predict = c("link", "response", "terms"),
  type.residuals = c("deviance", "pearson"),
  se_fit = FALSE,
  ...
)

## S3 method for class 'logitmfx'
augment(
  x,
  data = model.frame(x$fit),
  newdata = NULL,
  type.predict = c("link", "response", "terms"),
  type.residuals = c("deviance", "pearson"),
  se_fit = FALSE,
  ...
)
```

```

## S3 method for class 'negbinmfx'
augment(
  x,
  data = model.frame(x$fit),
  newdata = NULL,
  type.predict = c("link", "response", "terms"),
  type.residuals = c("deviance", "pearson"),
  se_fit = FALSE,
  ...
)

## S3 method for class 'poissonmfx'
augment(
  x,
  data = model.frame(x$fit),
  newdata = NULL,
  type.predict = c("link", "response", "terms"),
  type.residuals = c("deviance", "pearson"),
  se_fit = FALSE,
  ...
)

## S3 method for class 'probitmfx'
augment(
  x,
  data = model.frame(x$fit),
  newdata = NULL,
  type.predict = c("link", "response", "terms"),
  type.residuals = c("deviance", "pearson"),
  se_fit = FALSE,
  ...
)

```

## Arguments

<code>x</code>	A <code>logitmfx</code> , <code>negbinmfx</code> , <code>poissonmfx</code> , or <code>probitmfx</code> object. (Note that <code>betamfx</code> objects receive their own set of tidiers.)
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
<code>type.predict</code>	Passed to <code>stats::predict.glm()</code> type argument. Defaults to "link".

type.residuals	Passed to <code>stats::residuals.glm()</code> and to <code>stats::rstandard.glm()</code> type arguments. Defaults to "deviance".
se.fit	Logical indicating whether or not a <code>.se.fit</code> column should be added to the augmented output. For some models, this calculation can be somewhat time-consuming. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

This generic augment method wraps `augment.glm()` for applicable objects from the `mfx` package.

## Value

A `tibble::tibble()` with columns:

<code>.cooks</code>	Cooks distance.
<code>.fitted</code>	Fitted or predicted value.
<code>.hat</code>	Diagonal of the hat matrix.
<code>.resid</code>	The difference between observed and fitted values.
<code>.se.fit</code>	Standard errors of fitted values.
<code>.sigma</code>	Estimated residual standard deviation when corresponding observation is dropped from model.
<code>.std.resid</code>	Standardised residuals.

## See Also

`augment.glm()`, `mfx::logitmfx()`, `mfx::negbinmfx()`, `mfx::poissonmfx()`, `mfx::probitmfx()`

Other mfx tidiers: `augment.betamfx()`, `glance.betamfx()`, `glance.mfx()`, `tidy.betamfx()`, `tidy.mfx()`

## Examples

```
# load libraries for models and data
library(mfx)

# get the marginal effects from a logit regression
mod_logmfx <- logitmfx(am ~ cyl + hp + wt, atmean = TRUE, data = mtcars)
```

```

tidy(mod_logmfx, conf.int = TRUE)

# compare with the naive model coefficients of the same logit call
tidy(
  glm(am ~ cyl + hp + wt, family = binomial, data = mtcars),
  conf.int = TRUE
)

augment(mod_logmfx)
glance(mod_logmfx)

# another example, this time using probit regression
mod_probmfx <- probitmfx(am ~ cyl + hp + wt, atmean = TRUE, data = mtcars)

tidy(mod_probmfx, conf.int = TRUE)
augment(mod_probmfx)
glance(mod_probmfx)

```

---

augment.mjoint

*Augment data with information from a(n) mjoint object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'mjoint'
augment(x, data = x$data, ...)
```

## Arguments

x	An <code>mjoint</code> object returned from <code>joineRML::mjoint()</code> .
data	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object x. Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the data argument. Augment will report information such as influence and cooks distance for data passed to the data argument. These measures are only defined for the original training data.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

See `joineRML::fitted.mjoint()` and `joineRML::residuals.mjoint()` for more information on the difference between population-level and individual-level fitted values and residuals.

If fitting a joint model with a single longitudinal process, make sure you are using a named list to define the formula for the fixed and random effects of the longitudinal submodel.

## Value

A `tibble::tibble()` with one row for each original observation with addition columns:

.fitted_j_0	population-level fitted values for the j-th longitudinal process
.fitted_j_1	individuals-level fitted values for the j-th longitudinal process
.resid_j_0	population-level residuals for the j-th longitudinal process
.resid_j_1	individual-level residuals for the j-th longitudinal process

## Examples

```
# broom only skips running these examples because the example models take a
# while to generate—they should run just fine, though!
## Not run:
```

```

# load libraries for models and data
library(joineRML)

# fit a joint model with bivariate longitudinal outcomes
data(heart.valve)

hvd <- heart.valve[!is.na(heart.valve$log.grad) &
  !is.na(heart.valve$log.lvmi) &
  heart.valve$num <= 50, ]

fit <- mjoint(
  formLongFixed = list(
    "grad" = log.grad ~ time + sex + hs,
    "lvmi" = log.lvmi ~ time + sex
  ),
  formLongRandom = list(
    "grad" = ~ 1 | num,
    "lvmi" = ~ time | num
  ),
  formSurv = Surv(fuyrs, status) ~ age,
  data = hvd,
  inits = list("gamma" = c(0.11, 1.51, 0.80)),
  timeVar = "time"
)
# extract the survival fixed effects
tidy(fit)

# extract the longitudinal fixed effects
tidy(fit, component = "longitudinal")

# extract the survival fixed effects with confidence intervals
tidy(fit, ci = TRUE)

# extract the survival fixed effects with confidence intervals based
# on bootstrapped standard errors
bSE <- bootSE(fit, nboot = 5, safe.boot = TRUE)
tidy(fit, boot_se = bSE, ci = TRUE)

# augment original data with fitted longitudinal values and residuals
hvd2 <- augment(fit)

# extract model statistics
glance(fit)

## End(Not run)

```

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'mlogit'
augment(x, data = x$model, ...)
```

## Arguments

<code>x</code>	an object returned from <code>mlogit::mlogit()</code> .
<code>data</code>	Not currently used
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

At the moment this only works on the estimation dataset. Need to set it up to predict on another dataset.

**Value**

A `tibble::tibble()` with columns:

<code>.fitted</code>	Fitted or predicted value.
<code>.probability</code>	Class probability of modal class.
<code>.resid</code>	The difference between observed and fitted values.

**See Also**

[augment\(\)](#)

Other mlogit tidiers: [glance.mlogit\(\)](#), [tidy.mlogit\(\)](#)

**Examples**

```
# load libraries for models and data
library(mlogit)

data("Fishing", package = "mlogit")
Fish <- dfidx(Fishing, varying = 2:9, shape = "wide", choice = "mode")

# fit model
m <- mlogit(mode ~ price + catch | income, data = Fish)

# summarize model fit with tidiers
tidy(m)
augment(m)
glance(m)
```

---

<code>augment.nlrq</code>	<i>Tidy a(n) nlrq object</i>
---------------------------	------------------------------

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'nlrq'
augment(x, data = NULL, newdata = NULL, ...)
```

## Arguments

x	A <code>nlrq</code> object returned from <code>quantreg::nlrq()</code> .
data	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object x. Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the data argument. Augment will report information such as influence and cooks distance for data passed to the data argument. These measures are only defined for the original training data.
newdata	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create x. Defaults to NULL, indicating that nothing has been passed to newdata. If newdata is specified, the data argument will be ignored.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## See Also

`augment()`, `quantreg::nlrq()`

Other quantreg tidiers: `augment.rq()`, `augment.rqs()`, `glance.nlrq()`, `glance.rq()`, `tidy.nlrq()`, `tidy.rq()`, `tidy.rqs()`

## Examples

```

# fit model
n <- nls(mpg ~ k * e^wt, data = mtcars, start = list(k = 1, e = 2))

# summarize model fit with tidiers + visualization
tidy(n)
augment(n)
glance(n)

library(ggplot2)

ggplot(augment(n), aes(wt, mpg)) +
  geom_point() +
  geom_line(aes(y = .fitted))

newdata <- head(mtcars)
newdata$wt <- newdata$wt + 1

augment(n, newdata = newdata)

```

---

augment.nls*Augment data with information from a(n) nls object*

---

**Description**

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

**Usage**

```
## S3 method for class 'nls'
augment(x, data = NULL, newdata = NULL, ...)
```

**Arguments**

<code>x</code>	An <code>nls</code> object returned from <code>stats::nls()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

`augment.nls` does not currently support confidence intervals due to a lack of support in `stats::predict.nls()`.

## Value

A `tibble::tibble()` with columns:

- |                      |  |
|----------------------|--|
| <code>.fitted</code> | Fitted or predicted value.                         |
| <code>.resid</code>  | The difference between observed and fitted values. |

## See Also

`tidy`, `stats::nls()`, `stats::predict.nls()`

Other `nls` tidiers: `glance.nls()`, `tidy.nls()`

## Examples

```
# fit model
n <- nls(mpg ~ k * e^wt, data = mtcars, start = list(k = 1, e = 2))

# summarize model fit with tidiers + visualization
tidy(n)
augment(n)
glance(n)

library(ggplot2)

ggplot(augment(n), aes(wt, mpg)) +
  geom_point() +
  geom_line(aes(y = .fitted))

newdata <- head(mtcars)
newdata$wt <- newdata$wt + 1

augment(n, newdata = newdata)
```

augment.pam

*Augment data with information from a(n) pam object*

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'pam'
augment(x, data = NULL, ...)
```

## Arguments

<code>x</code>	An <code>pam</code> object returned from <code>cluster::pam()</code>
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be

used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>.cluster</code>	Cluster assignment.
<code>.fitted</code>	Fitted or predicted value.
<code>.resid</code>	The difference between observed and fitted values.

## See Also

`augment()`, `cluster::pam()`

Other pam tidiers: `glance.pam()`, `tidy.pam()`

## Examples

```
# load libraries for models and data
library(dplyr)
library(ggplot2)
library(cluster)
library(modeldata)
data(hpc_data)

x <- hpc_data[, 2:5]
p <- pam(x, k = 4)

# summarize model fit with tidiers + visualization
tidy(p)
glance(p)
augment(p, x)

augment(p, x) |>
  ggplot(aes(compounds, input_fields)) +
  geom_point(aes(color = .cluster)) +
  geom_text(aes(label = cluster), data = tidy(p), size = 10)
```

---

augment.plmAugment data with information from a(n) plm object

---

**Description**

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

**Usage**

```
## S3 method for class 'plm'
augment(x, data = model.frame(x), ...)
```

**Arguments**

<code>x</code>	A <code>plm</code> object returned by <code>plm::plm()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be

used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>.fitted</code>	Fitted or predicted value.
<code>.resid</code>	The difference between observed and fitted values.

## See Also

[augment\(\)](#), [plm::plm\(\)](#)

Other `plm` tidiers: [glance.plm\(\)](#), [tidy.plm\(\)](#)

## Examples

```
# load libraries for models and data
library(plm)

# load data
data("Produc", package = "plm")

# fit model
zz <- plm(log(gsp) ~ log(pcap) + log(pc) + log(emp) + unemp,
  data = Produc, index = c("state", "year"))
)

# summarize model fit with tidiers
summary(zz)

tidy(zz)
tidy(zz, conf.int = TRUE)
tidy(zz, conf.int = TRUE, conf.level = 0.9)

augment(zz)
glance(zz)
```

augment.poLCA

*Augment data with information from a(n) poLCA object*

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'poLCA'
augment(x, data = NULL, ...)
```

## Arguments

<code>x</code>	A <code>poLCA</code> object returned from <code>poLCA::poLCA()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be

used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

If the `data` argument is given, those columns are included in the output (only rows for which predictions could be made). Otherwise, the `y` element of the `poLCA` object, which contains the manifest variables used to fit the model, are used, along with any covariates, if present, in `x`.

Note that while the probability of all the classes (not just the predicted modal class) can be found in the `posterior` element, these are not included in the augmented output.

## Value

A `tibble::tibble()` with columns:

- |                           |                                   |
|---------------------------|-----------------------------------|
| <code>.class</code>       | Predicted class.                  |
| <code>.probability</code> | Class probability of modal class. |

## See Also

[augment\(\)](#), [poLCA::poLCA\(\)](#)

Other `poLCA` tidiers: [glance.poLCA\(\)](#), [tidy.poLCA\(\)](#)

## Examples

```
# load libraries for models and data
library(poLCA)
library(dplyr)

# generate data
data(values)

f <- cbind(A, B, C, D) ~ 1

# fit model
M1 <- poLCA(f, values, nclass = 2, verbose = FALSE)

M1

# summarize model fit with tidiers + visualization
tidy(M1)
augment(M1)
glance(M1)

library(ggplot2)
```

```

ggplot(tidy(M1), aes(factor(class), estimate, fill = factor(outcome))) +
  geom_bar(stat = "identity", width = 1) +
  facet_wrap(~variable)

# three-class model with a single covariate.
data(election)

f2a <- cbind(
  MORALG, CARESG, KNOWG, LEADG, DISHONG, INTELG,
  MORALB, CARESB, KNOWB, LEADB, DISHONB, INTELB
) ~ PARTY

nes2a <- polCA(f2a, election, nclass = 3, nrep = 5, verbose = FALSE)

td <- tidy(nes2a)
td

ggplot(td, aes(outcome, estimate, color = factor(class), group = class)) +
  geom_line() +
  facet_wrap(~variable, nrow = 2) +
  theme(axis.text.x = element_text(angle = 90, hjust = 1))

au <- augment(nes2a)

au

count(au, .class)

# if the original data is provided, it leads to NAs in new columns
# for rows that weren't predicted
au2 <- augment(nes2a, data = election)

au2

dim(au2)

```

---

augment.polr

*Augment data with information from a(n) polr object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object.

Pass datasets to newdata to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in newdata, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether data or newdata is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'polr'
augment(
  x,
  data = model.frame(x),
  newdata = NULL,
  type.predict = c("class"),
  ...
)
```

## Arguments

<code>x</code>	A <code>polr</code> object returned from <code>MASS::polr()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
<code>type.predict</code>	Which type of prediction to compute, passed to <code>MASS:::predict.polr()</code> . Only supports "class" at the moment.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## See Also

`tidy\(\)`, `MASS::polr\(\)`

Other ordinal tidiers: `augment.clm\(\)`, `glance.clm\(\)`, `glance.clmm\(\)`, `glance.polr\(\)`, `glance.svyolr\(\)`, `tidy.clm\(\)`, `tidy.clmm\(\)`, `tidy.polr\(\)`, `tidy.svyolr\(\)`

## Examples

```
# load libraries for models and data
library(MASS)

# fit model
fit <- polr(Sat ~ Infl + Type + Cont, weights = Freq, data = housing)

# summarize model fit with tidiers
tidy(fit, exponentiate = TRUE, conf.int = TRUE)

glance(fit)
augment(fit, type.predict = "class")

fit2 <- polr(factor(gear) ~ am + mpg + qsec, data = mtcars)

tidy(fit, p.values = TRUE)
```

---

`augment.prcomp`

*Augment data with information from a(n) prcomp object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether data or newdata is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'prcomp'
augment(x, data = NULL, newdata, ...)
```

## Arguments

<code>x</code>	A <code>prcomp</code> object returned by <code>stats::prcomp()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble` containing the original data along with additional columns containing each observation's projection into PCA space.

**See Also**[stats::prcomp\(\)](#), [svd\\_tidiers](#)Other svd tidiers: [tidy.prcomp\(\)](#), [tidy\\_irlba\(\)](#), [tidy\\_svd\(\)](#)

---

augment.rlm*Augment data with information from a(n) rlm object*

---

**Description**

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a [tibble::tibble](#) with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses [splines::ns\(\)](#), [stats::poly\(\)](#), or [survival::Surv\(\)](#), it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

**Usage**

```
## S3 method for class 'rlm'
augment(x, data = model.frame(x), newdata = NULL, se_fit = FALSE, ...)
```

**Arguments**

<code>x</code>	An <code>rlm</code> object returned by <a href="#">MASS::rlm()</a> .
<code>data</code>	A <a href="#">base::data.frame</a> or <a href="#">tibble::tibble()</a> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.

newdata	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create x. Defaults to NULL, indicating that nothing has been passed to newdata. If newdata is specified, the data argument will be ignored.
se_fit	Logical indicating whether or not a <code>.se.fit</code> column should be added to the augmented output. For some models, this calculation can be somewhat time-consuming. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

<code>.fitted</code>	Fitted or predicted value.
<code>.hat</code>	Diagonal of the hat matrix.
<code>.resid</code>	The difference between observed and fitted values.
<code>.se.fit</code>	Standard errors of fitted values.
<code>.sigma</code>	Estimated residual standard deviation when corresponding observation is dropped from model.

## See Also

`MASS::rlm()`

Other rlm tidiers: `glance.rlm()`, `tidy.rlm()`

## Examples

```
# load libraries for models and data
library(MASS)

# fit model
r <- rlm(stack.loss ~ ., stackloss)

# summarize model fit with tidiers
tidy(r)
augment(r)
glance(r)
```

augment.rma

Augment data with information from a(n) rma object

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many `augment` methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, `augment` tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'rma'
augment(x, interval = c("prediction", "confidence"), ...)
```

## Arguments

<code>x</code>	An <code>rma</code> object such as those created by <code>metafor::rma()</code> , <code>metafor::rma.uni()</code> , <code>metafor::rma.glmm()</code> , <code>metafor::rma.mh()</code> , <code>metafor::rma.mv()</code> , or <code>metafor::rma.peto()</code> .
<code>interval</code>	For <code>rma.mv</code> models, should prediction intervals ("prediction", default) or confidence intervals ("confidence") intervals be returned? For <code>rma.uni</code> models, prediction intervals are always returned. For <code>rma.mh</code> and <code>rma.peto</code> models, confidence intervals are always returned.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>.fitted</code>	Fitted or predicted value.
<code>.lower</code>	Lower bound on interval for fitted values.
<code>.moderator</code>	In meta-analysis, the moderators used to calculate the predicted values.
<code>.moderator.level</code>	In meta-analysis, the level of the moderators used to calculate the predicted values.
<code>.resid</code>	The difference between observed and fitted values.
<code>.se.fit</code>	Standard errors of fitted values.
<code>.upper</code>	Upper bound on interval for fitted values.
<code>.observed</code>	The observed values for the individual studies

## Examples

```
# load modeling library
library(metafor)

# generate data and fit
df <-
  escalc(
    measure = "RR",
    ai = tpos,
    bi = tneg,
    ci = cpos,
    di = cneg,
    data = dat.bcg
  )

meta_analysis <- rma(yi, vi, data = df, method = "EB")

# summarize model fit with tidiers
augment(meta_analysis)
```

augment.rq

*Augment data with information from a(n) rq object*

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'rq'
augment(x, data = model.frame(x), newdata = NULL, ...)
```

## Arguments

<code>x</code>	An <code>rq</code> object returned from <code>quantreg::rq()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.

... Arguments passed on to `quantreg::predict.rq`  
 object object of class `rq` or `rqs` or `rq.process` produced by `rq`  
 interval type of interval desired: default is 'none', when set to 'confidence'  
 the function returns a matrix predictions with point predictions for each of  
 the 'newdata' points as well as lower and upper confidence limits.  
 level coverage probability for the 'confidence' intervals.  
 type For `predict.rq`, the method for 'confidence' intervals, if desired. If 'per-  
 centile' then one of the bootstrap methods is used to generate percentile  
 intervals for each prediction, if 'direct' then a version of the Portnoy and  
 Zhou (1998) method is used, and otherwise an estimated covariance ma-  
 trix for the parameter estimates is used. Further arguments to determine  
 the choice of bootstrap method or covariance matrix estimate can be passed  
 via the ... argument. For `predict.rqs` and `predict.rq.process` when  
`stepfun = TRUE`, type is "Qhat", "Fhat" or "fhat" depending on whether the  
 user would like to have estimates of the conditional quantile, distribution or  
 density functions respectively. As noted below the two former estimates  
 can be monotonized with the function `rearrange`. When the "fhat" option  
 is invoked, a list of conditional density functions is returned based on Sil-  
 verman's adaptive kernel method as implemented in `akj` and `approxfun`.  
 na.action function determining what should be done with missing values in  
 'newdata'. The default is to predict 'NA'.

## Details

Depending on the arguments passed on to `predict.rq` via ..., a confidence interval is also cal-  
 culated on the fitted values resulting in columns `.lower` and `.upper`. Does not provide confidence  
 intervals when data is specified via the `newdata` argument.

## Value

A `tibble::tibble()` with columns:

<code>.fitted</code>	Fitted or predicted value.
<code>.resid</code>	The difference between observed and fitted values.
<code>.tau</code>	Quantile.

## See Also

`augment`, `quantreg::rq()`, `quantreg::predict.rq()`

Other `quantreg` tidiers: `augment.nlrq()`, `augment.rqs()`, `glance.nlrq()`, `glance.rq()`, `tidy.nlrq()`,  
`tidy.rq()`, `tidy.rqs()`

## Examples

```
# load modeling library and data
library(quantreg)
```

```

data(stackloss)

# median (l1) regression fit for the stackloss data.
mod1 <- rq(stack.loss ~ stack.x, .5)

# weighted sample median
mod2 <- rq(rnorm(50) ~ 1, weights = runif(50))

# summarize model fit with tidiers
tidy(mod1)
glance(mod1)
augment(mod1)

tidy(mod2)
glance(mod2)
augment(mod2)

# varying tau to generate an rqs object
mod3 <- rq(stack.loss ~ stack.x, tau = c(.25, .5))

tidy(mod3)
augment(mod3)

# glance cannot handle rqs objects like `mod3`--use a purrr
# `map`-based workflow instead

```

---

augment.rqs

*Augment data with information from a(n) rqs object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'rqs'
augment(x, data = model.frame(x), newdata, ...)
```

## Arguments

<code>x</code>	An <code>rqs</code> object returned from <code>quantreg::rq()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
<code>...</code>	Arguments passed on to <code>quantreg::predict.rq</code>
	<code>object</code> object of class <code>rq</code> or <code>rqs</code> or <code>rq.process</code> produced by <code>rq</code>
	<code>interval</code> type of interval desired: default is 'none', when set to 'confidence' the function returns a matrix predictions with point predictions for each of the 'newdata' points as well as lower and upper confidence limits.
	<code>level</code> coverage probability for the 'confidence' intervals.
<code>type</code>	For <code>predict.rq</code> , the method for 'confidence' intervals, if desired. If 'percentile' then one of the bootstrap methods is used to generate percentile intervals for each prediction, if 'direct' then a version of the Portnoy and Zhou (1998) method is used, and otherwise an estimated covariance matrix for the parameter estimates is used. Further arguments to determine the choice of bootstrap method or covariance matrix estimate can be passed via the <code>...</code> argument. For <code>predict.rqs</code> and <code>predict.rq.process</code> when <code>stepfun = TRUE</code> , <code>type</code> is "Qhat", "Fhat" or "fhat" depending on whether the user would like to have estimates of the conditional quantile, distribution or density functions respectively. As noted below the two former estimates can be monotonized with the function <code>rearrange</code> . When the "fhat" option is invoked, a list of conditional density functions is returned based on Silverman's adaptive kernel method as implemented in <code>akj</code> and <code>approxfun</code> .
<code>na.action</code>	function determining what should be done with missing values in 'newdata'. The default is to predict 'NA'.

## Details

Depending on the arguments passed on to `predict.rq` via `...`, a confidence interval is also calculated on the fitted values resulting in columns `.lower` and `.upper`. Does not provide confidence intervals when data is specified via the `newdata` argument.

## See Also

[augment](#), [quantreg::rq\(\)](#), [quantreg::predict.rqs\(\)](#)

Other quantreg tidiers: [augment.nlrq\(\)](#), [augment.rq\(\)](#), [glance.nlrq\(\)](#), [glance.rq\(\)](#), [tidy.nlrq\(\)](#), [tidy.rq\(\)](#), [tidy.rqs\(\)](#)

## Examples

```
# load modeling library and data
library(quantreg)

data(stackloss)

# median (l1) regression fit for the stackloss data.
mod1 <- rq(stack.loss ~ stack.x, .5)

# weighted sample median
mod2 <- rq(rnorm(50) ~ 1, weights = runif(50))

# summarize model fit with tidiers
tidy(mod1)
glance(mod1)
augment(mod1)

tidy(mod2)
glance(mod2)
augment(mod2)

# varying tau to generate an rqs object
mod3 <- rq(stack.loss ~ stack.x, tau = c(.25, .5))

tidy(mod3)
augment(mod3)

# glance cannot handle rqs objects like `mod3`--use a purrr
# `map`-based workflow instead
```

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default `data` arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'sarlm'
augment(x, data = x$X, ...)
```

## Arguments

<code>x</code>	An object returned from <code>spatialreg::lagsarlm()</code> or <code>spatialreg::errorsarlm()</code> .
<code>data</code>	Ignored, but included for internal consistency. See the details below.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li><code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li><code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

The predict method for sarlm objects assumes that the response is known. See `?predict.sarlm` for more discussion. As a result, since the original data can be recovered from the fit object, this method currently does not take in `data` or `newdata` arguments.

## Value

A `tibble::tibble()` with columns:

- .fitted Fitted or predicted value.
- .resid The difference between observed and fitted values.

## See Also

[augment\(\)](#)

Other spatialreg tidiers: `glance.sarlm()`, `tidy.sarlm()`

## Examples

```
# load libraries for models and data
library(spatialreg)
library(spdep)

# load data
data(oldcol, package = "spdep")

listw <- nb2listw(COL.nb, style = "W")

# fit model
crime_sar <-
  lagsarlm(CRIME ~ INC + HOVAL,
            data = COL.OLD,
            listw = listw,
            method = "eigen"
  )

# summarize model fit with tidiers
tidy(crime_sar)
tidy(crime_sar, conf.int = TRUE)
glance(crime_sar)
augment(crime_sar)

# fit another model
crime_sem <- errorsarlm(CRIME ~ INC + HOVAL, data = COL.OLD, listw)

# summarize model fit with tidiers
tidy(crime_sem)
tidy(crime_sem, conf.int = TRUE)
glance(crime_sem)
```

```

augment(crime_sem)

# fit another model
crime_sac <- sacsarlml(CRIME ~ INC + HOVAL, data = COL.OLD, listw)

# summarize model fit with tidiers
tidy(crime_sac)
tidy(crime_sac, conf.int = TRUE)
glance(crime_sac)
augment(crime_sac)

```

---

`augment.smooth.spline` *Tidy a(n) smooth.spline object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'smooth.spline'
augment(x, data = x$data, ...)
```

## Arguments

- |                   |   |
|-------------------|---|
| <code>x</code>    | A <code>smooth.spline</code> object returned from <a href="#">stats::smooth.spline()</a> .  |
| <code>data</code> | A <a href="#">base::data.frame</a> or <a href="#">tibble::tibble()</a> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.  |
| <code>...</code>  | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

**Value**

A `tibble:::tibble()` with columns:

- .fitted      Fitted or predicted value.
- .resid      The difference between observed and fitted values.

**See Also**

`augment()`, `stats:::smooth.spline()`, `stats:::predict.smooth.spline()`

Other smoothing spline tidiers: `glance.smooth.spline()`

**Examples**

```
# fit model
spl <- smooth.spline(mtcars$wt, mtcars$mpg, df = 4)

# summarize model fit with tidiers
augment(spl, mtcars)

# calls original columns x and y
augment(spl)

library(ggplot2)
ggplot(augment(spl, mtcars), aes(wt, mpg)) +
  geom_point() +
  geom_line(aes(y = .fitted))
```

`augment.speedlm`

*Augment data with information from a(n) speedlm object*

**Description**

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'speedlm'
augment(x, data = model.frame(x), newdata = NULL, ...)
```

## Arguments

<code>x</code>	A <code>speedlm</code> object returned from <code>speedglm::speedlm()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

<code>.fitted</code>	Fitted or predicted value.
<code>.resid</code>	The difference between observed and fitted values.

## See Also

`speedglm::speedlm()`

Other `speedlm` tidiers: `glance.speedglm()`, `glance.speedlm()`, `tidy.speedglm()`, `tidy.speedlm()`

## Examples

```
# load modeling library
library(speedglm)

# fit model
mod <- speedglm(mpg ~ wt + qsec, data = mtcars, fitted = TRUE)

# summarize model fit with tidiers
tidy(mod)
glance(mod)
augment(mod)
```

---

augment.stl

*Augment data with information from a(n) stl object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether `data` or `newdata` is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'stl'
augment(x, data = NULL, weights = TRUE, ...)
```

## Arguments

x	An <code>stl</code> object returned from <code>stats::stl()</code> .
data	Ignored, included for consistency with the augment generic signature only.
weights	Logical indicating whether or not to include the robust weights in the output.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble` with one row for each observation in the original times series:

.seasonal	The seasonal component of the decomposition.
.trend	The trend component of the decomposition.
.remainder	The remainder, or "random" component of the decomposition.
.weight	The final robust weights, if requested.
.seasadj	The seasonally adjusted (or "deseasonalised") series.

## See Also

[augment\(\)](#), [stats::stl\(\)](#)

Other decompose tidiers: [augment.decomposed.ts\(\)](#)

---

augment.survreg

*Augment data with information from a(n) survreg object*

---

## Description

Augment accepts a model object and a dataset and adds information about each observation in the dataset. Most commonly, this includes predicted values in the `.fitted` column, residuals in the `.resid` column, and standard errors for the fitted values in a `.se.fit` column. New columns always begin with a `.` prefix to avoid overwriting columns in the original dataset.

Users may pass data to augment via either the `data` argument or the `newdata` argument. If the user passes data to the `data` argument, it **must** be exactly the data that was used to fit the model object. Pass datasets to `newdata` to augment data that was not used during model fitting. This still requires that at least all predictor variable columns used to fit the model are present. If the original outcome variable used to fit the model is not included in `newdata`, then no `.resid` column will be included in the output.

Augment will often behave differently depending on whether data or newdata is given. This is because there is often information associated with training observations (such as influences or related) measures that is not meaningfully defined for new observations.

For convenience, many augment methods provide default data arguments, so that `augment(fit)` will return the augmented training data. In these cases, augment tries to reconstruct the original data based on the model object with varying degrees of success.

The augmented dataset is always returned as a `tibble::tibble` with the **same number of rows** as the passed dataset. This means that the passed data must be coercible to a tibble. If a predictor enters the model as part of a matrix of covariates, such as when the model formula uses `splines::ns()`, `stats::poly()`, or `survival::Surv()`, it is represented as a matrix column.

We are in the process of defining behaviors for models fit with various `na.action` arguments, but make no guarantees about behavior when data is missing at this time.

## Usage

```
## S3 method for class 'survreg'
augment(
  x,
  data = model.frame(x),
  newdata = NULL,
  type.predict = "response",
  type.residuals = "response",
  ...
)
```

## Arguments

<code>x</code>	An <code>survreg</code> object returned from <code>survival::survreg()</code> .
<code>data</code>	A <code>base::data.frame</code> or <code>tibble::tibble()</code> containing the original data that was used to produce the object <code>x</code> . Defaults to <code>stats::model.frame(x)</code> so that <code>augment(my_fit)</code> returns the augmented original data. <b>Do not</b> pass new data to the <code>data</code> argument. Augment will report information such as influence and cooks distance for data passed to the <code>data</code> argument. These measures are only defined for the original training data.
<code>newdata</code>	A <code>base::data.frame()</code> or <code>tibble::tibble()</code> containing all the original predictors used to create <code>x</code> . Defaults to <code>NULL</code> , indicating that nothing has been passed to <code>newdata</code> . If <code>newdata</code> is specified, the <code>data</code> argument will be ignored.
<code>type.predict</code>	Character indicating type of prediction to use. Passed to the <code>type</code> argument of the <code>stats::predict()</code> generic. Allowed arguments vary with model class, so be sure to read the <code>predict.my_class</code> documentation.
<code>type.residuals</code>	Character indicating type of residuals to use. Passed to the <code>type</code> argument of <code>stats::residuals()</code> generic. Allowed arguments vary with model class, so be sure to read the <code>residuals.my_class</code> documentation.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be

used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>.fitted</code>	Fitted or predicted value.
<code>.resid</code>	The difference between observed and fitted values.
<code>.se.fit</code>	Standard errors of fitted values.

## See Also

[augment\(\)](#), [survival::survreg\(\)](#)

Other survreg tidiers: [glance.survreg\(\)](#), [tidy.survreg\(\)](#)

Other survival tidiers: [augment.coxph\(\)](#), [glance.aareg\(\)](#), [glance.cch\(\)](#), [glance.coxph\(\)](#), [glance.pyears\(\)](#), [glance.survdiff\(\)](#), [glance.survexp\(\)](#), [glance.survfit\(\)](#), [glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.coxph\(\)](#), [tidy.pyears\(\)](#), [tidy.survdiff\(\)](#), [tidy.survexp\(\)](#), [tidy.survfit\(\)](#), [tidy.survreg\(\)](#)

## Examples

```
# load libraries for models and data
library(survival)

# fit model
sr <- survreg(
  Surv(futime, fustat) ~ ecog.ps + rx,
  ovarian,
  dist = "exponential"
)

# summarize model fit with tidiers + visualization
tidy(sr)
augment(sr, ovarian)
glance(sr)

# coefficient plot
td <- tidy(sr, conf.int = TRUE)

library(ggplot2)

ggplot(td, aes(estimate, term)) +
  geom_point() +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high), height = 0) +
```

```
geom_vline(xintercept = 0)
```

---

augment_columns	<i>Add fitted values, residuals, and other common outputs to an augment call</i>
-----------------	--

---

## Description

augment\_columns is intended for use in the internals of augment methods only and is exported for developers extending the broom package. Please instead use [augment\(\)](#) to appropriately make use of the functionality in augment\_columns().

## Usage

```
augment_columns(  
  x,  
  data,  
  newdata = NULL,  
  type,  
  type.predict = type,  
  type.residuals = type,  
  se.fit = TRUE,  
  ...  
)
```

## Arguments

x	a model
data	original data onto which columns should be added
newdata	new data to predict on, optional
type	Type of prediction and residuals to compute
type.predict	Type of prediction to compute; by default same as type
type.residuals	Type of residuals to compute; by default same as type
se.fit	Value to pass to predict's se.fit, or NULL for no value. Ignored for model types that do not accept an se.fit argument
...	extra arguments (not used)

## Details

Note that, in the case that a residuals() or influence() generic is not implemented for the supplied model x, the function will fail quietly.

---

**bootstrap***Set up bootstrap replicates of a dplyr operation*

---

**Description**

The `bootstrap()` function is deprecated and will be removed from an upcoming release of broom. For tidy resampling, please use the `rsample` package instead. Functionality is no longer supported for this method.

**Usage**

```
bootstrap(df, m, by_group = FALSE)
```

**Arguments**

- |                       |   |
|-----------------------|---|
| <code>df</code>       | a data frame  |
| <code>m</code>        | number of bootstrap replicates to perform   |
| <code>by_group</code> | If <code>TRUE</code> , then bootstrap within each group if <code>df</code> is a grouped tibble. |

**Details**

This code originates from Hadley Wickham (with a few small corrections) here: <https://github.com/tidyverse/dplyr/issues/269>

**See Also**

Other deprecated: `confint_tidy()`, `data.frame_tidiers`, `finish_glance()`, `fix_data_frame()`, `summary_tidiers`, `tidy.density()`, `tidy.dist()`, `tidy.ftable()`, `tidy.numeric()`

---

**confint\_tidy***(Deprecated) Calculate confidence interval as a tidy data frame*

---

**Description**

This function is now deprecated and will be removed from a future release of broom.

**Usage**

```
confint_tidy(x, conf.level = 0.95, func = stats::confint, ...)
```

## Arguments

x	a model object for which <code>confint()</code> can be calculated
conf.level	confidence level
func	A function to compute a confidence interval for x. Calling <code>func(x, level = conf.level, ...)</code> must return an object coercible to a tibble. This data frame like object should have two columns corresponding to the lower and upper bounds on the confidence interval.
...	extra arguments passed on to <code>confint</code>

## Details

Return a confidence interval as a tidy data frame. This directly wraps the `confint()` function, but ensures it follows broom conventions: column names of `conf.low` and `conf.high`, and no row names.

`confint_tidy`

## Value

A tibble with two columns: `conf.low` and `conf.high`.

## See Also

Other deprecated: `bootstrap()`, `data.frame_tidiers`, `finish_glance()`, `fix_data_frame()`, `summary_tidiers`, `tidy.density()`, `tidy.dist()`, `tidy.ftable()`, `tidy.numeric()`

---

`data.frame_tidiers` *Tidiers for data.frame objects*

---

## Description

Data frame tidiers are deprecated and will be removed from an upcoming release of broom.

## Usage

```
## S3 method for class 'data.frame'  
tidy(x, ..., na.rm = TRUE, trim = 0.1)  
  
## S3 method for class 'data.frame'  
augment(x, data, ...)  
  
## S3 method for class 'data.frame'  
glance(x, ...)
```

## Arguments

x	A data.frame
...	Additional arguments for other methods.
na.rm	a logical value indicating whether NA values should be stripped before the computation proceeds.
trim	the fraction (0 to 0.5) of observations to be trimmed from each end of x before the mean is computed. Passed to the trim argument of <a href="#">mean</a>
data	data, not used

## Details

These perform tidy summaries of data.frame objects. `tidy` produces summary statistics about each column, while `glance` simply reports the number of rows and columns. Note that `augment.data.frame` will throw an error.

## Value

`tidy.data.frame` produces a data frame with one row per original column, containing summary statistics of each:

column	name of original column
n	Number of valid (non-NA) values
mean	mean
sd	standard deviation
median	median
trimmed	trimmed mean, with trim defaulting to .1
mad	median absolute deviation (from the median)
min	minimum value
max	maximum value
range	range
skew	skew
kurtosis	kurtosis
se	standard error

`glance` returns a one-row data.frame with

nrow	number of rows
ncol	number of columns
complete.obs	number of rows that have no missing values
na.fraction	fraction of values across all rows and columns that are missing

## Author(s)

David Robinson, Benjamin Nutter

## Source

Skew and Kurtosis functions are adapted from implementations in the `moments` package: Lukasz Komsta and Frederick Novomestky (2015). `moments`: Moments, cumulants, skewness, kurtosis and related tests. R package version 0.14.  
<https://CRAN.R-project.org/package=moments>

## See Also

Other deprecated: `bootstrap()`, `confint_tidy()`, `finish_glance()`, `fix_data_frame()`, `summary_tidiers`, `tidy.density()`, `tidy.dist()`, `tidy.ftable()`, `tidy.numeric()`

Other deprecated: `bootstrap()`, `confint_tidy()`, `finish_glance()`, `fix_data_frame()`, `summary_tidiers`, `tidy.density()`, `tidy.dist()`, `tidy.ftable()`, `tidy.numeric()`

Other deprecated: `bootstrap()`, `confint_tidy()`, `finish_glance()`, `fix_data_frame()`, `summary_tidiers`, `tidy.density()`, `tidy.dist()`, `tidy.ftable()`, `tidy.numeric()`

## Examples

```
td <- tidy(mtcars)
td

glance(mtcars)

library(ggplot2)
# compare mean and standard deviation
ggplot(td, aes(mean, sd)) + geom_point() +
  geom_text(aes(label = column), hjust = 1, vjust = 1) +
  scale_x_log10() + scale_y_log10() + geom_abline()
```

---

### durbinWatsonTest\_tidiers

*Tidy/glance a(n) durbinWatsonTest object*

---

## Description

For models that have only a single component, the `tidy()` and `glance()` methods are identical. Please see the documentation for both of those methods.

## Usage

```
## S3 method for class 'durbinWatsonTest'
tidy(x, ...)

## S3 method for class 'durbinWatsonTest'
glance(x, ...)
```

**Arguments**

- **x** An object of class `durbinWatsonTest` created by a call to `car::durbinWatsonTest()`.
- **...** Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in **...**, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
  - `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

**Value**

A `tibble::tibble()` with columns:

- **alternative** Alternative hypothesis (character).
- **autocorrelation** Autocorrelation.
- **p.value** The two-sided p-value associated with the observed statistic.
- **statistic** Test statistic for Durbin-Watson test.
- **method** Always ‘Durbin-Watson Test’.

**See Also**

`tidy()`, `glance()`, `car::durbinWatsonTest()`

Other car tidiers: `leveneTest_tidiers`

**Examples**

```
# load modeling library
library(car)

# fit model
dw <- durbinWatsonTest(lm(mpg ~ wt, data = mtcars))

# summarize model fit with tidiers
tidy(dw)

# same output for all durbinWatsonTests
glance(dw)
```

---

finish_glance	<i>(Deprecated) Add logLik, AIC, BIC, and other common measurements to a glance of a prediction</i>
---------------	---

---

## Description

This function is now deprecated in favor of using custom logic and the appropriate `nobs()` method.

## Usage

```
finish_glance(ret, x)
```

## Arguments

ret	a one-row data frame (a partially complete glance)
x	the prediction model

## Value

a one-row data frame with additional columns added, such as

logLik	log likelihoods
AIC	Akaike Information Criterion
BIC	Bayesian Information Criterion
deviance	deviance
df.residual	residual degrees of freedom

## See Also

Other deprecated: `bootstrap()`, `confint_tidy()`, `data.frame_tidiers`, `fix_data_frame()`, `summary_tidiers`, `tidy.density()`, `tidy.dist()`, `tidy.ftable()`, `tidy.numeric()`

---

fix_data_frame	<i>Ensure an object is a data frame, with rownames moved into a column</i>
----------------	--

---

## Description

This function is deprecated as of broom 0.7.0 and will be removed from a future release. Please see `tibble::as_tibble`.

## Usage

```
fix_data_frame(x, newnames = NULL, newcol = "term")
```

## Arguments

x	a data.frame or matrix
newnames	new column names, not including the rownames
newcol	the name of the new rownames column

## Value

a data.frame, with rownames moved into a column and new column names assigned

## See Also

Other deprecated: [bootstrap\(\)](#), [confint\\_tidy\(\)](#), [data.frame\\_tidiers](#), [finish\\_glance\(\)](#), [summary\\_tidiers](#), [tidy.density\(\)](#), [tidy.dist\(\)](#), [tidy.ftable\(\)](#), [tidy.numeric\(\)](#)

---

glance.aareg

*Glance at a(n) aareg object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'aareg'
glance(x, ...)
```

## Arguments

x	An aareg object returned from <a href="#">survival::aareg()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with exactly one row and columns:

<code>df</code>	Degrees of freedom used by the model.
<code>nobs</code>	Number of observations used.
<code>p.value</code>	P-value corresponding to the test statistic.
<code>statistic</code>	Test statistic.

## See Also

[glance\(\)](#), [survival::aareg\(\)](#)

Other aareg tidiers: [tidy.aareg\(\)](#)

Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.cch\(\)](#), [glance.coxph\(\)](#), [glance.pyears\(\)](#), [glance.survdiff\(\)](#), [glance.survexp\(\)](#), [glance.survfit\(\)](#), [glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.coxph\(\)](#), [tidy.pyears\(\)](#), [tidy.survdiff\(\)](#), [tidy.survexp\(\)](#), [tidy.survfit\(\)](#), [tidy.survreg\(\)](#)

## Examples

```
# load libraries for models and data
library(survival)

# fit model
afit <- aareg(
  Surv(time, status) ~ age + sex + ph.ecog,
  data = lung,
  dfbeta = TRUE
)

# summarize model fit with tidiers
tidy(afit)
```

## Description

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'anova'
glance(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | An anova object, such as those created by <code>stats::anova()</code> , <code>car::Anova()</code> , <code>car::leveneTest()</code> , or <code>car::linearHypothesis()</code> .  |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Value

A `tibble::tibble()` with exactly one row and columns:

- |                          |                              |
|--------------------------|------------------------------|
| <code>deviance</code>    | Deviance of the model.       |
| <code>df.residual</code> | Residual degrees of freedom. |

## Note

Note that the output of `glance.anova()` will vary depending on the initializing anova call. In some cases, it will just return an empty data frame. In other cases, `glance.anova()` may return columns that are also common to `tidy.anova()`. This is partly to preserve backwards compatibility with early versions of broom, but also because the underlying anova model yields components that could reasonably be interpreted as goodness-of-fit summaries too.

## See Also

[glance\(\)](#)

Other anova tidiers: [glance.aov\(\)](#), [tidy.TukeyHSD\(\)](#), [tidy.anova\(\)](#), [tidy.aov\(\)](#), [tidy.aovlist\(\)](#), [tidy.manova\(\)](#)

## Examples

```
# fit models
a <- lm(mpg ~ wt + qsec + disp, mtcars)
b <- lm(mpg ~ wt + qsec, mtcars)

mod <- anova(a, b)

# summarize model fit with tidiers
tidy(mod)
glance(mod)

# car::linearHypothesis() example
library(car)
mod_lht <- linearHypothesis(a, "wt - disp")
tidy(mod_lht)
glance(mod_lht)
```

glance.aov

*Glance at a(n) lm object*

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'aov'
glance(x, ...)
```

## Arguments

- `x` An aov object, such as those created by [stats:::aov\(\)](#).
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A [tibble:::tibble\(\)](#) with exactly one row and columns:

<code>AIC</code>	Akaike's Information Criterion for the model.
<code>BIC</code>	Bayesian Information Criterion for the model.
<code>deviance</code>	Deviance of the model.
<code>logLik</code>	The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.
<code>nobs</code>	Number of observations used.

## Note

Note that `tidy.aov()` now contains the numerator and denominator degrees of freedom, which were included in the output of `glance.aov()` in some previous versions of the package.

## See Also

[glance\(\)](#)

Other anova tidiers: [glance.anova\(\)](#), [tidy.TukeyHSD\(\)](#), [tidy.anova\(\)](#), [tidy.aov\(\)](#), [tidy.aovlist\(\)](#), [tidy.manova\(\)](#)

## Examples

```
a <- aov(mpg ~ wt + qsec + disp, mtcars)
tidy(a)
```

glance.Arima

*Glance at a(n) Arima object*

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'Arima'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | An object of class Arima created by <a href="#">stats::arima()</a> .  |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
BIC	Bayesian Information Criterion for the model.
logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
nobs	Number of observations used.
sigma	Estimated standard error of the residuals.

**See Also**[stats::arima\(\)](#)Other Arima tidiers: [tidy.Arima\(\)](#)**Examples**

```
# fit model
fit <- arima(lh, order = c(1, 0, 0))

# summarize model fit with tidiers
tidy(fit)
glance(fit)
```

---

glance.betamfx*Glance at a(n) betamfx object*

---

**Description**

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

**Usage**

```
## S3 method for class 'betamfx'
glance(x, ...)
```

**Arguments**

- x A betamfx object.
- ... Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are:
- tidy() methods will warn when supplied an exponentiate argument if it will be ignored.

- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

This `glance` method wraps `glance.betareg()` for `mfx::betamfx()` objects.

## Value

A `tibble::tibble()` with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
BIC	Bayesian Information Criterion for the model.
df.null	Degrees of freedom used by the null model.
df.residual	Residual degrees of freedom.
logLik	The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.
nobs	Number of observations used.
pseudo.r.squared	Like the R squared statistic, but for situations when the R squared statistic isn't defined.

## See Also

`glance.betareg()`, `mfx::betamfx()`

Other `mfx` tidiers: `augment.betamfx()`, `augment.mfx()`, `glance.mfx()`, `tidy.betamfx()`, `tidy.mfx()`

## Examples

```
library(mfx)

# Simulate some data
set.seed(12345)
n <- 1000
x <- rnorm(n)

# Beta outcome
y <- rbeta(n, shape1 = plogis(1 + 0.5 * x), shape2 = (abs(0.2 * x)))
# Use Smithson and Verkuilen correction
y <- (y * (n - 1) + 0.5) / n

d <- data.frame(y, x)
mod_betamfx <- betamfx(y ~ x | x, data = d)

tidy(mod_betamfx, conf.int = TRUE)

# Compare with the naive model coefficients of the equivalent betareg call (not run)
# tidy(betamfx(y ~ x | x, data = d), conf.int = TRUE)

augment(mod_betamfx)
```

```
glance(mod_betamfx)
```

---

glance.betareg

*Glance at a(n) betareg object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'betareg'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A betareg object produced by a call to <a href="#">betareg::betareg()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |         |   |
|---------|---|
| AIC     | Akaike's Information Criterion for the model. |
| BIC     | Bayesian Information Criterion for the model. |
| df.null | Degrees of freedom used by the null model.    |

df.residual	Residual degrees of freedom.
logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
nobs	Number of observations used.
pseudo.r.squared	Like the R squared statistic, but for situations when the R squared statistic isn't defined.

## See Also

[glance\(\)](#), [betareg::betareg\(\)](#)

## Examples

```
# load libraries for models and data
library(betareg)

# load data
data("GasolineYield", package = "betareg")

# fit model
mod <- betareg(yield ~ batch + temp, data = GasolineYield)

mod

# summarize model fit with tidiers
tidy(mod)
tidy(mod, conf.int = TRUE)
tidy(mod, conf.int = TRUE, conf.level = .99)

augment(mod)

glance(mod)
```

---

glance.biglm	<i>Glance at a(n) biglm object</i>
--------------	------------------------------------

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'biglm'
glance(x, ...)
```

## Arguments

x	A <code>biglm</code> object created by a call to <code>biglm::biglm()</code> or <code>biglm::biggelm()</code> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
deviance	Deviance of the model.
df.residual	Residual degrees of freedom.
nobs	Number of observations used.
r.squared	R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination.

## See Also

[glance\(\)](#), [biglm::biglm\(\)](#), [biglm::biggelm\(\)](#)

Other `biglm` tidiers: [tidy.biglm\(\)](#)

## Examples

```
# load modeling library
library(biglm)

# fit model -- linear regression
bfit <- biglm(mpg ~ wt + disp, mtcars)

# summarize model fit with tidiers
```

```

tidy(bfit)
tidy(bfit, conf.int = TRUE)
tidy(bfit, conf.int = TRUE, conf.level = .9)

glance(bfit)

# fit model -- logistic regression
bgfit <- bigglm(am ~ mpg, mtcars, family = binomial())

# summarize model fit with tidiers
tidy(bgfit)
tidy(bgfit, exponentiate = TRUE)
tidy(bgfit, conf.int = TRUE)
tidy(bgfit, conf.int = TRUE, conf.level = .9)
tidy(bgfit, conf.int = TRUE, conf.level = .9, exponentiate = TRUE)

glance(bgfit)

```

---

glance.binDesign

*Glance at a(n) binDesign object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'binDesign'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A <a href="#">binGroup::binDesign</a> object.   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: |

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with exactly one row and columns:

<code>power</code>	Power achieved by the analysis.
<code>n</code>	Sample size used to achieve this power.
<code>power.reached</code>	Whether the desired power was reached.
<code>maxit</code>	Number of iterations performed.

## See Also

[glance\(\)](#), [binGroup::binDesign\(\)](#)

Other bingroup tidiers: [tidy.binDesign\(\)](#), [tidy.binWidth\(\)](#)

## Examples

```
# load libraries for models and data
library(binGroup)

des <- binDesign(
  nmax = 300, delta = 0.06,
  p.hyp = 0.1, power = .8
)

glance(des)
tidy(des)

library(ggplot2)

ggplot(tidy(des), aes(n, power)) +
  geom_line()
```

## Description

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'cch'
glance(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | An cch object returned from <code>survival::cch()</code> .  |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Value

A `tibble::tibble()` with exactly one row and columns:

- |                      |  |
|----------------------|--|
| <code>iter</code>    | Iterations of algorithm/fitting procedure completed. |
| <code>p.value</code> | P-value corresponding to the test statistic.         |
| <code>rscore</code>  | Robust log-rank statistic                            |
| <code>score</code>   | Score.   |
| <code>n</code>       | number of predictions                                |
| <code>nevent</code>  | number of events                                     |

**See Also**

[glance\(\)](#), [survival::cch\(\)](#)

Other cch tidiers: [glance.survfit\(\)](#), [tidy.cch\(\)](#)

Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.aareg\(\)](#), [glance.coxph\(\)](#), [glance.pyears\(\)](#), [glance.survdiff\(\)](#), [glance.survexp\(\)](#), [glance.survfit\(\)](#), [glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.coxph\(\)](#), [tidy.pyears\(\)](#), [tidy.survdiff\(\)](#), [tidy.survexp\(\)](#), [tidy.survfit\(\)](#), [tidy.survreg\(\)](#)

**Examples**

```
# load libraries for models and data
library(survival)

# examples come from cch documentation
subcoh <- nwtco$in.subcohort
selccoh <- with(nwtco, rel == 1 | subcoh == 1)
ccoh.data <- nwtco[selccoh, ]
ccoh.data$subcohort <- subcoh[selccoh]

# central-lab histology
ccoh.data$histol <- factor(ccoh.data$histol, labels = c("FH", "UH"))

# tumour stage
ccoh.data$stage <- factor(ccoh.data$stage, labels = c("I", "II", "III", "IV"))
ccoh.data$age <- ccoh.data$age / 12 # age in years

# fit model
fit.ccP <- cch(Surv(edrel, rel) ~ stage + histol + age,
  data = ccoh.data,
  subcoh = ~subcohort, id = ~seqno, cohort.size = 4028
)

# summarize model fit with tidiers + visualization
tidy(fit.ccP)

# coefficient plot
library(ggplot2)

ggplot(tidy(fit.ccP), aes(x = estimate, y = term)) +
  geom_point() +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high), height = 0) +
  geom_vline(xintercept = 0)
```

## Description

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'clm'
glance(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | A <code>clm</code> object returned from <code>ordinal::clm()</code> .   |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Value

A `tibble::tibble()` with exactly one row and columns:

<code>AIC</code>	Akaike's Information Criterion for the model.
<code>BIC</code>	Bayesian Information Criterion for the model.
<code>df.residual</code>	Residual degrees of freedom.
<code>edf</code>	The effective degrees of freedom.
<code>logLik</code>	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
<code>nobs</code>	Number of observations used.

## See Also

`tidy`, `ordinal::clm()`

Other ordinal tidiers: `augment.clm()`, `augment.polr()`, `glance.clmm()`, `glance.polr()`, `glance.svyolr()`, `tidy.clm()`, `tidy.clmm()`, `tidy.polr()`, `tidy.svyolr()`

## Examples

```
# load libraries for models and data
library(ordinal)

# fit model
fit <- clm(rating ~ temp * contact, data = wine)

# summarize model fit with tidiers
tidy(fit)
tidy(fit, conf.int = TRUE, conf.level = 0.9)
tidy(fit, conf.int = TRUE, conf.type = "Wald", exponentiate = TRUE)

glance(fit)
augment(fit, type.predict = "prob")
augment(fit, type.predict = "class")

# ...and again with another model specification
fit2 <- clm(rating ~ temp, nominal = ~contact, data = wine)

tidy(fit2)
glance(fit2)
```

---

glance.clmm

*Glance at a(n) clmm object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'clmm'
glance(x, ...)
```

## Arguments

- `x` A `clmm` object returned from [ordinal::clmm\(\)](#).
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with exactly one row and columns:

<code>AIC</code>	Akaike's Information Criterion for the model.
<code>BIC</code>	Bayesian Information Criterion for the model.
<code>edf</code>	The effective degrees of freedom.
<code>logLik</code>	The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.
<code>nobs</code>	Number of observations used.

## See Also

[tidy](#), [ordinal::clmm\(\)](#)

Other ordinal tidiers: [augment.clm\(\)](#), [augment.polr\(\)](#), [glance.clm\(\)](#), [glance.polr\(\)](#), [glance.svyolr\(\)](#), [tidy.clm\(\)](#), [tidy.clmm\(\)](#), [tidy.polr\(\)](#), [tidy.svyolr\(\)](#)

## Examples

```
# load libraries for models and data
library(ordinal)

# fit model
fit <- clmm(rating ~ temp + contact + (1 | judge), data = wine)

# summarize model fit with tidiers
tidy(fit)
tidy(fit, conf.int = TRUE, conf.level = 0.9)
tidy(fit, conf.int = TRUE, exponentiate = TRUE)

glance(fit)

# ...and again with another model specification
fit2 <- clmm(rating ~ temp + (1 | judge), nominal = ~contact, data = wine)

tidy(fit2)
```

```
glance(fit2)
```

---

glance.coeftest	<i>Glance at a(n) coeftest object</i>
-----------------	---------------------------------------

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'coeftest'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A coeftest object returned from <a href="#">lmtest::coeftest()</a> .  |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |               |  |
|---------------|--|
| adj.r.squared | Adjusted R squared statistic, which is like the R squared statistic except taking degrees of freedom into account. |
| AIC           | Akaike's Information Criterion for the model.  |

BIC	Bayesian Information Criterion for the model.
deviance	Deviance of the model.
df	Degrees of freedom used by the model.
df.residual	Residual degrees of freedom.
logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
nobs	Number of observations used.
p.value	P-value corresponding to the test statistic.
r.squared	R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination.
sigma	Estimated standard error of the residuals.
statistic	Test statistic.

### Note

Because of the way that lmtest::coeftest() retains information about the underlying model object, the returned columns for glance.coeftest() will vary depending on the arguments. Specifically, four columns are returned regardless: "Loglik", "AIC", "BIC", and "nobs". Users can obtain additional columns (e.g. "r.squared", "df") by invoking the "save = TRUE" argument as part of lmtest::coeftest(). See examples.

As an aside, goodness-of-fit measures such as R-squared are unaffected by the presence of heteroskedasticity. For further discussion see, e.g. chapter 8.1 of Wooldridge (2016).

### References

Wooldridge, Jeffrey M. (2016) *Introductory econometrics: A modern approach*. (6th edition). Nelson Education.

### See Also

[glance\(\)](#), [lmtest::coeftest\(\)](#)

### Examples

```
# load libraries for models and data
library(lmtest)

m <- lm(dist ~ speed, data = cars)

coeftest(m)
tidy(coeftest(m))
tidy(coeftest(m, conf.int = TRUE))

# a very common workflow is to combine lmtest::coeftest with alternate
# variance-covariance matrices via the sandwich package. The lmtest
# tidiers support this workflow too, enabling you to adjust the standard
# errors of your tidied models on the fly.
```

```

library(sandwich)

# "HC3" (default) robust SEs
tidy(coeftest(m, vcov = vcovHC))

# "HC2" robust SEs
tidy(coeftest(m, vcov = vcovHC, type = "HC2"))

# N-W HAC robust SEs
tidy(coeftest(m, vcov = NeweyWest))

# the columns of the returned tibble for glance.coeftest() will vary
# depending on whether the coeftest object retains the underlying model.
# Users can control this with the "save = TRUE" argument of coeftest().
glance(coeftest(m))
glance(coeftest(m, save = TRUE))

```

---

glance.coxpath

*Glance at a(n) coxpath object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'coxph'
glance(x, ...)
```

## Arguments

- |     |  |
|-----|--|
| x   | A coxpath object returned from <a href="#">survival::coxph()</a> .             |
| ... | For tidy(), additional arguments passed to summary(x, ...). Otherwise ignored. |

**Value**

A `tibble:::tibble()` with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
BIC	Bayesian Information Criterion for the model.
logLik	The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.
n	The total number of observations.
nevent	Number of events.
nobs	Number of observations used.

See `survival::coxph.object` for additional column descriptions.

**See Also**

`glance()`, `survival:::coxph()`

Other `coxph` tidiers: `augment.coxph()`, `tidy.coxph()`

Other `survival` tidiers: `augment.coxph()`, `augment.survreg()`, `glance.aareg()`, `glance.cch()`, `glance.pyears()`, `glance.survdiff()`, `glance.survexp()`, `glance.survfit()`, `glance.survreg()`, `tidy.aareg()`, `tidy.cch()`, `tidy.coxph()`, `tidy.pyears()`, `tidy.survdiff()`, `tidy.survexp()`, `tidy.survfit()`, `tidy.survreg()`

**Examples**

```
# load libraries for models and data
library(survival)

# fit model
cfit <- coxph(Surv(time, status) ~ age + sex, lung)

# summarize model fit with tidiers
tidy(cfit)
tidy(cfit, exponentiate = TRUE)

lp <- augment(cfit, lung)
risks <- augment(cfit, lung, type.predict = "risk")
expected <- augment(cfit, lung, type.predict = "expected")

glance(cfit)

# also works on clogit models
resp <- levels(logan$occupation)
n <- nrow(logan)
indx <- rep(1:n, length(resp))
logan2 <- data.frame(
  logan[indx, ],
  id = indx,
  tocc = factor(rep(resp, each = n))
)
```

```

logan2$case <- (logan2$occupation == logan2$tocc)

cl <- clogit(case ~ tocc + tocc:education + strata(id), logan2)

tidy(cl)
glance(cl)

library(ggplot2)

ggplot(lp, aes(age, .fitted, color = sex)) +
  geom_point()

ggplot(risks, aes(age, .fitted, color = sex)) +
  geom_point()

ggplot(expected, aes(time, .fitted, color = sex)) +
  geom_point()

```

---

## glance.crr

### *Glance at a(n) crr object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'crr'
glance(x, ...)
```

## Arguments

**x** A crr object returned from [cmprrsk::crr\(\)](#).

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with exactly one row and columns:

<code>converged</code>	Logical indicating if the model fitting procedure was successful and converged.
<code>df</code>	Degrees of freedom used by the model.
<code>logLik</code>	The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.
<code>nobs</code>	Number of observations used.
<code>statistic</code>	Test statistic.

## See Also

[glance\(\)](#), [cmprsk::crr\(\)](#)

Other `cmprsk` tidiers: [tidy.crr\(\)](#)

## Examples

```
library(cmprsk)

# time to loco-regional failure (lrf)
lrf_time <- rexp(100)
lrf_event <- sample(0:2, 100, replace = TRUE)
trt <- sample(0:1, 100, replace = TRUE)
strt <- sample(1:2, 100, replace = TRUE)

# fit model
x <- crr(lrf_time, lrf_event, cbind(trt, strt))

# summarize model fit with tidiers
tidy(x, conf.int = TRUE)
glance(x)
```

---

glance.cv.glmnet	<i>Glance at a(n) cv.glmnet object</i>
------------------	--

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'cv.glmnet'
glance(x, ...)
```

## Arguments

x	A cv.glmnet object returned from <a href="#">glmnet::cv.glmnet()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

lambda.1se	The value of the penalization parameter lambda that results in the sparsest model while remaining within one standard error of the minimum loss.
lambda.min	The value of the penalization parameter lambda that achieved minimum loss as estimated by cross validation.
nobs	Number of observations used.

## See Also

[glance\(\)](#), [glmnet::cv.glmnet\(\)](#)

Other `glmnet` tidiers: [glance.glmnet\(\)](#), [tidy.cv.glmnet\(\)](#), [tidy.glmnet\(\)](#)

## Examples

```
# load libraries for models and data
library(glmnet)

set.seed(27)

nobs <- 100
nvar <- 50
real <- 5

x <- matrix(rnorm(nobs * nvar), nobs, nvar)
beta <- c(rnorm(real, 0, 1), rep(0, nvar - real))
y <- c(t(beta) %*% t(x)) + rnorm(nvar, sd = 3)

cvfit1 <- cv.glmnet(x, y)

tidy(cvfit1)
glance(cvfit1)

library(ggplot2)

tidied_cv <- tidy(cvfit1)
glance_cv <- glance(cvfit1)

# plot of MSE as a function of lambda
g <- ggplot(tidied_cv, aes(lambda, estimate)) +
  geom_line() +
  scale_x_log10()
g

# plot of MSE as a function of lambda with confidence ribbon
g <- g + geom_ribbon(aes(ymin = conf.low, ymax = conf.high), alpha = .25)
g

# plot of MSE as a function of lambda with confidence ribbon and choices
# of minimum lambda marked
g <- g +
  geom_vline(xintercept = glance_cv$lambda.min) +
  geom_vline(xintercept = glance_cv$lambda.1se, lty = 2)
g

# plot of number of zeros for each choice of lambda
ggplot(tidied_cv, aes(lambda, nzero)) +
  geom_line() +
  scale_x_log10()
```

```
# coefficient plot with min lambda shown
tidied <- tidy(cvfit1$glmnet.fit)

ggplot(tidied, aes(lambda, estimate, group = term)) +
  scale_x_log10() +
  geom_line() +
  geom_vline(xintercept = glance_cv$lambda.min) +
  geom_vline(xintercept = glance_cv$lambda.1se, lty = 2)
```

---

glance.drc*Glance at a(n) drc object***Description**

Glance accepts a model object and returns a [tibble:::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

**Usage**

```
## S3 method for class 'drc'
glance(x, ...)
```

**Arguments**

- |     |   |
|-----|---|
| x   | A <code>drc</code> object produced by a call to <a href="#">drc:::drm()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

**Value**

A `tibble::tibble()` with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
BIC	Bayesian Information Criterion for the model.
df.residual	Residual degrees of freedom.
logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
AICc	AIC corrected for small samples

**See Also**

[glance\(\)](#), [drc::drm\(\)](#)

Other drc tidiers: [augment.drc\(\)](#), [tidy.drc\(\)](#)

**Examples**

```
# load libraries for models and data
library(drc)

# fit model
mod <- drm(dead / total ~ conc, type,
  weights = total, data = selenium, fct = LL.2(), type = "binomial"
)

# summarize model fit with tidiers
tidy(mod)
tidy(mod, conf.int = TRUE)

glance(mod)

augment(mod, selenium)
```

---

glance.ergm

*Glance at a(n) ergm object*

---

**Description**

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'ergm'
glance(x, deviance = FALSE, mcmc = FALSE, ...)
```

## Arguments

x	An <code>ergm</code> object returned from a call to <code>ergm:::ergm()</code> .
deviance	Logical indicating whether or not to report null and residual deviance for the model, as well as degrees of freedom. Defaults to FALSE.
mcmc	Logical indicating whether or not to report MCMC interval, burn-in and sample size used to estimate the model. Defaults to FALSE.
...	Additional arguments to pass to <code>ergm:::summary()</code> . <b>Cautionary note:</b> Mis-specified arguments may be silently ignored.

## Value

`glance.ergm` returns a one-row tibble with the columns

independence	Whether the model assumed dyadic independence
iterations	The number of MCMLE iterations performed before convergence
logLik	If applicable, the log-likelihood associated with the model
AIC	The Akaike Information Criterion
BIC	The Bayesian Information Criterion

If `deviance = TRUE`, and if the model supports it, the tibble will also contain the columns

null.deviance	The null deviance of the model
df.null	The degrees of freedom of the null deviance
residual.deviance	The residual deviance of the model
df.residual	The degrees of freedom of the residual deviance

## See Also

[glance\(\)](#), [ergm:::ergm\(\)](#), [ergm:::summary.ergm\(\)](#)

Other `ergm` tidiers: [tidy.ergm\(\)](#)

---

 glance.factanal *Glance at a(n) factanal object*


---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'factanal'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A factanal object created by <a href="#">stats::factanal()</a> .  |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |           |   |
|-----------|---|
| converged | Logical indicating if the model fitting procedure was successful and converged. |
| df        | Degrees of freedom used by the model.   |
| method    | Which method was used.  |
| n         | The total number of observations.   |
| n.factors | The number of fitted factors.   |

nobs	Number of observations used.
p.value	P-value corresponding to the test statistic.
statistic	Test statistic.
total.variance	Total cumulative proportion of variance accounted for by all factors.

## See Also

[glance\(\)](#), [stats::factanal\(\)](#)

Other factanal tidiers: [augment.factanal\(\)](#), [tidy.factanal\(\)](#)

## Examples

```
set.seed(123)

# generate data
library(dplyr)
library(purrr)

m1 <- tibble(
  v1 = c(1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 3, 3, 3, 3, 3, 4, 5, 6),
  v2 = c(1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 3, 4, 3, 3, 3, 4, 6, 5),
  v3 = c(3, 3, 3, 3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 5, 4, 6),
  v4 = c(3, 3, 4, 3, 3, 1, 1, 2, 1, 1, 1, 2, 1, 1, 5, 6, 4),
  v5 = c(1, 1, 1, 1, 1, 3, 3, 3, 3, 1, 1, 1, 1, 1, 1, 6, 4, 5),
  v6 = c(1, 1, 1, 2, 1, 3, 3, 4, 3, 1, 1, 1, 2, 1, 6, 5, 4)
)

# new data
m2 <- map_dfr(m1, rev)

# factor analysis objects
fit1 <- factanal(m1, factors = 3, scores = "Bartlett")
fit2 <- factanal(m1, factors = 3, scores = "regression")

# tidying the object
tidy(fit1)
tidy(fit2)

# augmented dataframe
augment(fit1)
augment(fit2)

# augmented dataframe (with new data)
augment(fit1, data = m2)
augment(fit2, data = m2)
```

---

glance.felm*Glance at a(n) felm object*

---

**Description**

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

**Usage**

```
## S3 method for class 'felm'
glance(x, ...)
```

**Arguments**

- |                  |   |
|------------------|---|
| <code>x</code>   | A <code>felm</code> object returned from <code>lfe::felm()</code> .   |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

**Value**

A `tibble::tibble()` with exactly one row and columns:

- |                            |  |
|----------------------------|--|
| <code>adj.r.squared</code> | Adjusted R squared statistic, which is like the R squared statistic except taking degrees of freedom into account. |
| <code>df</code>            | Degrees of freedom used by the model.  |
| <code>df.residual</code>   | Residual degrees of freedom.   |
| <code>nobs</code>          | Number of observations used.   |
| <code>p.value</code>       | P-value corresponding to the test statistic.   |

r.squared	R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination.
sigma	Estimated standard error of the residuals.
statistic	Test statistic.

## Examples

```

# load libraries for models and data
library(lfe)

# use built-in `airquality` dataset
head(airquality)

# no FE; same as lm()
est0 <- felm(Ozone ~ Temp + Wind + Solar.R, airquality)

# summarize model fit with tidiers
tidy(est0)
augment(est0)

# add month fixed effects
est1 <- felm(Ozone ~ Temp + Wind + Solar.R | Month, airquality)

# summarize model fit with tidiers
tidy(est1)
tidy(est1, fe = TRUE)
augment(est1)
glance(est1)

# the "se.type" argument can be used to switch out different standard errors
# types on the fly. In turn, this can be useful exploring the effect of
# different error structures on model inference.
tidy(est1, se.type = "iid")
tidy(est1, se.type = "robust")

# add clustered SEs (also by month)
est2 <- felm(Ozone ~ Temp + Wind + Solar.R | Month | 0 | Month, airquality)

# summarize model fit with tidiers
tidy(est2, conf.int = TRUE)
tidy(est2, conf.int = TRUE, se.type = "cluster")
tidy(est2, conf.int = TRUE, se.type = "robust")
tidy(est2, conf.int = TRUE, se.type = "iid")

```

## Description

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'fitdistr'
glance(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | A <code>fitdistr</code> object returned by <code>MASS::fitdistr()</code> .  |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Value

A `tibble::tibble()` with exactly one row and columns:

- |                     |  |
|---------------------|--|
| <code>AIC</code>    | Akaike's Information Criterion for the model.  |
| <code>BIC</code>    | Bayesian Information Criterion for the model.  |
| <code>logLik</code> | The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference. |
| <code>nobs</code>   | Number of observations used.   |

## See Also

`tidy()`, `MASS::fitdistr()`

Other `fitdistr` tidiers: `tidy.fitdistr()`

## Examples

```
# load libraries for models and data
library(MASS)

# generate data
set.seed(2015)
x <- rnorm(100, 5, 2)

# fit models
fit <- fitdistr(x, dnorm, list(mean = 3, sd = 1))

# summarize model fit with tidiers
tidy(fit)
glance(fit)
```

---

glance.fixest

*Glance at a(n) fixest object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'fixest'
glance(x, ...)
```

## Arguments

- x A fixest object returned from any of the fixest estimators
- ... Additional arguments passed to `summary` and `confint`. Important arguments are `se` and `cluster`. Other arguments are `dof`, `exact_dof`, `forceCovariance`, and `keepBounded`. See [summary.fixest](#).

**Value**

A `tibble:::tibble()` with exactly one row and columns:

<code>adj.r.squared</code>	Adjusted R squared statistic, which is like the R squared statistic except taking degrees of freedom into account.
<code>AIC</code>	Akaike's Information Criterion for the model.
<code>BIC</code>	Bayesian Information Criterion for the model.
<code>logLik</code>	The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.
<code>nobs</code>	Number of observations used.
<code>pseudo.r.squared</code>	Like the R squared statistic, but for situations when the R squared statistic isn't defined.
<code>r.squared</code>	R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination.
<code>sigma</code>	Estimated standard error of the residuals.
<code>within.r.squared</code>	R squared within fixed-effect groups.

**Note**

All columns listed below will be returned, but some will be NA, depending on the type of model estimated. `sigma`, `r.squared`, `adj.r.squared`, and `within.r.squared` will be NA for any model other than `feols`. `pseudo.r.squared` will be NA for `feols`.

**Examples**

```
# load libraries for models and data
library(fixest)

gravity <-
  feols(
    log(Euros) ~ log(dist_km) | Origin + Destination + Product + Year, trade
  )

tidy(gravity)
glance(gravity)
augment(gravity, trade)

# to get robust or clustered SEs, users can either:

# 1) specify the arguments directly in the `tidy()` call

tidy(gravity, conf.int = TRUE, cluster = c("Product", "Year"))

tidy(gravity, conf.int = TRUE, se = "threeway")

# 2) or, feed tidy() a summary.fixest object that has already accepted
# these arguments
```

```
gravity_summ <- summary(gravity, cluster = c("Product", "Year"))

tidy(gravity_summ, conf.int = TRUE)

# approach (1) is preferred.
```

---

glance.Gam*Glance at a(n) Gam object*

---

**Description**

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

**Usage**

```
## S3 method for class 'Gam'
glance(x, ...)
```

**Arguments**

- |     |   |
|-----|---|
| x   | A Gam object returned from a call to <a href="#">gam::gam()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

**Details**

Glance at gam objects created by calls to [mgcv::gam\(\)](#) with [glance.gam\(\)](#).

## Value

A `tibble::tibble()` with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
BIC	Bayesian Information Criterion for the model.
deviance	Deviance of the model.
df	Degrees of freedom used by the model.
df.residual	Residual degrees of freedom.
logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
nobs	Number of observations used.

## See Also

[glance\(\)](#), [gam::gam\(\)](#)

Other gam tidiers: [tidy.Gam\(\)](#)

---

glance.gam

*Glance at a(n) gam object*

---

## Description

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'gam'  
glance(x, ...)
```

## Arguments

- `x` A `gam` object returned from a call to `mgcv:::gam()`.
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble:::tibble()` with exactly one row and columns:

- |                            |  |
|----------------------------|--|
| <code>adj.r.squared</code> | Adjusted R squared statistic, which is like the R squared statistic except taking degrees of freedom into account. |
| <code>AIC</code>           | Akaike's Information Criterion for the model.  |
| <code>BIC</code>           | Bayesian Information Criterion for the model.  |
| <code>deviance</code>      | Deviance of the model.   |
| <code>df</code>            | Degrees of freedom used by the model.  |
| <code>df.residual</code>   | Residual degrees of freedom.   |
| <code>logLik</code>        | The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.                         |
| <code>nobs</code>          | Number of observations used.   |
| <code>npar</code>          | Number of parameters in the model.   |

## See Also

`glance()`, `mgcv:::gam()`

Other `mgcv` tidiers: `tidy.gam()`

## Examples

```
# load libraries for models and data
library(mgcv)

# fit model
g <- gam(mpg ~ s(hp) + am + qsec, data = mtcars)

# summarize model fit with tidiers
tidy(g)
tidy(g, parametric = TRUE)
glance(g)
augment(g)
```

---

glance.garch	<i>Tidy a(n) garch object</i>
--------------	-------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'garch'
glance(x, test = c("box-ljung-test", "jarque-bera-test"), ...)
```

## Arguments

x	A garch object returned by <a href="#">tseries::garch()</a> .
test	Character specification of which hypothesis test to use. The garch function reports 2 hypothesis tests: Jarque-Bera to residuals and Box-Ljung to squared residuals.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul>

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
BIC	Bayesian Information Criterion for the model.
logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
method	Which method was used.
nobs	Number of observations used.
p.value	P-value corresponding to the test statistic.
statistic	Test statistic.
parameter	Parameter field in the htest, typically degrees of freedom.

**See Also**

[glance\(\)](#), [tseries::garch\(\)](#), []  
 Other garch tidiers: [tidy.garch\(\)](#)

---

glance.geeglm	<i>Glance at a(n) geeglm object</i>
---------------	-------------------------------------

---

**Description**

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

**Usage**

```
## S3 method for class 'geeglm'
glance(x, ...)
```

**Arguments**

- |     |   |
|-----|---|
| x   | A geeglm object returned from a call to <a href="#">geepack::geeglm()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

**Value**

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |             |  |
|-------------|--|
| alpha       | Estimated correlation parameter for geepack::geeglm. |
| df.residual | Residual degrees of freedom.                         |

gamma	Estimated scale parameter for geepack::geeglm.
max.cluster.size	Max number of elements in clusters.
n.clusters	Number of clusters.

## See Also

[glance\(\)](#), [geepack::geeglm\(\)](#)

## Examples

```
# load modeling library
library(geepack)

# load data
data(state)

ds <- data.frame(state.region, state.x77)

# fit model
geefit <- geeglm(Income ~ Frost + Murder,
  id = state.region,
  data = ds,
  corstr = "exchangeable"
)

# summarize model fit with tidiers
tidy(geefit)
tidy(geefit, conf.int = TRUE)
```

---

glance.glm	<i>Glance at a(n) glm object</i>
------------	----------------------------------

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'glm'
glance(x, ...)
```

## Arguments

- x A `glm` object returned from [stats::glm\(\)](#).
- ... Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with exactly one row and columns:

- |               |   |
|---------------|---|
| AIC           | Akaike's Information Criterion for the model.                                 |
| BIC           | Bayesian Information Criterion for the model.                                 |
| deviance      | Deviance of the model.  |
| df.null       | Degrees of freedom used by the null model.                                    |
| df.residual   | Residual degrees of freedom.  |
| logLik        | The log-likelihood of the model. [stats::logLik()] may be a useful reference. |
| nobs          | Number of observations used.  |
| null.deviance | Deviance of the null model.   |

## See Also

[stats::glm\(\)](#)

Other lm tidiers: [augment.glm\(\)](#), [augment.lm\(\)](#), [glance.lm\(\)](#), [glance.summary.lm\(\)](#), [glance.svyglm\(\)](#), [tidy.glm\(\)](#), [tidy.lm\(\)](#), [tidy.lm.beta\(\)](#), [tidy.mlm\(\)](#), [tidy.summary.lm\(\)](#)

## Examples

```
g <- glm(am ~ mpg, mtcars, family = "binomial")
glance(g)
```

---

glance.glmnet	<i>Glance at a(n) glmnet object</i>
---------------	-------------------------------------

---

## Description

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'glmnet'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A <code>glmnet</code> object returned from <code>glmnet::glmnet()</code> .  |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Value

A `tibble::tibble()` with exactly one row and columns:

- |         |  |
|---------|--|
| nobs    | Number of observations used.                         |
| npasses | Total passes over the data across all lambda values. |
| nulldev | Null deviance.                                       |

**See Also**[glance\(\)](#), [glmnet::glmnet\(\)](#)Other `glmnet` tidiers: [glance.cv.glmnet\(\)](#), [tidy.cv.glmnet\(\)](#), [tidy.glmnet\(\)](#)**Examples**

```

# load libraries for models and data
library(glmnet)

set.seed(2014)
x <- matrix(rnorm(100 * 20), 100, 20)
y <- rnorm(100)
fit1 <- glmnet(x, y)

# summarize model fit with tidiers + visualization
tidy(fit1)
glance(fit1)

library(dplyr)
library(ggplot2)

tidied <- tidy(fit1) |> filter(term != "(Intercept)")

ggplot(tidied, aes(step, estimate, group = term)) +
  geom_line()

ggplot(tidied, aes(lambda, estimate, group = term)) +
  geom_line() +
  scale_x_log10()

ggplot(tidied, aes(lambda, dev.ratio)) +
  geom_line()

# works for other types of regressions as well, such as logistic
g2 <- sample(1:2, 100, replace = TRUE)
fit2 <- glmnet(x, g2, family = "binomial")
tidy(fit2)

```

---

glance.glmRob*Glance at a(n) glmRob object***Description**

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'glmRob'
glance(x, ...)
```

## Arguments

x	A <code>glmRob</code> object returned from <a href="#">robust::glmRob()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with exactly one row and columns:

deviance	Deviance of the model.
df.residual	Residual degrees of freedom.
nobs	Number of observations used.
null.deviance	Deviance of the null model.
sigma	Estimated standard error of the residuals.

## See Also

[robust::glmRob\(\)](#)

Other robust tidiers: [augment.lmRob\(\)](#), [glance.lmRob\(\)](#), [tidy.glmRob\(\)](#), [tidy.lmRob\(\)](#)

## Examples

```
# load libraries for models and data
library(robust)

# fit model
gm <- glmRob(am ~ wt, data = mtcars, family = "binomial")

# summarize model fit with tidiers
tidy(gm)
glance(gm)
```

---

glance.gmm

*Glance at a(n) gmm object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'gmm'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A gmm object returned from <a href="#">gmm::gmm()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

**Value**

A `tibble:::tibble()` with exactly one row and columns:

<code>df</code>	Degrees of freedom used by the model.
<code>df.residual</code>	Residual degrees of freedom.
<code>nobs</code>	Number of observations used.
<code>p.value</code>	P-value corresponding to the test statistic.
<code>statistic</code>	Test statistic.

**See Also**

[glance\(\)](#), [gmm:::gmm\(\)](#)

Other gmm tidiers: [tidy.gmm\(\)](#)

**Examples**

```
# load libraries for models and data
library(gmm)

# examples come from the "gmm" package
# CAPM test with GMM
data(Finance)
r <- Finance[1:300, 1:10]
rm <- Finance[1:300, "rm"]
rf <- Finance[1:300, "rf"]

z <- as.matrix(r - rf)
t <- nrow(z)
zm <- rm - rf
h <- matrix(zm, t, 1)
res <- gmm(z ~ zm, x = h)

# tidy result
tidy(res)
tidy(res, conf.int = TRUE)
tidy(res, conf.int = TRUE, conf.level = .99)

# coefficient plot
library(ggplot2)
library(dplyr)

tidy(res, conf.int = TRUE) |>
  mutate(variable = reorder(term, estimate)) |>
  ggplot(aes(estimate, variable)) +
  geom_point() +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high)) +
  geom_vline(xintercept = 0, color = "red", lty = 2)

# from a function instead of a matrix
```

```

g <- function(theta, x) {
  e <- x[, 2:11] - theta[1] - (x[, 1] - theta[1]) %*% matrix(theta[2:11], 1, 10)
  gmat <- cbind(e, e * c(x[, 1]))
  return(gmat)
}

x <- as.matrix(cbind(rm, r))
res_black <- gmm(g, x = x, t0 = rep(0, 11))

tidy(res_black)
tidy(res_black, conf.int = TRUE)

# APT test with Fama-French factors and GMM

f1 <- zm
f2 <- Finance[1:300, "hml"] - rf
f3 <- Finance[1:300, "smb"] - rf
h <- cbind(f1, f2, f3)
res2 <- gmm(z ~ f1 + f2 + f3, x = h)

td2 <- tidy(res2, conf.int = TRUE)
td2

# coefficient plot
td2 |>
  mutate(variable = reorder(term, estimate)) |>
  ggplot(aes(estimate, variable)) +
  geom_point() +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high)) +
  geom_vline(xintercept = 0, color = "red", lty = 2)

```

---

glance.ivreg

*Glance at a(n) ivreg object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'ivreg'
glance(x, diagnostics = FALSE, ...)
```

## Arguments

<code>x</code>	An <code>ivreg</code> object created by a call to <a href="#">AER::ivreg()</a> .
<code>diagnostics</code>	Logical indicating whether or not to return the Wu-Hausman and Sargan diagnostic information.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

This tidier currently only supports `ivreg`-classed objects outputted by the `AER` package. The `ivreg` package also outputs objects of class `ivreg`, and will be supported in a later release.

## Value

A `tibble::tibble()` with exactly one row and columns:

<code>adj.r.squared</code>	Adjusted R squared statistic, which is like the R squared statistic except taking degrees of freedom into account.
<code>df</code>	Degrees of freedom used by the model.
<code>df.residual</code>	Residual degrees of freedom.
<code>nobs</code>	Number of observations used.
<code>r.squared</code>	R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination.
<code>sigma</code>	Estimated standard error of the residuals.
<code>statistic</code>	Wald test statistic.
<code>p.value</code>	P-value for the Wald test.

## Note

Beginning 0.7.0, `glance.ivreg` returns statistics for the Wu-Hausman test for endogeneity and the Sargan test of overidentifying restrictions. Sargan test values are returned as `NA` if the number of instruments is not greater than the number of endogenous regressors.

**See Also**

[glance\(\)](#), [AER::ivreg\(\)](#)  
 Other ivreg tidiers: [augment.ivreg\(\)](#), [tidy.ivreg\(\)](#)

**Examples**

```
# load libraries for models and data
library(AER)

# load data
data("CigarettesSW", package = "AER")

# fit model
ivr <- ivreg(
  log(packs) ~ income | population,
  data = CigarettesSW,
  subset = year == "1995"
)

# summarize model fit with tidiers
tidy(ivr)
tidy(ivr, conf.int = TRUE)
tidy(ivr, conf.int = TRUE, instruments = TRUE)

augment(ivr)
augment(ivr, data = CigarettesSW)
augment(ivr, newdata = CigarettesSW)

glance(ivr)
```

---

glance.kmeans

*Glance at a(n) kmeans object*

---

**Description**

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'kmeans'  
glance(x, ...)
```

## Arguments

x	A kmeans object created by <a href="#">stats::kmeans()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"><li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li><li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li></ul>

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

betweenss	The total between-cluster sum of squares.
iter	Iterations of algorithm/fitting procedure completed.
tot.withinss	The total within-cluster sum of squares.
totss	The total sum of squares.

## See Also

[glance\(\)](#), [stats::kmeans\(\)](#)

Other kmeans tidiers: [augment.kmeans\(\)](#), [tidy.kmeans\(\)](#)

## Examples

```
library(cluster)  
library(modeldata)  
library(dplyr)  
  
data(hpc_data)  
  
x <- hpc_data[, 2:5]  
  
fit <- pam(x, k = 4)  
  
tidy(fit)  
glance(fit)  
augment(fit, x)
```

---

`glance.lavaan`*Glance at a(n) lavaan object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'lavaan'  
glance(x, ...)
```

## Arguments

<code>x</code>	A lavaan object, such as those returned from <a href="#">lavaan::cfa()</a> , and <a href="#">lavaan::sem()</a> .
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A one-row [tibble::tibble](#) with columns:

<code>chisq</code>	Model chi squared
<code>npar</code>	Number of parameters in the model
<code>rmsea</code>	Root mean square error of approximation
<code>rmsea.conf.high</code>	95 percent upper bound on RMSEA

srmr	Standardised root mean residual
agfi	Adjusted goodness of fit
cfi	Comparative fit index
tlci	Tucker Lewis index
AIC	Akaike information criterion
BIC	Bayesian information criterion
ngroups	Number of groups in model
nobs	Number of observations included
norig	Number of observation in the original dataset
nexcluded	Number of excluded observations
converged	Logical - Did the model converge
estimator	Estimator used
missing_method	Method for eliminating missing data

For further recommendations on reporting SEM and CFA models see Schreiber, J. B. (2017). Update to core reporting practices in structural equation modeling. *Research in Social and Administrative Pharmacy*, 13(3), 634-643. <https://doi.org/10.1016/j.sapharm.2016.06.006>

## See Also

[glance\(\)](#), [lavaan::cfa\(\)](#), [lavaan::sem\(\)](#), [lavaan::fitmeasures\(\)](#)

Other lavaan tidiers: [tidy.lavaan\(\)](#)

## Examples

```
library(lavaan)

# fit model
cfa.fit <- cfa(
  "F =~ x1 + x2 + x3 + x4 + x5",
  data = HolzingerSwineford1939, group = "school"
)

# summarize model fit with tidiers
glance(cfa.fit)
```

---

glance.lm*Glance at a(n) lm object*

---

**Description**

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

**Usage**

```
## S3 method for class 'lm'
glance(x, ...)
```

**Arguments**

- |     |   |
|-----|---|
| x   | An lm object created by <a href="#">stats::lm()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

**Value**

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |               |  |
|---------------|--|
| adj.r.squared | Adjusted R squared statistic, which is like the R squared statistic except taking degrees of freedom into account. |
| AIC           | Akaike's Information Criterion for the model.  |
| BIC           | Bayesian Information Criterion for the model.  |
| deviance      | Deviance of the model.   |
| df.residual   | Residual degrees of freedom.   |

logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
nobs	Number of observations used.
p.value	P-value corresponding to the test statistic.
r.squared	R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination.
sigma	Estimated standard error of the residuals.
statistic	Test statistic.
df	The degrees for freedom from the numerator of the overall F-statistic. This is new in broom 0.7.0. Previously, this reported the rank of the design matrix, which is one more than the numerator degrees of freedom of the overall F-statistic.

## See Also

[glance\(\)](#), [glance.summary.lm\(\)](#)

Other lm tidiers: [augment.glm\(\)](#), [augment.lm\(\)](#), [glance.glm\(\)](#), [glance.summary.lm\(\)](#), [glance.svyglm\(\)](#), [tidy.glm\(\)](#), [tidy.lm\(\)](#), [tidy.lm.beta\(\)](#), [tidy.mlm\(\)](#), [tidy.summary.lm\(\)](#)

## Examples

```
library(ggplot2)
library(dplyr)

mod <- lm(mpg ~ wt + qsec, data = mtcars)

tidy(mod)
glance(mod)

# coefficient plot
d <- tidy(mod, conf.int = TRUE)

ggplot(d, aes(estimate, term, xmin = conf.low, xmax = conf.high, height = 0)) +
  geom_point() +
  geom_vline(xintercept = 0, lty = 4) +
  geom_errorbarh()

# aside: There are tidy() and glance() methods for lm.summary objects too.
# this can be useful when you want to conserve memory by converting large lm
# objects into their leaner summary.lm equivalents.
s <- summary(mod)
tidy(s, conf.int = TRUE)
glance(s)

augment(mod)
augment(mod, mtcars, interval = "confidence")

# predict on new data
newdata <- mtcars |>
```

```

head(6) |>
  mutate(wt = wt + 1)
augment(mod, newdata = newdata)

# ggplot2 example where we also construct 95% prediction interval

# simpler bivariate model since we're plotting in 2D
mod2 <- lm(mpg ~ wt, data = mtcars)

au <- augment(mod2, newdata = newdata, interval = "prediction")

ggplot(au, aes(wt, mpg)) +
  geom_point() +
  geom_line(aes(y = .fitted)) +
  geom_ribbon(aes(ymin = .lower, ymax = .upper), col = NA, alpha = 0.3)

# predict on new data without outcome variable. Output does not include .resid
newdata <- newdata |>
  select(-mpg)

augment(mod, newdata = newdata)

au <- augment(mod, data = mtcars)

ggplot(au, aes(.hat, .std.resid)) +
  geom_vline(size = 2, colour = "white", xintercept = 0) +
  geom_hline(size = 2, colour = "white", yintercept = 0) +
  geom_point() +
  geom_smooth(se = FALSE)

plot(mod, which = 6)

ggplot(au, aes(.hat, .cooksdi)) +
  geom_vline(xintercept = 0, colour = NA) +
  geom_abline(slope = seq(0, 3, by = 0.5), colour = "white") +
  geom_smooth(se = FALSE) +
  geom_point()

# column-wise models
a <- matrix(rnorm(20), nrow = 10)
b <- a + rnorm(length(a))
result <- lm(b ~ a)

tidy(result)

```

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'lmodel2'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A lmodel2 object returned by <a href="#">lmodel2::lmodel2()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |           |  |
|-----------|--|
| nobs      | Number of observations used.   |
| p.value   | P-value corresponding to the test statistic.   |
| r.squared | R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination. |
| theta     | Angle between OLS lines 'lm(y ~ x)' and 'lm(x ~ y)'  |
| H         | H statistic for computing confidence interval of major axis slope  |

## See Also

- [glance\(\)](#), [lmodel2::lmodel2\(\)](#)  
 Other lmodel2 tidiers: [tidy.lmodel2\(\)](#)

## Examples

```
# load libraries for models and data
library(lmodel2)

data(mod2ex2)
Ex2.res <- lmodel2(Prey ~ Predators, data = mod2ex2, "relative", "relative", 99)
Ex2.res

# summarize model fit with tidiers + visualization
tidy(Ex2.res)
glance(Ex2.res)

# this allows coefficient plots with ggplot2
library(ggplot2)

ggplot(tidy(Ex2.res), aes(estimate, term, color = method)) +
  geom_point() +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high)) +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high))
```

---

glance.lmRob

*Glance at a(n) lmRob object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'lmRob'
glance(x, ...)
```

## Arguments

- `x` A `lmRob` object returned from [robust::lmRob\(\)](#).
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with exactly one row and columns:

- |                          |  |
|--------------------------|--|
| <code>deviance</code>    | Deviance of the model.   |
| <code>df.residual</code> | Residual degrees of freedom.   |
| <code>nobs</code>        | Number of observations used.   |
| <code>r.squared</code>   | R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination. |
| <code>sigma</code>       | Estimated standard error of the residuals.   |

## See Also

[robust::lmRob\(\)](#)

Other robust tidiers: [augment.lmRob\(\)](#), [glance.glmRob\(\)](#), [tidy.glmRob\(\)](#), [tidy.lmRob\(\)](#)

## Examples

```
# load modeling library
library(robust)

# fit model
m <- lmRob(mpg ~ wt, data = mtcars)

# summarize model fit with tidiers
tidy(m)
augment(m)
glance(m)
```

---

`glance.lmrob`*Glance at a(n) lmrob object*

---

## Description

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'lmrob'
glance(x, ...)
```

## Arguments

- `x` A `lmrob` object returned from `robustbase::lmrob()`.
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

For tidiers for robust models from the **MASS** package see `tidy.rlm()`.

## Value

A `tibble::tibble()` with exactly one row and columns:

- |                          |  |
|--------------------------|--|
| <code>df.residual</code> | Residual degrees of freedom.   |
| <code>r.squared</code>   | R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination. |
| <code>sigma</code>       | Estimated standard error of the residuals.   |

**See Also**

[robustbase::lmrob\(\)](#)

Other robustbase tidiers: [augment.glmrob\(\)](#), [augment.lmrob\(\)](#), [tidy.glmrob\(\)](#), [tidy.lmrob\(\)](#)

**Examples**

```
if (requireNamespace("robustbase", quietly = TRUE)) {
  # load libraries for models and data
  library(robustbase)

  data(coleman)
  set.seed(0)

  m <- lmrob(Y ~ ., data = coleman)
  tidy(m)
  augment(m)
  glance(m)

  data(carrots)

  Rfit <- glmrob(cbind(success, total - success) ~ logdose + block,
    family = binomial, data = carrots, method = "Mqle",
    control = glmrobMqle.control(tcc = 1.2)
  )

  tidy(Rfit)
  augment(Rfit)
}
```

---

glance.margins

*Glance at a(n) margins object*

---

**Description**

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'margins'
glance(x, ...)
```

## Arguments

x	A <code>margins</code> object returned from <code>margins::margins()</code> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with exactly one row and columns:

adj.r.squared	Adjusted R squared statistic, which is like the R squared statistic except taking degrees of freedom into account.
df	Degrees of freedom used by the model.
df.residual	Residual degrees of freedom.
nobs	Number of observations used.
p.value	P-value corresponding to the test statistic.
r.squared	R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination.
sigma	Estimated standard error of the residuals.
statistic	Test statistic.

## Examples

```
# load libraries for models and data
library(margins)

# example 1: logit model
mod_log <- glm(am ~ cyl + hp + wt, data = mtcars, family = binomial)

# get tidied "naive" model coefficients
tidy(mod_log)

# convert to marginal effects with margins()
marg_log <- margins(mod_log)
```

```

# get tidied marginal effects
tidy(marg_log)
tidy(marg_log, conf.int = TRUE)

# requires running the underlying model again. quick for this example
glance(marg_log)

# augmenting `margins` outputs isn't supported, but
# you can get the same info by running on the underlying model
augment(mod_log)

# example 2: three-way interaction terms
mod_ie <- lm(mpg ~ wt * cyl * disp, data = mtcars)

# get tidied "naive" model coefficients
tidy(mod_ie)

# convert to marginal effects with margins()
marg_ie0 <- margins(mod_ie)
# get tidied marginal effects
tidy(marg_ie0)
glance(marg_ie0)

# marginal effects evaluated at specific values of a variable (here: cyl)
marg_ie1 <- margins(mod_ie, at = list(cyl = c(4,6,8)))

# summarize model fit with tidiers
tidy(marg_ie1)

# marginal effects of one interaction variable (here: wt), modulated at
# specific values of the two other interaction variables (here: cyl and drat)
marg_ie2 <- margins(mod_ie,
                     variables = "wt",
                     at = list(cyl = c(4,6,8), drat = c(3, 3.5, 4)))

# summarize model fit with tidiers
tidy(marg_ie2)

```

---

glance.Mclust

*Glance at a(n) Mclust object*

---

## Description

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'Mclust'
glance(x, ...)
```

## Arguments

x	An Mclust object return from <a href="#">mclust::Mclust()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

BIC	Bayesian Information Criterion for the model.
df	Degrees of freedom used by the model.
logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
nobs	Number of observations used.
model	A string denoting the model type with optimal BIC
G	Number mixture components in optimal model
hypvol	If the other model contains a noise component, the value of the hypervolume parameter. Otherwise 'NA'.

## Examples

```
# load library for models and data
library(mclust)

# load data manipulation libraries
library(dplyr)
library(tibble)
```

```

library(purrr)
library(tidyr)

set.seed(27)

centers <- tibble(
  cluster = factor(1:3),
  # number points in each cluster
  num_points = c(100, 150, 50),
  # x1 coordinate of cluster center
  x1 = c(5, 0, -3),
  # x2 coordinate of cluster center
  x2 = c(-1, 1, -2)
)

points <- centers |>
  mutate(
    x1 = map2(num_points, x1, rnorm),
    x2 = map2(num_points, x2, rnorm)
  ) |>
  select(-num_points, -cluster) |>
  unnest(c(x1, x2))

# fit model
m <- Mclust(points)

# summarize model fit with tidiers
tidy(m)
augment(m, points)
glance(m)

```

---

glance.mfx

*Glance at a(n) mfx object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'mfx'
glance(x, ...)

## S3 method for class 'logitmfx'
glance(x, ...)

## S3 method for class 'negbinmfx'
glance(x, ...)

## S3 method for class 'poissonmfx'
glance(x, ...)

## S3 method for class 'probitmfx'
glance(x, ...)
```

## Arguments

- x A `logitmfx`, `negbinmfx`, `poissonmfx`, or `probitmfx` object. (Note that `betamfx` objects receive their own set of tidiers.)
- ... Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
  - `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

This generic `glance` method wraps `glance.glm()` for applicable objects from the `mfx` package.

## Value

A `tibble::tibble()` with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
BIC	Bayesian Information Criterion for the model.
deviance	Deviance of the model.
df.null	Degrees of freedom used by the null model.
df.residual	Residual degrees of freedom.
logLik	The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.
nobs	Number of observations used.
null.deviance	Deviance of the null model.

**See Also**

[glance.glm\(\)](#), [mfx::logitmfx\(\)](#), [mfx::negbinmfx\(\)](#), [mfx::poissonmfx\(\)](#), [mfx::probitmfx\(\)](#)  
 Other mfx tidiers: [augment.betamfx\(\)](#), [augment.mfx\(\)](#), [glance.betamfx\(\)](#), [tidy.betamfx\(\)](#),  
[tidy.mfx\(\)](#)

**Examples**

```
# load libraries for models and data
library(mfx)

# get the marginal effects from a logit regression
mod_logmfx <- logitmfx(am ~ cyl + hp + wt, atmean = TRUE, data = mtcars)

tidy(mod_logmfx, conf.int = TRUE)

# compare with the naive model coefficients of the same logit call
tidy(
  glm(am ~ cyl + hp + wt, family = binomial, data = mtcars),
  conf.int = TRUE
)

augment(mod_logmfx)
glance(mod_logmfx)

# another example, this time using probit regression
mod_probmfx <- probitmfx(am ~ cyl + hp + wt, atmean = TRUE, data = mtcars)

tidy(mod_probmfx, conf.int = TRUE)
augment(mod_probmfx)
glance(mod_probmfx)
```

---

glance.mjoint

*Glance at a(n) mjoint object*

---

**Description**

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'mjoint'
glance(x, ...)
```

## Arguments

x	An <code>mjoint</code> object returned from <a href="#">joineRML::mjoint()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
BIC	Bayesian Information Criterion for the model.
logLik	The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.
sigma2_j	The square root of the estimated residual variance for the j-th longitudinal process

## See Also

[glance\(\)](#), [joineRML::mjoint\(\)](#)  
 Other `mjoint` tidiers: [tidy.mjoint\(\)](#)

## Examples

```
# broom only skips running these examples because the example models take a
# while to generate—they should run just fine, though!
## Not run:

# load libraries for models and data
library(joineRML)

# fit a joint model with bivariate longitudinal outcomes
data(heart.valve)

hvd <- heart.valve[!is.na(heart.valve$log.grad) &
  !is.na(heart.valve$log.lvmi) &
```

```

heart.valve$num <= 50, ]

fit <- mjoint(
  formLongFixed = list(
    "grad" = log.grad ~ time + sex + hs,
    "lvmi" = log.lvmi ~ time + sex
  ),
  formLongRandom = list(
    "grad" = ~ 1 | num,
    "lvmi" = ~ time | num
  ),
  formSurv = Surv(fuyrs, status) ~ age,
  data = hvd,
  inits = list("gamma" = c(0.11, 1.51, 0.80)),
  timeVar = "time"
)

# extract the survival fixed effects
tidy(fit)

# extract the longitudinal fixed effects
tidy(fit, component = "longitudinal")

# extract the survival fixed effects with confidence intervals
tidy(fit, ci = TRUE)

# extract the survival fixed effects with confidence intervals based
# on bootstrapped standard errors
bSE <- bootSE(fit, nboot = 5, safe.boot = TRUE)
tidy(fit, boot_se = bSE, ci = TRUE)

# augment original data with fitted longitudinal values and residuals
hvd2 <- augment(fit)

# extract model statistics
glance(fit)

## End(Not run)

```

---

glance.mlogit

*Glance at a(n) mlogit object*

---

## Description

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'mlogit'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | an object returned from <a href="#">mlogit::mlogit()</a> .  |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |        |  |
|--------|--|
| AIC    | Akaike's Information Criterion for the model.  |
| BIC    | Bayesian Information Criterion for the model.  |
| logLik | The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference. |
| nobs   | Number of observations used.   |
| rho2   | McFadden's rho squared with respect to a market shares (constants-only) model.             |
| rho20  | McFadden's rho squared with respect to an equal shares (no information) model.             |

## See Also

[glance\(\)](#), [mlogit::mlogit\(\)](#)

Other mlogit tidiers: [augment.mlogit\(\)](#), [tidy.mlogit\(\)](#)

## Examples

```
# load libraries for models and data
library(mlogit)
```

```

data("Fishing", package = "mlogit")
Fish <- dfidx(Fishing, varying = 2:9, shape = "wide", choice = "mode")

# fit model
m <- mlogit(mode ~ price + catch | income, data = Fish)

# summarize model fit with tidiers
tidy(m)
augment(m)
glance(m)

```

---

glance.muhaz

*Glance at a(n) muhaz object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'muhaz'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A muhaz object returned by <a href="#">muhaz::muhaz()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

**Value**

A `tibble:::tibble()` with exactly one row and columns:

max.hazard	Maximal estimated hazard.
max.time	The maximum observed event or censoring time.
min.hazard	Minimal estimated hazard.
min.time	The minimum observed event or censoring time.
nobs	Number of observations used.

**See Also**

[glance\(\)](#), [muhaz:::muhaz\(\)](#)

Other muhaz tidiers: [tidy.muhaz\(\)](#)

**Examples**

```
# load libraries for models and data
library(muhaz)
library(survival)

# fit model
x <- muhaz(ovarian$futime, ovarian$fustat)

# summarize model fit with tidiers
tidy(x)
glance(x)
```

---

**glance.multinom** *Glance at a(n) multinom object*

---

**Description**

Glance accepts a model object and returns a `tibble:::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'multinom'
glance(x, ...)
```

## Arguments

x	A <code>multinom</code> object returned from <a href="#">nnet::multinom()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
deviance	Deviance of the model.
edf	The effective degrees of freedom.
nobs	Number of observations used.

## See Also

[glance\(\)](#), [nnet::multinom\(\)](#)  
 Other multinom tidiers: [tidy.multinom\(\)](#)

## Examples

```
# load libraries for models and data
library(nnet)
library(MASS)

example(birthwt)

bwt.mu <- multinom(low ~ ., bwt)

tidy(bwt.mu)
glance(bwt.mu)

# or, for output from a multinomial logistic regression
fit.gear <- multinom(gear ~ mpg + factor(am), data = mtcars)
tidy(fit.gear)
```

```
glance(fit.gear)
```

---

glance.negbin

*Glance at a(n) negbin object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'negbin'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A negbin object returned by <a href="#">MASS::glm.nb()</a> .  |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |          |   |
|----------|---|
| AIC      | Akaike's Information Criterion for the model. |
| BIC      | Bayesian Information Criterion for the model. |
| deviance | Deviance of the model.                        |

df.null	Degrees of freedom used by the null model.
df.residual	Residual degrees of freedom.
logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
nobs	Number of observations used.
null.deviance	Deviance of the null model.

## See Also

[glance\(\)](#), [MASS::glm.nb\(\)](#)

Other `glm.nb` tidiers: [tidy.negbin\(\)](#)

## Examples

```
# load libraries for models and data
library(MASS)

# fit model
r <- glm.nb(Days ~ Sex / (Age + Eth * Lrn), data = quine)

# summarize model fit with tidiers
tidy(r)
glance(r)
```

---

glance.nlrq

*Glance at a(n) nlrq object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'nlrq'
glance(x, ...)
```

## Arguments

- `x` A `nlrq` object returned from [quantreg::nlrq\(\)](#).
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with exactly one row and columns:

- |                          |  |
|--------------------------|--|
| <code>AIC</code>         | Akaike's Information Criterion for the model.  |
| <code>BIC</code>         | Bayesian Information Criterion for the model.  |
| <code>df.residual</code> | Residual degrees of freedom.   |
| <code>logLik</code>      | The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference. |
| <code>tau</code>         | Quantile.  |

## See Also

[glance\(\)](#), [quantreg::nlrq\(\)](#)

Other quantreg tidiers: [augment.nlrq\(\)](#), [augment.rq\(\)](#), [augment.rqs\(\)](#), [glance.rq\(\)](#), [tidy.nlrq\(\)](#), [tidy.rq\(\)](#), [tidy.rqs\(\)](#)

## Examples

```
# load modeling library
library(quantreg)

# build artificial data with multiplicative error
set.seed(1)
dat <- NULL
dat$x <- rep(1:25, 20)
dat$y <- SSlogis(dat$x, 10, 12, 2) * rnorm(500, 1, 0.1)

# fit the median using nlrq
mod <- nlrq(y ~ SSlogis(x, Asym, mid, scal),
  data = dat, tau = 0.5, trace = TRUE
)

# summarize model fit with tidiers
tidy(mod)
glance(mod)
```

```
augment(mod)
```

---

glance.nls

*Glance at a(n) nls object*

---

## Description

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'nls'
glance(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | An <code>nls</code> object returned from <code>stats::nls()</code> .  |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li><code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li><code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Value

A `tibble::tibble()` with exactly one row and columns:

- |                       |   |
|-----------------------|---|
| <code>AIC</code>      | Akaike's Information Criterion for the model. |
| <code>BIC</code>      | Bayesian Information Criterion for the model. |
| <code>deviance</code> | Deviance of the model.                        |

df.residual	Residual degrees of freedom.
finTol	The achieved convergence tolerance.
isConv	Whether the fit successfully converged.
logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
nobs	Number of observations used.
sigma	Estimated standard error of the residuals.

## See Also

[tidy](#), [stats:::nls\(\)](#)

Other nls tidiers: [augment.nls\(\)](#), [tidy.nls\(\)](#)

## Examples

```
# fit model
n <- nls(mpg ~ k * e^wt, data = mtcars, start = list(k = 1, e = 2))

# summarize model fit with tidiers + visualization
tidy(n)
augment(n)
glance(n)

library(ggplot2)

ggplot(augment(n), aes(wt, mpg)) +
  geom_point() +
  geom_line(aes(y = .fitted))

newdata <- head(mtcars)
newdata$wt <- newdata$wt + 1

augment(n, newdata = newdata)
```

---

## Description

Glance accepts a model object and returns a [tibble:::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'pam'
glance(x, ...)
```

## Arguments

x	An pam object returned from <a href="#">cluster::pam()</a>
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

avg.silhouette.width	The average silhouette width for the dataset.
----------------------	---

## See Also

[glance\(\)](#), [cluster::pam\(\)](#)

Other pam tidiers: [augment.pam\(\)](#), [tidy.pam\(\)](#)

## Examples

```
# load libraries for models and data
library(dplyr)
library(ggplot2)
library(cluster)
library(modeldata)
data(hpc_data)

x <- hpc_data[, 2:5]
p <- pam(x, k = 4)
```

```

# summarize model fit with tidiers + visualization
tidy(p)
glance(p)
augment(p, x)

augment(p, x) |>
  ggplot(aes(compounds, input_fields)) +
  geom_point(aes(color = .cluster)) +
  geom_text(aes(label = cluster), data = tidy(p), size = 10)

```

---

glance.plm

*Glance at a(n) plm object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'plm'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A <code>plm</code> object returned by <a href="#">plm::plm()</a> .  |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Value

A `tibble::tibble()` with exactly one row and columns:

<code>adj.r.squared</code>	Adjusted R squared statistic, which is like the R squared statistic except taking degrees of freedom into account.
<code>deviance</code>	Deviance of the model.
<code>df.residual</code>	Residual degrees of freedom.
<code>nobs</code>	Number of observations used.
<code>p.value</code>	P-value corresponding to the test statistic.
<code>r.squared</code>	R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination.
<code>statistic</code>	F-statistic

## See Also

`glance()`, `plm::plm()`

Other `plm` tidiers: `augment.plm()`, `tidy.plm()`

## Examples

```
# load libraries for models and data
library(plm)

# load data
data("Produc", package = "plm")

# fit model
zz <- plm(log(gsp) ~ log(pcap) + log(pc) + log(emp) + unemp,
  data = Produc, index = c("state", "year")
)

# summarize model fit with tidiers
summary(zz)

tidy(zz)
tidy(zz, conf.int = TRUE)
tidy(zz, conf.int = TRUE, conf.level = 0.9)

augment(zz)
glance(zz)
```

---

glance.poLCA*Glance at a(n) poLCA object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'poLCA'
glance(x, ...)
```

## Arguments

- x A poLCA object returned from [poLCA::poLCA\(\)](#).
- ... Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are:
- tidy() methods will warn when supplied an exponentiate argument if it will be ignored.
  - augment() methods will warn when supplied a newdata argument if it will be ignored.

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |             |   |
|-------------|---|
| AIC         | Akaike's Information Criterion for the model.                         |
| BIC         | Bayesian Information Criterion for the model.                         |
| chi.squared | The Pearson Chi-Square goodness of fit statistic for multiway tables. |
| df          | Degrees of freedom used by the model.                                 |
| df.residual | Residual degrees of freedom.  |

logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
nobs	Number of observations used.
g.squared	The likelihood ratio/deviance statistic

## See Also

[glance\(\)](#), [poLCA::poLCA\(\)](#)

Other poLCA tidiers: [augment.poLCA\(\)](#), [tidy.poLCA\(\)](#)

## Examples

```
# load libraries for models and data
library(poLCA)
library(dplyr)

# generate data
data(values)

f <- cbind(A, B, C, D) ~ 1

# fit model
M1 <- poLCA(f, values, nclass = 2, verbose = FALSE)

M1

# summarize model fit with tidiers + visualization
tidy(M1)
augment(M1)
glance(M1)

library(ggplot2)

ggplot(tidy(M1), aes(factor(class), estimate, fill = factor(outcome))) +
  geom_bar(stat = "identity", width = 1) +
  facet_wrap(~variable)

# three-class model with a single covariate.
data(election)

f2a <- cbind(
  MORALG, CARESG, KNOWG, LEADG, DISHONG, INTELG,
  MORALB, CARESB, KNOWB, LEADB, DISHONB, INTELB
) ~ PARTY

nes2a <- poLCA(f2a, election, nclass = 3, nrep = 5, verbose = FALSE)

td <- tidy(nes2a)
td

ggplot(td, aes(outcome, estimate, color = factor(class), group = class)) +
```

```

geom_line() +
facet_wrap(~variable, nrow = 2) +
theme(axis.text.x = element_text(angle = 90, hjust = 1))

au <- augment(nes2a)

au

count(au, .class)

# if the original data is provided, it leads to NAs in new columns
# for rows that weren't predicted
au2 <- augment(nes2a, data = election)

au2

dim(au2)

```

---

glance.polr

*Glance at a(n) polr object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'polr'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A <code>polr</code> object returned from <a href="#">MASS::polr()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: |

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with exactly one row and columns:

<code>AIC</code>	Akaike's Information Criterion for the model.
<code>BIC</code>	Bayesian Information Criterion for the model.
<code>deviance</code>	Deviance of the model.
<code>df.residual</code>	Residual degrees of freedom.
<code>edf</code>	The effective degrees of freedom.
<code>logLik</code>	The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.
<code>nobs</code>	Number of observations used.

## See Also

`tidy, MASS::polr()`

Other ordinal tidiers: `augment.clm()`, `augment.polr()`, `glance.clm()`, `glance.clmm()`, `glance.svyolr()`, `tidy.clm()`, `tidy.clmm()`, `tidy.polr()`, `tidy.svyolr()`

## Examples

```
# load libraries for models and data
library(MASS)

# fit model
fit <- polr(Sat ~ Infl + Type + Cont, weights = Freq, data = housing)

# summarize model fit with tidiers
tidy(fit, exponentiate = TRUE, conf.int = TRUE)

glance(fit)
augment(fit, type.predict = "class")

fit2 <- polr(factor(gear) ~ am + mpg + qsec, data = mtcars)

tidy(fit, p.values = TRUE)
```

---

glance.pyyears*Glance at a(n) pyyears object*

---

## Description

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'pyyears'
glance(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | A pyyears object returned from <code>survival::pyyears()</code> .   |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Value

A `tibble::tibble()` with exactly one row and columns:

- |                       |  |
|-----------------------|--|
| <code>nobs</code>     | Number of observations used.           |
| <code>total</code>    | total number of person-years tabulated |
| <code>offtable</code> | total number of person-years off table |

**See Also**

[glance\(\)](#), [survival::pyears\(\)](#)  
 Other pyears tidiers: [tidy.pyyears\(\)](#)  
 Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.aareg\(\)](#), [glance.cch\(\)](#),  
[glance.coxph\(\)](#), [glance.survdiff\(\)](#), [glance.survexp\(\)](#), [glance.survfit\(\)](#), [glance.survreg\(\)](#),  
[tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.coxph\(\)](#), [tidy.pyyears\(\)](#), [tidy.survdiff\(\)](#), [tidy.survexp\(\)](#),  
[tidy.survfit\(\)](#), [tidy.survreg\(\)](#)

**Examples**

```
# load libraries for models and data
library(survival)

# generate and format data
temp.yr <- tcut(mgus$dxyr, 55:92, labels = as.character(55:91))
temp.age <- tcut(mgus$age, 34:101, labels = as.character(34:100))
ptime <- ifelse(is.na(mgus$pctime), mgus$futime, mgus$pctime)
pstat <- ifelse(is.na(mgus$pctime), 0, 1)
pfit <- pyears(Surv(ptime / 365.25, pstat) ~ temp.yr + temp.age + sex, mgus,
  data.frame = TRUE
)

# summarize model fit with tidiers
tidy(pfit)
glance(pfit)

# if data.frame argument is not given, different information is present in
# output
pfit2 <- pyears(Surv(ptime / 365.25, pstat) ~ temp.yr + temp.age + sex, mgus)

tidy(pfit2)
glance(pfit2)
```

---

glance.ridgelm	<i>Glance at a(n) ridgelm object</i>
----------------	--------------------------------------

---

**Description**

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'ridgelm'
glance(x, ...)
```

## Arguments

x	A <code>ridgelm</code> object returned from <a href="#">MASS::lm.ridge()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

This is similar to the output of `select.ridgelm`, but it is returned rather than printed.

## Value

A `tibble::tibble()` with exactly one row and columns:

kHKB	modified HKB estimate of the ridge constant
kLW	modified L-W estimate of the ridge constant
lambdaGCV	choice of lambda that minimizes GCV

## See Also

[glance\(\)](#), [MASS::select.ridgelm\(\)](#), [MASS::lm.ridge\(\)](#)

Other `ridgelm` tidiers: [tidy.ridgelm\(\)](#)

## Examples

```
# load libraries for models and data
library(MASS)

names(longley)[1] <- "y"

# fit model and summarizd results
fit1 <- lm.ridge(y ~ ., longley)
```

```

tidy(fit1)

fit2 <- lm.ridge(y ~ ., longley, lambda = seq(0.001, .05, .001))
td2 <- tidy(fit2)
g2 <- glance(fit2)

# coefficient plot
library(ggplot2)
ggplot(td2, aes(lambda, estimate, color = term)) +
  geom_line()

# GCV plot
ggplot(td2, aes(lambda, GCV)) +
  geom_line()

# add line for the GCV minimizing estimate
ggplot(td2, aes(lambda, GCV)) +
  geom_line() +
  geom_vline(xintercept = g2$lambdaGCV, col = "red", lty = 2)

```

---

glance.rlm

*Glance at a(n) rlm object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'rlm'
glance(x, ...)
```

## Arguments

x An `rlm` object returned by [MASS::rlm\(\)](#).

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with exactly one row and columns:

<code>AIC</code>	Akaike's Information Criterion for the model.
<code>BIC</code>	Bayesian Information Criterion for the model.
<code>converged</code>	Logical indicating if the model fitting procedure was successful and converged.
<code>deviance</code>	Deviance of the model.
<code>logLik</code>	The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.
<code>nobs</code>	Number of observations used.
<code>sigma</code>	Estimated standard error of the residuals.

## See Also

[glance\(\)](#), [MASS::rlm\(\)](#)

Other `rlm` tidiers: [augment.rlm\(\)](#), [tidy.rlm\(\)](#)

## Examples

```
# load libraries for models and data
library(MASS)

# fit model
r <- rlm(stack.loss ~ ., stackloss)

# summarize model fit with tidiers
tidy(r)
augment(r)
glance(r)
```

glance.rma

*Glance at a(n) rma object*

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'rma'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | An rma object such as those created by <a href="#">metafor::rma()</a> , <a href="#">metafor::rma.uni()</a> , <a href="#">metafor::rma.glmm()</a> , <a href="#">metafor::rma.mh()</a> , <a href="#">metafor::rma.mv()</a> , or <a href="#">metafor::rma.peto()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |             |  |
|-------------|--|
| cochran.qe  | In meta-analysis, test statistic for the Cochran's Q_e test of residual heterogeneity. |
| cochran.qm  | In meta-analysis, test statistic for the Cochran's Q_m omnibus test of coefficients.   |
| df.residual | Residual degrees of freedom.   |

h.squared	Value of the H-Squared statistic.
i.squared	Value of the I-Squared statistic.
measure	The measure used in the meta-analysis.
method	Which method was used.
nobs	Number of observations used.
p.value.cochran.qe	In meta-analysis, p-value for the Cochran's Q_e test of residual heterogeneity.
p.value.cochran.qm	In meta-analysis, p-value for the Cochran's Q_m omnibus test of coefficients.
tau.squared	In meta-analysis, estimated amount of residual heterogeneity.
tau.squared.se	In meta-analysis, standard error of residual heterogeneity.

## Examples

```
library(metafor)

df <-
  escalc(
    measure = "RR",
    ai = tpos,
    bi = tneg,
    ci = cpos,
    di = cneg,
    data = dat.bcg
  )

meta_analysis <- rma(yi, vi, data = df, method = "EB")

glance(meta_analysis)
```

---

glance.rq

*Glance at a(n) rq object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'rq'
glance(x, ...)
```

## Arguments

x	An <code>rq</code> object returned from <a href="#">quantreg::rq()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

Only models with a single `tau` value may be passed. For multiple values, please use a [purrr::map\(\)](#) workflow instead, e.g.

```
taus |>
  map(function(tau_val) rq(y ~ x, tau = tau_val)) |>
  map_dfr(glance)
```

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
BIC	Bayesian Information Criterion for the model.
df.residual	Residual degrees of freedom.
logLik	The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.
tau	Quantile.

## See Also

[glance\(\)](#), [quantreg::rq\(\)](#)

Other quantreg tidiers: [augment.nlrq\(\)](#), [augment.rq\(\)](#), [augment.rqs\(\)](#), [glance.nlrq\(\)](#), [tidy.nlrq\(\)](#), [tidy.rq\(\)](#), [tidy.rqs\(\)](#)

## Examples

```
# load modeling library and data
library(quantreg)

data(stackloss)

# median (l1) regression fit for the stackloss data.
mod1 <- rq(stack.loss ~ stack.x, .5)

# weighted sample median
mod2 <- rq(rnorm(50) ~ 1, weights = runif(50))

# summarize model fit with tidiers
tidy(mod1)
glance(mod1)
augment(mod1)

tidy(mod2)
glance(mod2)
augment(mod2)

# varying tau to generate an rqs object
mod3 <- rq(stack.loss ~ stack.x, tau = c(.25, .5))

tidy(mod3)
augment(mod3)

# glance cannot handle rqs objects like `mod3`--use a purrr
# `map`-based workflow instead
```

---

glance.sarlm

*Glance at a(n) spatialreg object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'sarlm'
glance(x, ...)
```

## Arguments

x	An object returned from <a href="#">spatialreg::lagsarlm()</a> or <a href="#">spatialreg::errorsarlm()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
BIC	Bayesian Information Criterion for the model.
deviance	Deviance of the model.
logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
nobs	Number of observations used.

## See Also

[glance\(\)](#), [spatialreg::lagsarlm\(\)](#), [spatialreg::errorsarlm\(\)](#), [spatialreg::sacsarlm\(\)](#)

Other spatialreg tidiers: [augment.sarlm\(\)](#), [tidy.sarlm\(\)](#)

## Examples

```
# load libraries for models and data
library(spatialreg)
library(spdep)

# load data
data(oldcol, package = "spdep")

listw <- nb2listw(COL.nb, style = "W")

# fit model
crime_sar <-
  lagsarlm(CRIME ~ INC + HOVAL,
```

```

  data = COL.OLD,
  listw = listw,
  method = "eigen"
)

# summarize model fit with tidiers
tidy(crime_sar)
tidy(crime_sar, conf.int = TRUE)
glance(crime_sar)
augment(crime_sar)

# fit another model
crime_sem <- errorsarlm(CRIME ~ INC + HOVAL, data = COL.OLD, listw)

# summarize model fit with tidiers
tidy(crime_sem)
tidy(crime_sem, conf.int = TRUE)
glance(crime_sem)
augment(crime_sem)

# fit another model
crime_sac <- sacsarlm(CRIME ~ INC + HOVAL, data = COL.OLD, listw)

# summarize model fit with tidiers
tidy(crime_sac)
tidy(crime_sac, conf.int = TRUE)
glance(crime_sac)
augment(crime_sac)

```

---

glance.smooth.spline *Tidy a(n) smooth.spline object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'smooth.spline'
glance(x, ...)
```

## Arguments

x A `smooth.spline` object returned from `stats::smooth.spline()`.

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with exactly one row and columns:

<code>crit</code>	Minimized criterion
<code>cv.crit</code>	Cross-validation score
<code>df</code>	Degrees of freedom used by the model.
<code>lambda</code>	Choice of lambda corresponding to ‘spar’.
<code>nobs</code>	Number of observations used.
<code>pen.crit</code>	Penalized criterion.
<code>spar</code>	Smoothing parameter.

## See Also

[augment\(\)](#), [stats::smooth.spline\(\)](#)

Other smoothing spline tidiers: [augment.smooth.spline\(\)](#)

## Examples

```
# fit model
spl <- smooth.spline(mtcars$wt, mtcars$mpg, df = 4)

# summarize model fit with tidiers
augment(spl, mtcars)

# calls original columns x and y
augment(spl)

library(ggplot2)
ggplot(augment(spl, mtcars), aes(wt, mpg)) +
  geom_point() +
  geom_line(aes(y = .fitted))
```

---

 glance.speedglm *Glance at a(n) speedglm object*


---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'speedglm'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A speedglm object returned from <a href="#">speedglm::speedglm()</a> .  |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |             |   |
|-------------|---|
| AIC         | Akaike's Information Criterion for the model. |
| BIC         | Bayesian Information Criterion for the model. |
| deviance    | Deviance of the model.                        |
| df.null     | Degrees of freedom used by the null model.    |
| df.residual | Residual degrees of freedom.                  |

logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
nobs	Number of observations used.
null.deviance	Deviance of the null model.

## See Also

[speedglm::speedlm\(\)](#)

Other speedlm tidiers: [augment.speedlm\(\)](#), [glance.speedlm\(\)](#), [tidy.speedglm\(\)](#), [tidy.speedlm\(\)](#)

## Examples

```
# load libraries for models and data
library(speedglm)

# generate data
clotting <- data.frame(
  u = c(5, 10, 15, 20, 30, 40, 60, 80, 100),
  lot1 = c(118, 58, 42, 35, 27, 25, 21, 19, 18)
)

# fit model
fit <- speedglm(lot1 ~ log(u), data = clotting, family = Gamma(log))

# summarize model fit with tidiers
tidy(fit)
glance(fit)
```

---

glance.speedlm	<i>Glance at a(n) speedlm object</i>
----------------	--------------------------------------

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'speedlm'
glance(x, ...)
```

## Arguments

x	A speedlm object returned from <a href="#">speedglm::speedlm()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul>

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

adj.r.squared	Adjusted R squared statistic, which is like the R squared statistic except taking degrees of freedom into account.
AIC	Akaike's Information Criterion for the model.
BIC	Bayesian Information Criterion for the model.
deviance	Deviance of the model.
df	Degrees of freedom used by the model.
df.residual	Residual degrees of freedom.
logLik	The log-likelihood of the model. [stats::logLik()] may be a useful reference.
nobs	Number of observations used.
p.value	P-value corresponding to the test statistic.
r.squared	R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination.
statistic	F-statistic.

## See Also

[speedglm::speedlm\(\)](#)

Other speedlm tidiers: [augment.speedlm\(\)](#), [glance.speedlm\(\)](#), [tidy.speedglm\(\)](#), [tidy.speedlm\(\)](#)

## Examples

```
# load modeling library
library(speedglm)

# fit model
mod <- speedlm(mpg ~ wt + qsec, data = mtcars, fitted = TRUE)

# summarize model fit with tidiers
tidy(mod)
glance(mod)
augment(mod)
```

---

glance.summary.lm      *Glance at a(n) summary.lm object*

---

## Description

Glance accepts a model object and returns a [tibble:::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'summary.lm'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | An lm object created by <a href="#">stats:::lm()</a> .  |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Details

The `glance.summary.lm()` method is a potentially useful alternative to `glance.lm()`. For instance, if users have already converted large `lm` objects into their leaner `summary.lm` equivalents to conserve memory. Note, however, that this method does not return all of the columns of the non-summary method (e.g. AIC and BIC will be missing.)

## Value

A `tibble::tibble()` with exactly one row and columns:

<code>adj.r.squared</code>	Adjusted R squared statistic, which is like the R squared statistic except taking degrees of freedom into account.
<code>df.residual</code>	Residual degrees of freedom.
<code>nobs</code>	Number of observations used.
<code>p.value</code>	P-value corresponding to the test statistic.
<code>r.squared</code>	R squared statistic, or the percent of variation explained by the model. Also known as the coefficient of determination.
<code>sigma</code>	Estimated standard error of the residuals.
<code>statistic</code>	Test statistic.
<code>df</code>	The degrees for freedom from the numerator of the overall F-statistic. This is new in broom 0.7.0. Previously, this reported the rank of the design matrix, which is one more than the numerator degrees of freedom of the overall F-statistic.

## See Also

`glance()`, `glance.summary.lm()`

Other `lm` tidiers: `augment.glm()`, `augment.lm()`, `glance.glm()`, `glance.lm()`, `glance.svyglm()`, `tidy.glm()`, `tidy.lm()`, `tidy.lm.beta()`, `tidy.mlm()`, `tidy.summary.lm()`

## Examples

```
library(ggplot2)
library(dplyr)

mod <- lm(mpg ~ wt + qsec, data = mtcars)

tidy(mod)
glance(mod)

# coefficient plot
d <- tidy(mod, conf.int = TRUE)

ggplot(d, aes(estimate, term, xmin = conf.low, xmax = conf.high, height = 0)) +
  geom_point() +
  geom_vline(xintercept = 0, lty = 4) +
  geom_errorbarh()
```

```
# aside: There are tidy() and glance() methods for lm.summary objects too.
# this can be useful when you want to conserve memory by converting large lm
# objects into their leaner summary.lm equivalents.
s <- summary(mod)
tidy(s, conf.int = TRUE)
glance(s)

augment(mod)
augment(mod, mtcars, interval = "confidence")

# predict on new data
newdata <- mtcars |>
  head(6) |>
  mutate(wt = wt + 1)
augment(mod, newdata = newdata)

# ggplot2 example where we also construct 95% prediction interval

# simpler bivariate model since we're plotting in 2D
mod2 <- lm(mpg ~ wt, data = mtcars)

au <- augment(mod2, newdata = newdata, interval = "prediction")

ggplot(au, aes(wt, mpg)) +
  geom_point() +
  geom_line(aes(y = .fitted)) +
  geom_ribbon(aes(ymin = .lower, ymax = .upper), col = NA, alpha = 0.3)

# predict on new data without outcome variable. Output does not include .resid
newdata <- newdata |>
  select(-mpg)

augment(mod, newdata = newdata)

au <- augment(mod, data = mtcars)

ggplot(au, aes(.hat, .std.resid)) +
  geom_vline(size = 2, colour = "white", xintercept = 0) +
  geom_hline(size = 2, colour = "white", yintercept = 0) +
  geom_point() +
  geom_smooth(se = FALSE)

plot(mod, which = 6)

ggplot(au, aes(.hat, .cooksdi)) +
  geom_vline(xintercept = 0, colour = NA) +
  geom_abline(slope = seq(0, 3, by = 0.5), colour = "white") +
  geom_smooth(se = FALSE) +
  geom_point()

# column-wise models
a <- matrix(rnorm(20), nrow = 10)
```

```
b <- a + rnorm(length(a))
result <- lm(b ~ a)

tidy(result)
```

---

glance.survdiff	<i>Glance at a(n) survdiff object</i>
-----------------	---------------------------------------

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'survdiff'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | An survdiff object returned from <a href="#">survival::survdiff()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |           |  |
|-----------|--|
| df        | Degrees of freedom used by the model.        |
| p.value   | P-value corresponding to the test statistic. |
| statistic | Test statistic.                              |

## See Also

[glance\(\)](#), [survival::survdiff\(\)](#)

Other survdiff tidiers: [tidy.survdiff\(\)](#)

Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.aareg\(\)](#), [glance.cch\(\)](#), [glance.coxph\(\)](#), [glance.pyears\(\)](#), [glance.survexp\(\)](#), [glance.survfit\(\)](#), [glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.coxph\(\)](#), [tidy.pyears\(\)](#), [tidy.survdiff\(\)](#), [tidy.survexp\(\)](#), [tidy.survfit\(\)](#), [tidy.survreg\(\)](#)

## Examples

```
# load libraries for models and data
library(survival)

# fit model
s <- survdiff(
  Surv(time, status) ~ pat.karno + strata(inst),
  data = lung
)

# summarize model fit with tidiers
tidy(s)
glance(s)
```

---

glance.survexp

*Glance at a(n) survexp object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'survexp'
glance(x, ...)
```

## Arguments

- `x` An `survexp` object returned from [survival::survexp\(\)](#).
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with exactly one row and columns:

- |                         |                                     |
|-------------------------|-------------------------------------|
| <code>n.max</code>      | Maximum number of subjects at risk. |
| <code>n.start</code>    | Initial number of subjects at risk. |
| <code>timepoints</code> | Number of timepoints.               |

## See Also

[glance\(\)](#), [survival::survexp\(\)](#)

Other `survexp` tidiers: [tidy.survexp\(\)](#)

Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.aareg\(\)](#), [glance.cch\(\)](#), [glance.coxph\(\)](#), [glance.pyears\(\)](#), [glance.survdiff\(\)](#), [glance.survfit\(\)](#), [glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.coxph\(\)](#), [tidy.pyears\(\)](#), [tidy.survdiff\(\)](#), [tidy.survexp\(\)](#), [tidy.survfit\(\)](#), [tidy.survreg\(\)](#)

## Examples

```
# load libraries for models and data
library(survival)

# fit model
sexpfit <- survexp(
  futime ~ 1,
  rmap = list(
    sex = "male",
    year = accept.dt,
    age = (accept.dt - birth.dt)
  ),
  method = "conditional",
  data = jasa
)

# summarize model fit with tidiers
```

```
tidy(sexfit)
glance(sexfit)
```

---

glance.survfit	<i>Glance at a(n) survfit object</i>
----------------	--------------------------------------

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'survfit'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | An survfit object returned from <a href="#">survival::survfit()</a> .   |
| ... | Additional arguments passed to <a href="#">survival::summary.survfit()</a> . Important arguments include rmean. |

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

events	Number of events.
n.max	Maximum number of subjects at risk.
n.start	Initial number of subjects at risk.
nobs	Number of observations used.
records	Number of observations
rmean	Restricted mean (see [survival::print.survfit()]).
rmean.std.error	Restricted mean standard error.
conf.low	lower end of confidence interval on median
conf.high	upper end of confidence interval on median
median	median survival

**See Also**

[glance\(\)](#), [survival::survfit\(\)](#)

Other cch tidiers: [glance.cch\(\)](#), [tidy.cch\(\)](#)

Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.aareg\(\)](#), [glance.cch\(\)](#), [glance.coxph\(\)](#), [glance.pyears\(\)](#), [glance.survdiff\(\)](#), [glance.survxp\(\)](#), [glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.coxph\(\)](#), [tidy.pyears\(\)](#), [tidy.survdiff\(\)](#), [tidy.survxp\(\)](#), [tidy.survfit\(\)](#), [tidy.survreg\(\)](#)

**Examples**

```
# load libraries for models and data
library(survival)

# fit model
cfit <- coxph(Surv(time, status) ~ age + sex, lung)
sfit <- survfit(cfit)

# summarize model fit with tidiers + visualization
tidy(sfit)
glance(sfit)

library(ggplot2)

ggplot(tidy(sfit), aes(time, estimate)) +
  geom_line() +
  geom_ribbon(aes(ymin = conf.low, ymax = conf.high), alpha = .25)

# multi-state
fitCI <- survfit(Surv(stop, status * as.numeric(event), type = "mstate") ~ 1,
  data = mgus1, subset = (start == 0)
)

td_multi <- tidy(fitCI)

td_multi

ggplot(td_multi, aes(time, estimate, group = state)) +
  geom_line(aes(color = state)) +
  geom_ribbon(aes(ymin = conf.low, ymax = conf.high), alpha = .25)
```

## Description

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'survreg'
glance(x, ...)
```

## Arguments

<code>x</code>	An <code>survreg</code> object returned from <code>survival::survreg()</code> .
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li><code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li><code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with exactly one row and columns:

<code>AIC</code>	Akaike's Information Criterion for the model.
<code>BIC</code>	Bayesian Information Criterion for the model.
<code>df</code>	Degrees of freedom used by the model.
<code>df.residual</code>	Residual degrees of freedom.
<code>iter</code>	Iterations of algorithm/fitting procedure completed.
<code>logLik</code>	The log-likelihood of the model. <code>[stats::logLik()]</code> may be a useful reference.
<code>nobs</code>	Number of observations used.
<code>p.value</code>	P-value corresponding to the test statistic.
<code>statistic</code>	Chi-squared statistic.

**See Also**

`glance()`, `survival::survreg()`

Other survreg tidiers: `augment.survreg()`, `tidy.survreg()`

Other survival tidiers: `augment.coxph()`, `augment.survreg()`, `glance.aareg()`, `glance.cch()`, `glance.coxph()`, `glance.pyears()`, `glance.survdiff()`, `glance.survexp()`, `glance.survfit()`, `tidy.aareg()`, `tidy.cch()`, `tidy.coxph()`, `tidy.pyears()`, `tidy.survdiff()`, `tidy.survexp()`, `tidy.survfit()`, `tidy.survreg()`

**Examples**

```
# load libraries for models and data
library(survival)

# fit model
sr <- survreg(
  Surv(futime, fustat) ~ ecog.ps + rx,
  ovarian,
  dist = "exponential"
)

# summarize model fit with tidiers + visualization
tidy(sr)
augment(sr, ovarian)
glance(sr)

# coefficient plot
td <- tidy(sr, conf.int = TRUE)

library(ggplot2)

ggplot(td, aes(estimate, term)) +
  geom_point() +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high), height = 0) +
  geom_vline(xintercept = 0)
```

---

glance.svyglm

*Glance at a(n) svyglm object*

---

**Description**

Glance accepts a model object and returns a `tibble::tibble()` with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'svyglm'
glance(x, maximal = x, ...)
```

## Arguments

x	A <code>svyglm</code> object returned from <code>survey::svyglm()</code> .
maximal	A <code>svyglm</code> object corresponding to the maximal model against which to compute the BIC. See Lumley and Scott (2015) for details. Defaults to <code>x</code> , which is equivalent to not using a maximal model.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with exactly one row and columns:

AIC	Akaike's Information Criterion for the model.
BIC	Bayesian Information Criterion for the model.
deviance	Deviance of the model.
df.null	Degrees of freedom used by the null model.
df.residual	Residual degrees of freedom.
null.deviance	Deviance of the null model.

## References

Lumley T, Scott A (2015). AIC and BIC for modelling with complex survey data. *Journal of Survey Statistics and Methodology*, 3(1).

**See Also**

[survey::svyglm\(\)](#), [stats::glm\(\)](#), [survey::anova.svyglm](#)

Other lm tidiers: [augment.glm\(\)](#), [augment.lm\(\)](#), [glance.glm\(\)](#), [glance.lm\(\)](#), [glance.summary.lm\(\)](#), [tidy.glm\(\)](#), [tidy.lm\(\)](#), [tidy.lm.beta\(\)](#), [tidy.mlm\(\)](#), [tidy.summary.lm\(\)](#)

**Examples**

```
# load libraries for models and data
library(survey)

set.seed(123)
data(api)

# survey design
dstrat <-
  svydesign(
    id = ~1,
    strata = ~stype,
    weights = ~pw,
    data = apistrat,
    fpc = ~fpc
  )

# model
m <- svyglm(
  formula = sch.wide ~ ell + meals + mobility,
  design = dstrat,
  family = quasibinomial()
)

glance(m)
```

---

glance.svyolr

*Glance at a(n) svyolr object*

---

**Description**

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'svyolr'
glance(x, ...)
```

## Arguments

x	A svyolr object returned from <a href="#">survey::svyolr()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul>

## Value

A [tibble:::tibble\(\)](#) with exactly one row and columns:

df.residual	Residual degrees of freedom.
edf	The effective degrees of freedom.
nobs	Number of observations used.

## See Also

[tidy](#), [survey:::svyolr\(\)](#)

Other ordinal tidiers: [augment.clm\(\)](#), [augment.polr\(\)](#), [glance.clm\(\)](#), [glance.clmm\(\)](#), [glance.polr\(\)](#), [tidy.clm\(\)](#), [tidy.clmm\(\)](#), [tidy.polr\(\)](#), [tidy.svyolr\(\)](#)

## Examples

```
library(broom)
library(survey)

data(api)
dclus1 <- svydesign(id = ~dnum, weights = ~pw, data = apiclus1, fpc = ~fpc)
dclus1 <- update(dclus1, mealcat = cut(meals, c(0, 25, 50, 75, 100)))

m <- svyolr(mealcat ~ avg.ed + mobility + stype, design = dclus1)

m
```

```
tidy(m, conf.int = TRUE)
```

---

glance.varest

*Glance at a(n) varest object*

---

## Description

Glance accepts a model object and returns a [tibble::tibble\(\)](#) with exactly one row of model summaries. The summaries are typically goodness of fit measures, p-values for hypothesis tests on residuals, or model convergence information.

Glance never returns information from the original call to the modeling function. This includes the name of the modeling function or any arguments passed to the modeling function.

Glance does not calculate summary measures. Rather, it farms out these computations to appropriate methods and gathers the results together. Sometimes a goodness of fit measure will be undefined. In these cases the measure will be reported as NA.

Glance returns the same number of columns regardless of whether the model matrix is rank-deficient or not. If so, entries in columns that no longer have a well-defined value are filled in with an NA of the appropriate type.

## Usage

```
## S3 method for class 'varest'
glance(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A varest object produced by a call to <a href="#">vars::VAR()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Value

A [tibble::tibble\(\)](#) with exactly one row and columns:

- |           |   |
|-----------|---|
| lag.order | Lag order.  |
| logLik    | The log-likelihood of the model. [stats::logLik()] may be a useful reference. |
| n         | The total number of observations.   |
| nobs      | Number of observations used.  |

## See Also

[glance\(\)](#), [vars::VAR\(\)](#)

## Examples

```
# load libraries for models and data
library(vars)

# load data
data("Canada", package = "vars")

# fit models
mod <- VAR(Canada, p = 1, type = "both")

# summarize model fit with tidiers
tidy(mod)
glance(mod)
```

---

glance\_optim

*Tidy a(n) optim object masquerading as list*

---

## Description

Broom tidies a number of lists that are effectively S3 objects without a class attribute. For example, [stats::optim\(\)](#), [svd\(\)](#) and [interp::interp\(\)](#) produce consistent output, but because they do not have a class attribute, they cannot be handled by S3 dispatch.

These functions look at the elements of a list and determine if there is an appropriate tidying method to apply to the list. Those tidiers are implemented as functions of the form `tidy_<function>` or `glance_<function>` and are not exported (but they are documented!).

If no appropriate tidying method is found, they throw an error.

## Usage

```
glance_optim(x, ...)
```

## Arguments

- |                  |  |
|------------------|--|
| <code>x</code>   | A list returned from <a href="#">stats::optim()</a> .  |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"><li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li></ul> |

- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

### Value

A `tibble::tibble()` with exactly one row and columns:

convergence	Convergence code.
function.count	Number of calls to ‘fn’.
gradient.count	Number of calls to ‘gr’.
value	Minimized or maximized output value.

### See Also

`glance()`, `stats::optim()`

Other list tidiers: `list_tidiers`, `tidy_irlba()`, `tidy_optim()`, `tidy_svd()`, `tidy_xyz()`

### Examples

```
f <- function(x) (x[1] - 2)^2 + (x[2] - 3)^2 + (x[3] - 8)^2
o <- optim(c(1, 1, 1), f)
```

leveneTest\_tidiers *Tidy/glance a(n) leveneTest object*

### Description

For models that have only a single component, the `tidy()` and `glance()` methods are identical. Please see the documentation for both of those methods.

### Usage

```
## S3 method for class 'leveneTest'
tidy(x, ...)
```

### Arguments

<code>x</code>	An object of class <code>anova</code> created by a call to <code>car::leveneTest()</code> .
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

<code>df</code>	Degrees of freedom used by this term in the model.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>df.residual</code>	Residual degrees of freedom.

## See Also

`tidy()`, `glance()`, `car::leveneTest()`

Other car tidiers: `durbinWatsonTest_tidiers`

## Examples

```
# load libraries for models and data
library(car)

data(Moore)

lt <- with(Moore, leveneTest(conformity, fcategory))

tidy(lt)
glance(lt)
```

---

list\_tidiers

*Tidying methods for lists / returned values that are not S3 objects*

---

## Description

Broom tidies a number of lists that are effectively S3 objects without a class attribute. For example, `stats::optim()`, `base::svd()` and `interp::interp()` produce consistent output, but because they do not have a class attribute, they cannot be handled by S3 dispatch.

## Usage

```
## S3 method for class 'list'
tidy(x, ...)

## S3 method for class 'list'
glance(x, ...)
```

## Arguments

- x A list, potentially representing an object that can be tidied.
- ... Additionally, arguments passed to the tidying function.

## Details

These functions look at the elements of a list and determine if there is an appropriate tidying method to apply to the list. Those tidiers are themselves implemented as functions of the form `tidy_<function>` or `glance_<function>` and are not exported (but they are documented!).

If no appropriate tidying method is found, throws an error.

## See Also

Other list tidiers: [glance\\_optim\(\)](#), [tidy\\_irlba\(\)](#), [tidy\\_optim\(\)](#), [tidy\\_svd\(\)](#), [tidy\\_xyz\(\)](#)

`null_tidiers`

*Tidiers for NULL inputs*

## Description

`tidy(NULL)`, `glance(NULL)` and `augment(NULL)` all return an empty `tibble::tibble`. This empty tibble can be treated a tibble with zero rows, making it convenient to combine with other tibbles using functions like [purrr::map\\_df\(\)](#) on lists of potentially NULL objects.

## Usage

```
## S3 method for class ``NULL``
tidy(x, ...)

## S3 method for class ``NULL``
glance(x, ...)

## S3 method for class ``NULL``
augment(x, ...)
```

## Arguments

- x The value `NULL`.
- ... Additional arguments (not used).

## Value

An empty `tibble::tibble`.

## See Also

[tibble::tibble](#)

---

`sp_tidiers`*Tidy a(n) SpatialPolygonsDataFrame object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

Note that the `sf` package now defines tidy spatial objects and is the recommended approach to spatial data. `sp` tidiers are now deprecated in favor of `sf::st_as_sf()` and coercion methods found in other packages. See <https://r-spatial.org/r/2023/05/15/evolution4.html> for more on migration from retiring spatial packages.

## Usage

```
## S3 method for class 'SpatialPolygonsDataFrame'  
tidy(x, region = NULL, ...)  
  
## S3 method for class 'SpatialPolygons'  
tidy(x, ...)  
  
## S3 method for class 'Polygons'  
tidy(x, ...)  
  
## S3 method for class 'Polygon'  
tidy(x, ...)  
  
## S3 method for class 'SpatialLinesDataFrame'  
tidy(x, ...)  
  
## S3 method for class 'Lines'  
tidy(x, ...)  
  
## S3 method for class 'Line'  
tidy(x, ...)
```

## Arguments

<code>x</code>	A <code>SpatialPolygonsDataFrame</code> , <code>SpatialPolygons</code> , <code>Polygons</code> , <code>Polygon</code> , <code>SpatialLinesDataFrame</code> , <code>Lines</code> or <code>Line</code> object.
<code>region</code>	name of variable used to split up regions
<code>...</code>	not used by this method

---

summary_tidiers	(Deprecated) Tidy summaryDefault objects
-----------------	--

---

## Description

Tidiers for summaryDefault objects have been deprecated as of broom 0.7.0 in favor of `skimr::skim()`.

## Usage

```
## S3 method for class 'summaryDefault'
tidy(x, ...)

## S3 method for class 'summaryDefault'
glance(x, ...)
```

## Arguments

<code>x</code>	A summaryDefault object, created by calling <code>summary()</code> on a vector.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A one-row `tibble::tibble` with columns:

<code>minimum</code>	Minimum value in original vector.
<code>q1</code>	First quartile of original vector.
<code>median</code>	Median of original vector.
<code>mean</code>	Mean of original vector.
<code>q3</code>	Third quartile of original vector.
<code>maximum</code>	Maximum value in original vector.
<code>na</code>	Number of NA values in original vector. Column present only when original vector had at least one NA entry.

## See Also

Other deprecated: `bootstrap()`, `confint_tidy()`, `data.frame_tidiers`, `finish_glance()`, `fix_data_frame()`, `tidy.density()`, `tidy.dist()`, `tidy.ftable()`, `tidy.numeric()`

Other deprecated: `bootstrap()`, `confint_tidy()`, `data.frame_tidiers`, `finish_glance()`, `fix_data_frame()`, `tidy.density()`, `tidy.dist()`, `tidy.ftable()`, `tidy.numeric()`

## Examples

```
v <- rnorm(1000)
s <- summary(v)
s

tidy(s)
glance(s)

v2 <- c(v,NA)
tidy(summary(v2))
```

---

tidy.aareg

*Tidy a(n) aareg object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'aareg'
tidy(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | An aareg object returned from <a href="#">survival::aareg()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Details

`robust.se` is only present when `x` was created with `dfbeta = TRUE`.

**Value**

A `tibble:::tibble()` with columns:

<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>robust.se</code>	robust version of standard error estimate.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.
<code>z</code>	z score.

**See Also**

`tidy()`, `survival:::aareg()`

Other aareg tidiers: `glance.aareg()`

Other survival tidiers: `augment.coxph()`, `augment.survreg()`, `glance.aareg()`, `glance.cch()`, `glance.coxph()`, `glance.pyears()`, `glance.survdiff()`, `glance.survexp()`, `glance.survfit()`, `glance.survreg()`, `tidy.cch()`, `tidy.coxph()`, `tidy.pyears()`, `tidy.survdiff()`, `tidy.survexp()`, `tidy.survfit()`, `tidy.survreg()`

**Examples**

```
# load libraries for models and data
library(survival)

# fit model
afit <- aareg(
  Surv(time, status) ~ age + sex + ph.ecog,
  data = lung,
  dfbeta = TRUE
)

# summarize model fit with tidiers
tidy(afit)
```

---

`tidy.acf`

*Tidy a(n) acf object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'acf'  
tidy(x, ...)
```

## Arguments

- x An `acf` object created by `stats::acf()`, `stats::pacf()` or `stats::ccf()`.
- ... Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

- |                  |                  |
|------------------|------------------|
| <code>acf</code> | Autocorrelation. |
| <code>lag</code> | Lag values.      |

## See Also

`tidy()`, `stats::acf()`, `stats::pacf()`, `stats::ccf()`

Other time series tidiers: `tidy.spec()`, `tidy.ts()`, `tidy.zoo()`

## Examples

```
tidy(acf(lh, plot = FALSE))  
tidy(ccf(mdeaths, fdeaths, plot = FALSE))  
tidy(pacf(lh, plot = FALSE))
```

---

tidy.anova

*Tidy a(n) anova object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'anova'
tidy(x, ...)
```

## Arguments

x	An anova object, such as those created by <code>stats:::anova()</code> , <code>car:::Anova()</code> , <code>car:::leveneTest()</code> , or <code>car:::linearHypothesis()</code> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

The `term` column of an ANOVA table can come with leading or trailing whitespace, which this tidying method trims.

For documentation on the tidier for `car:::leveneTest()` output, see `tidy.leveneTest()`

## Value

A `tibble:::tibble()` with columns:

df	Degrees of freedom used by this term in the model.
meansq	Mean sum of squares. Equal to total sum of squares divided by degrees of freedom.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
sumsq	Sum of squares explained by this term.
term	The name of the regression term.

## See Also

`tidy()`, `stats:::anova()`, `car:::Anova()`, `car:::leveneTest()`

Other anova tidiers: `glance.anova()`, `glance.aov()`, `tidy.TukeyHSD()`, `tidy.aov()`, `tidy.aovlist()`, `tidy.manova()`

## Examples

```
# fit models
a <- lm(mpg ~ wt + qsec + disp, mtcars)
b <- lm(mpg ~ wt + qsec, mtcars)

mod <- anova(a, b)

# summarize model fit with tidiers
tidy(mod)
glance(mod)

# car::linearHypothesis() example
library(car)
mod_lht <- linearHypothesis(a, "wt - disp")
tidy(mod_lht)
glance(mod_lht)
```

---

tidy.aov

*Tidy a(n) aov object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'aov'
tidy(x, intercept = FALSE, ...)
```

## Arguments

- |           |   |
|-----------|---|
| x         | An aov object, such as those created by <a href="#">stats::aov()</a> .  |
| intercept | A logical indicating whether information on the intercept ought to be included. Passed to <a href="#">stats::summary.aov()</a> .  |
| ...       | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Details

The `term` column of an ANOVA table can come with leading or trailing whitespace, which this tidying method trims.

For documentation on the tidier for `car::leveneTest()` output, see `tidy.leveneTest()`

## See Also

`tidy()`, `stats::aov()`

Other anova tidiers: `glance.anova()`, `glance.aov()`, `tidy.TukeyHSD()`, `tidy.anova()`, `tidy.aovlist()`, `tidy.manova()`

## Examples

```
a <- aov(mpg ~ wt + qsec + disp, mtcars)
tidy(a)
```

---

`tidy.aovlist`

*Tidy a(n) aovlist object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'aovlist'
tidy(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | An <code>aovlist</code> objects, such as those created by <code>stats::aov()</code> .   |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Details

The `term` column of an ANOVA table can come with leading or trailing whitespace, which this tidying method trims.

For documentation on the tidier for `car::leveneTest()` output, see `tidy.leveneTest()`

## Value

A `tibble::tibble()` with columns:

<code>df</code>	Degrees of freedom used by this term in the model.
<code>meansq</code>	Mean sum of squares. Equal to total sum of squares divided by degrees of freedom.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>stratum</code>	The error stratum.
<code>sumsq</code>	Sum of squares explained by this term.
<code>term</code>	The name of the regression term.

## See Also

`tidy()`, `stats::aov()`

Other anova tidiers: `glance.anova()`, `glance.aov()`, `tidy.TukeyHSD()`, `tidy.anova()`, `tidy.aov()`, `tidy.manova()`

## Examples

```
a <- aov(mpg ~ wt + qsec + Error(disp / am), mtcars)
tidy(a)
```

---

`tidy.Arima`

*Tidy a(n) Arima object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'Arima'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	An object of class Arima created by <a href="#">stats::arima()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul>

## Value

A [tibble::tibble\(\)](#) with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[stats::arima\(\)](#)

Other Arima tidiers: [glance.Arima\(\)](#)

## Examples

```
# fit model
fit <- arima(lh, order = c(1, 0, 0))

# summarize model fit with tidiers
tidy(fit)
glance(fit)
```

---

tidy.betamfx	<i>Tidy a(n) betamfx object</i>
--------------	---------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'betamfx'  
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

<code>x</code>	A <code>betamfx</code> object.
<code>conf.int</code>	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to <code>FALSE</code> .
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"><li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li><li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li></ul>

## Details

The `mfx` package provides methods for calculating marginal effects for various generalized linear models (GLMs). Unlike standard linear models, estimated model coefficients in a GLM cannot be directly interpreted as marginal effects (i.e., the change in the response variable predicted after a one unit change in one of the regressors). This is because the estimated coefficients are multiplicative, dependent on both the link function that was used for the estimation and any other variables that were included in the model. When calculating marginal effects, users must typically choose whether they want to use i) the average observation in the data, or ii) the average of the sample marginal effects. See `vignette("mfxarticle")` from the `mfx` package for more details.

**Value**

A `tibble:::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.
<code>atmean</code>	TRUE if the marginal effects were originally calculated as the partial effects for the average observation. If FALSE, then these were instead calculated as average partial effects.

**See Also**

[tidy.betareg\(\)](#), [mfx:::betamfx\(\)](#)

Other mfx tidiers: [augment.betamfx\(\)](#), [augment.mfx\(\)](#), [glance.betamfx\(\)](#), [glance.mfx\(\)](#), [tidy.mfx\(\)](#)

**Examples**

```
library(mfx)

# Simulate some data
set.seed(12345)
n <- 1000
x <- rnorm(n)

# Beta outcome
y <- rbeta(n, shape1 = plogis(1 + 0.5 * x), shape2 = (abs(0.2 * x)))
# Use Smithson and Verkuilen correction
y <- (y * (n - 1) + 0.5) / n

d <- data.frame(y, x)
mod_betamfx <- betamfx(y ~ x | x, data = d)

tidy(mod_betamfx, conf.int = TRUE)

# Compare with the naive model coefficients of the equivalent betareg call (not run)
# tidy(betamfx(y ~ x | x, data = d), conf.int = TRUE)

augment(mod_betamfx)
glance(mod_betamfx)
```

---

tidy.betareg *Tidy a(n) betareg object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'betareg'  
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A betareg object produced by a call to <a href="#">betareg::betareg()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"><li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li><li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li></ul>

## Details

The tibble has one row for each term in the regression. The component column indicates whether a particular term was used to model either the "mean" or "precision". Here the precision is the inverse of the variance, often referred to as phi. At least one term will have been used to model the precision phi.

## Value

A [tibble::tibble\(\)](#) with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.

estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.
component	Whether a particular term was used to model the mean or the precision in the regression. See details.

## See Also

[tidy\(\)](#), [betareg::betareg\(\)](#)

## Examples

```
# load libraries for models and data
library(betareg)

# load data
data("GasolineYield", package = "betareg")

# fit model
mod <- betareg(yield ~ batch + temp, data = GasolineYield)

mod

# summarize model fit with tidiers
tidy(mod)
tidy(mod, conf.int = TRUE)
tidy(mod, conf.int = TRUE, conf.level = .99)

augment(mod)

glance(mod)
```

---

**tidy.biglm**

*Tidy a(n) biglm object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'biglm'
tidy(x, conf.int = FALSE, conf.level = 0.95, exponentiate = FALSE, ...)
```

## Arguments

x	A <code>biglm</code> object created by a call to <code>biglm::biglm()</code> or <code>biglm::bigglm()</code> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
exponentiate	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

`tidy()`, `biglm::biglm()`, `biglm::bigglm()`

Other `biglm` tidiers: `glance.biglm()`

## Examples

```

# load modeling library
library(biglm)

# fit model -- linear regression
bfit <- biglm(mpg ~ wt + disp, mtcars)

# summarize model fit with tidiers
tidy(bfit)
tidy(bfit, conf.int = TRUE)
tidy(bfit, conf.int = TRUE, conf.level = .9)

glance(bfit)

# fit model -- logistic regression
bgfit <- bigglm(am ~ mpg, mtcars, family = binomial())

# summarize model fit with tidiers
tidy(bgfit)
tidy(bgfit, exponentiate = TRUE)
tidy(bgfit, conf.int = TRUE)
tidy(bgfit, conf.int = TRUE, conf.level = .9)
tidy(bgfit, conf.int = TRUE, conf.level = .9, exponentiate = TRUE)

glance(bgfit)

```

---

tidy.binDesign	<i>Tidy a(n) binDesign object</i>
----------------	-----------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'binDesign'
tidy(x, ...)
```

## Arguments

**x** A [binGroup::binDesign\(\)](#) object.

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>n</code>	Number of trials in given iteration.
<code>power</code>	Power achieved for given value of <code>n</code> .

## See Also

`tidy()`, `binGroup::binDesign()`

Other bingroup tidiers: `glance.binDesign()`, `tidy.binWidth()`

## Examples

```
library(binGroup)
des <- binDesign(
  nmax = 300, delta = 0.06,
  p.hyp = 0.1, power = .8
)
glance(des)
tidy(des)

# the ggplot2 equivalent of plot(des)
library(ggplot2)
ggplot(tidy(des), aes(n, power)) +
  geom_line()
```

---

`tidy.binWidth`

*Tidy a(n) binWidth object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'binWidth'
tidy(x, ...)
```

## Arguments

x	A <a href="#">binGroup::binWidth()</a> object.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A [tibble::tibble\(\)](#) with columns:

alternative	Alternative hypothesis (character).
ci.width	Expected width of confidence interval.
p	True proportion.
n	Total sample size

## See Also

[tidy\(\)](#), [binGroup::binWidth\(\)](#)  
 Other bingroup tidiers: [glance.binDesign\(\)](#), [tidy.binDesign\(\)](#)

## Examples

```
# load libraries
library(binGroup)

# fit model
bw <- binWidth(100, .1)

bw

# summarize model fit with tidiers
tidy(bw)
```

---

tidy.boot*Tidy a(n) boot object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'boot'
tidy(
  x,
  conf.int = FALSE,
  conf.level = 0.95,
  conf.method = c("perc", "bca", "basic", "norm"),
  exponentiate = FALSE,
  ...
)
```

**Arguments**

<code>x</code>	A <code>boot::boot()</code> object.
<code>conf.int</code>	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>conf.method</code>	Passed to the <code>type</code> argument of <code>boot::boot.ci()</code> . Defaults to "perc". The allowed types are "perc", "basic", "bca", and "norm". Does not support "stud" or "all".
<code>exponentiate</code>	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

If weights were provided to the `boot` function, an `estimate` column is included showing the weighted bootstrap estimate, and the standard error is of that estimate.

If there are no original statistics in the "boot" object, such as with a call to `tsboot` with `orig.t = FALSE`, the `original` and `statistic` columns are omitted, and only `estimate` and `std.error` columns shown.

## Value

A `tibble::tibble()` with columns:

<code>bias</code>	Bias of the statistic.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.
<code>statistic</code>	Original value of the statistic.

## See Also

`tidy\(\)`, `boot::boot\(\)`, `boot::tsboot\(\)`, `boot::boot.ci\(\)`, `rsample::bootstraps\(\)`

## Examples

```
# load modeling library
library(boot)

clotting <- data.frame(
  u = c(5, 10, 15, 20, 30, 40, 60, 80, 100),
  lot1 = c(118, 58, 42, 35, 27, 25, 21, 19, 18),
  lot2 = c(69, 35, 26, 21, 18, 16, 13, 12, 12)
)

# fit models
g1 <- glm(lot2 ~ log(u), data = clotting, family = Gamma)

bootfun <- function(d, i) {
  coef(update(g1, data = d[i, ]))
}

bootres <- boot(clotting, bootfun, R = 999)

# summarize model fits with tidiers
tidy(g1, conf.int = TRUE)
tidy(bootres, conf.int = TRUE)
```

---

tidy.btergm	<i>Tidy a(n) btergm object</i>
-------------	--------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

This method tidies the coefficients of a bootstrapped temporal exponential random graph model estimated with the **xergm**. It simply returns the coefficients and their confidence intervals.

## Usage

```
## S3 method for class 'btergm'
tidy(x, conf.level = 0.95, exponentiate = FALSE, ...)
```

## Arguments

<code>x</code>	A <b>btergm::btergm()</b> object.
<code>conf.level</code>	Confidence level for confidence intervals. Defaults to 0.95.
<code>exponentiate</code>	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A **tibble::tibble()** with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>term</code>	The name of the regression term.

## See Also

`tidy()`, **btergm::btergm()**

## Examples

```

library(btergm)
library(network)

set.seed(5)

# create 10 random networks with 10 actors
networks <- list()
for (i in 1:10) {
  mat <- matrix(rbinom(100, 1, .25), nrow = 10, ncol = 10)
  diag(mat) <- 0
  nw <- network(mat)
  networks[[i]] <- nw
}

# create 10 matrices as covariates
covariates <- list()
for (i in 1:10) {
  mat <- matrix(rnorm(100), nrow = 10, ncol = 10)
  covariates[[i]] <- mat
}

# fit the model
mod <- btergm(networks ~ edges + istar(2) + edgecov(covariates), R = 100)

# summarize model fit with tidiers
tidy(mod)

```

---

tidy.cch

*Tidy a(n) cch object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'cch'
tidy(x, conf.level = 0.95, ...)
```

## Arguments

- |            |   |
|------------|---|
| x          | An cch object returned from <a href="#">survival::cch()</a> . |
| conf.level | confidence level for CI                                       |

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

## See Also

[tidy\(\)](#), [survival::cch\(\)](#)

Other cch tidiers: [glance.cch\(\)](#), [glance.survfit\(\)](#)

Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.aareg\(\)](#), [glance.cch\(\)](#), [glance.coxph\(\)](#), [glance.pyears\(\)](#), [glance.survdiff\(\)](#), [glance.survexp\(\)](#), [glance.survfit\(\)](#), [glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.coxph\(\)](#), [tidy.pyears\(\)](#), [tidy.survdiff\(\)](#), [tidy.survexp\(\)](#), [tidy.survfit\(\)](#), [tidy.survreg\(\)](#)

## Examples

```
# load libraries for models and data
library(survival)

# examples come from cch documentation
subcoh <- nwtco$in.subcohort
selccoh <- with(nwtco, rel == 1 | subcoh == 1)
ccoh.data <- nwtco[selccoh, ]
ccoh.data$subcoh <- subcoh[selccoh]

# central-lab histology
ccoh.data$histol <- factor(ccoh.data$histol, labels = c("FH", "UH"))

# tumour stage
```

```

ccoh.data$stage <- factor(ccoh.data$stage, labels = c("I", "II", "III", "IV"))
ccoh.data$age <- ccoh.data$age / 12 # age in years

# fit model
fit.ccP <- cch(Surv(edrel, rel) ~ stage + histol + age,
  data = ccoh.data,
  subcoh = ~subcohort, id = ~seqno, cohort.size = 4028
)

# summarize model fit with tidiers + visualization
tidy(fit.ccP)

# coefficient plot
library(ggplot2)

ggplot(tidy(fit.ccP), aes(x = estimate, y = term)) +
  geom_point() +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high), height = 0) +
  geom_vline(xintercept = 0)

```

---

## tidy.cld

*Tidy a(n) cld object*

---

### Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

### Usage

```
## S3 method for class 'cld'
tidy(x, ...)
```

### Arguments

- |     |   |
|-----|---|
| x   | A <code>cld</code> object created by calling <code>multcomp::cld()</code> on a <code>glht</code> , <code>confint.glht()</code> or <code>summary.glht()</code> object.   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

**Value**

A `tibble::tibble()` with columns:

contrast	Levels being compared.
letters	Compact letter display denoting all pair-wise comparisons.

**See Also**

`tidy()`, `multcomp::cld()`, `multcomp::summary.glht()`, `multcomp::confint.glht()`, `multcomp::glht()`

Other multcomp tidiers: `tidy.confint.glht()`, `tidy.glht()`, `tidy.summary.glht()`

**Examples**

```
# load libraries for models and data
library(multcomp)
library(ggplot2)

amod <- aov(breaks ~ wool + tension, data = warpbreaks)
wht <- glht(amod, linfct = mcp(tension = "Tukey"))

tidy(wht)

ggplot(wht, aes(lhs, estimate)) +
  geom_point()

CI <- confint(wht)

tidy(CI)

ggplot(CI, aes(lhs, estimate, ymin = lwr, ymax = upr)) +
  geom_pointrange()

tidy(summary(wht))
ggplot(mapping = aes(lhs, estimate)) +
  geom_linerange(aes(ymin = lwr, ymax = upr), data = CI) +
  geom_point(aes(size = p), data = summary(wht)) +
  scale_size(trans = "reverse")

cld <- cld(wht)
tidy(cld)
```

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'clm'
tidy(
  x,
  conf.int = FALSE,
  conf.level = 0.95,
  conf.type = c("profile", "Wald"),
  exponentiate = FALSE,
  ...
)
```

## Arguments

x	A <code>clm</code> object returned from <code>ordinal::clm()</code> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
conf.type	Whether to use "profile" or "Wald" confidence intervals, passed to the <code>type</code> argument of <code>ordinal::confint.clm()</code> . Defaults to "profile".
exponentiate	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

In `broom 0.7.0` the `coefficient_type` column was renamed to `coef.type`, and the contents were changed as well.

Note that `intercept` type coefficients correspond to `alpha` parameters, `location` type coefficients correspond to `beta` parameters, and `scale` type coefficients correspond to `zeta` parameters.

**Value**

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

**See Also**

`tidy`, `ordinal::clm()`, `ordinal::confint.clm()`

Other ordinal tidiers: `augment.clm()`, `augment.polr()`, `glance.clm()`, `glance.clmm()`, `glance.polr()`, `glance.svyolr()`, `tidy.clmm()`, `tidy.polr()`, `tidy.svyolr()`

**Examples**

```
# load libraries for models and data
library(ordinal)

# fit model
fit <- clm(rating ~ temp * contact, data = wine)

# summarize model fit with tidiers
tidy(fit)
tidy(fit, conf.int = TRUE, conf.level = 0.9)
tidy(fit, conf.int = TRUE, conf.type = "Wald", exponentiate = TRUE)

glance(fit)
augment(fit, type.predict = "prob")
augment(fit, type.predict = "class")

# ...and again with another model specification
fit2 <- clm(rating ~ temp, nominal = ~contact, data = wine)

tidy(fit2)
glance(fit2)
```

---

tidy.clmm	<i>Tidy a(n) clmm object</i>
-----------	------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'clmm'
tidy(x, conf.int = FALSE, conf.level = 0.95, exponentiate = FALSE, ...)
```

## Arguments

x	A clmm object returned from <code>ordinal::clmm()</code> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
exponentiate	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.

statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

### Note

In broom 0.7.0 the coefficient\_type column was renamed to coef.type, and the contents were changed as well.

Note that intercept type coefficients correspond to alpha parameters, location type coefficients correspond to beta parameters, and scale type coefficients correspond to zeta parameters.

### See Also

[tidy](#), [ordinal::clmm\(\)](#), [ordinal::confint.clm\(\)](#)

Other ordinal tidiers: [augment.clm\(\)](#), [augment.polr\(\)](#), [glance.clm\(\)](#), [glance.clmm\(\)](#), [glance.polr\(\)](#), [glance.svyolr\(\)](#), [tidy.clm\(\)](#), [tidy.polr\(\)](#), [tidy.svyolr\(\)](#)

### Examples

```
# load libraries for models and data
library(ordinal)

# fit model
fit <- clmm(rating ~ temp + contact + (1 | judge), data = wine)

# summarize model fit with tidiers
tidy(fit)
tidy(fit, conf.int = TRUE, conf.level = 0.9)
tidy(fit, conf.int = TRUE, exponentiate = TRUE)

glance(fit)

# ...and again with another model specification
fit2 <- clmm(rating ~ temp + (1 | judge), nominal = ~contact, data = wine)

tidy(fit2)
glance(fit2)
```

---

**tidy.coeftest** *Tidy a(n) coeftest object*

---

### Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'coeftest'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A <code>coeftest</code> object returned from <a href="#">`lmtest::coeftest()`</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[`tidy\(\)`](#), [`lmtest::coeftest\(\)`](#)

## Examples

```
# load libraries for models and data
library(lmtest)

m <- lm(dist ~ speed, data = cars)
```

```

coeftest(m)
tidy(coeftest(m))
tidy(coeftest(m, conf.int = TRUE))

# a very common workflow is to combine lmtest::coeftest with alternate
# variance-covariance matrices via the sandwich package. The lmtest
# tidiers support this workflow too, enabling you to adjust the standard
# errors of your tidied models on the fly.
library(sandwich)

# "HC3" (default) robust SEs
tidy(coeftest(m, vcov = vcovHC))

# "HC2" robust SEs
tidy(coeftest(m, vcov = vcovHC, type = "HC2"))

# N-W HAC robust SEs
tidy(coeftest(m, vcov = NeweyWest))

# the columns of the returned tibble for glance.coefest() will vary
# depending on whether the coeftest object retains the underlying model.
# Users can control this with the "save = TRUE" argument of coeftest().
glance(coeftest(m))
glance(coeftest(m, save = TRUE))

```

---

`tidy.confint.glht` *Tidy a(n) confint.glht object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'confint.glht'
tidy(x, ...)
```

## Arguments

- x A `confint.glht` object created by calling `multcomp::confint.glht()` on a `glht` object created with `multcomp::glht()`.
- ... Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be

used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>contrast</code>	Levels being compared.
<code>estimate</code>	The estimated value of the regression term.

## See Also

`tidy()`, `multcomp::confint.glht()`, `multcomp::glht()`

Other `multcomp` tidiers: `tidy.cld()`, `tidy.glht()`, `tidy.summary.glht()`

## Examples

```
# load libraries for models and data
library(multcomp)
library(ggplot2)

amod <- aov(breaks ~ wool + tension, data = warpbreaks)
wht <- glht(amod, linfct = mcp(tension = "Tukey"))

tidy(wht)

ggplot(wht, aes(lhs, estimate)) +
  geom_point()

CI <- confint(wht)

tidy(CI)

ggplot(CI, aes(lhs, estimate, ymin = lwr, ymax = upr)) +
  geom_pointrange()

tidy(summary(wht))
ggplot(mapping = aes(lhs, estimate)) +
  geom_linerange(aes(ymin = lwr, ymax = upr), data = CI) +
  geom_point(aes(size = p), data = summary(wht)) +
  scale_size(trans = "reverse")

cld <- cld(wht)
```

```
tidy(cld)
```

---

**tidy.confusionMatrix** *Tidy a(n) confusionMatrix object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'confusionMatrix'
tidy(x, by_class = TRUE, ...)
```

## Arguments

<code>x</code>	An object of class <code>confusionMatrix</code> created by a call to <a href="#">`caret::confusionMatrix()`</a> .
<code>by_class</code>	Logical indicating whether or not to show performance measures broken down by class. Defaults to <code>TRUE</code> . When <code>by_class = FALSE</code> only returns a tibble with accuracy, kappa, and McNemar statistics.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A [`tibble::tibble\(\)`](#) with columns:

<code>class</code>	The class under consideration.
<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>term</code>	The name of the regression term.
<code>p.value</code>	P-value for accuracy and kappa statistics.

**See Also**

[tidy\(\)](#), [caret::confusionMatrix\(\)](#)

**Examples**

```
# load libraries for models and data
library(caret)

set.seed(27)

# generate data
two_class_sample1 <- as.factor(sample(letters[1:2], 100, TRUE))
two_class_sample2 <- as.factor(sample(letters[1:2], 100, TRUE))

two_class_cm <- confusionMatrix(
  two_class_sample1,
  two_class_sample2
)

# summarize model fit with tidiers
tidy(two_class_cm)
tidy(two_class_cm, by_class = FALSE)

# multiclass example
six_class_sample1 <- as.factor(sample(letters[1:6], 100, TRUE))
six_class_sample2 <- as.factor(sample(letters[1:6], 100, TRUE))

six_class_cm <- confusionMatrix(
  six_class_sample1,
  six_class_sample2
)

# summarize model fit with tidiers
tidy(six_class_cm)
tidy(six_class_cm, by_class = FALSE)
```

---

tidy.coxph

*Tidy a(n) coxph object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'coxph'
tidy(x, exponentiate = FALSE, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A <code>coxph</code> object returned from <a href="#">survival::coxph()</a> .
exponentiate	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	For <code>tidy()</code> , additional arguments passed to <code>summary(x, ...)</code> . Otherwise ignored.

## Value

A `tibble::tibble()` with columns:

estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.

## See Also

[tidy\(\)](#), [survival::coxph\(\)](#)

Other `coxph` tidiers: [augment.coxph\(\)](#), [glance.coxph\(\)](#)

Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.aareg\(\)](#), [glance.cch\(\)](#), [glance.coxph\(\)](#), [glance.pyears\(\)](#), [glance.survdiff\(\)](#), [glance.survexp\(\)](#), [glance.survfit\(\)](#), [glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.pyyears\(\)](#), [tidy.survdiff\(\)](#), [tidy.survexp\(\)](#), [tidy.survfit\(\)](#), [tidy.survreg\(\)](#)

## Examples

```
# load libraries for models and data
library(survival)

# fit model
cfit <- coxph(Surv(time, status) ~ age + sex, lung)

# summarize model fit with tidiers
```

```

tidy(cfit)
tidy(cfit, exponentiate = TRUE)

lp <- augment(cfit, lung)
risks <- augment(cfit, lung, type.predict = "risk")
expected <- augment(cfit, lung, type.predict = "expected")

glance(cfit)

# also works on clogit models
resp <- levels(logan$occupation)
n <- nrow(logan)
indx <- rep(1:n, length(resp))
logan2 <- data.frame(
  logan[indx, ],
  id = indx,
  tocc = factor(rep(resp, each = n))
)
logan2$case <- (logan2$occupation == logan2$tocc)

cl <- clogit(case ~ tocc + tocc:education + strata(id), logan2)

tidy(cl)
glance(cl)

library(ggplot2)

ggplot(lp, aes(age, .fitted, color = sex)) +
  geom_point()

ggplot(risks, aes(age, .fitted, color = sex)) +
  geom_point()

ggplot(expected, aes(time, .fitted, color = sex)) +
  geom_point()

```

---

tidy.crr

*Tidy a(n) cmprsk object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'crr'
tidy(x, exponentiate = FALSE, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A <code>crr</code> object returned from <a href="#">cmprsk::crr()</a> .
exponentiate	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.

## See Also

[tidy\(\)](#), [cmprsk::crr\(\)](#)

Other `cmprsk` tidiers: [glance.crr\(\)](#)

## Examples

```
library(cmprsk)

# time to loco-regional failure (lrf)
lrf_time <- rexp(100)
lrf_event <- sample(0:2, 100, replace = TRUE)
trt <- sample(0:1, 100, replace = TRUE)
strt <- sample(1:2, 100, replace = TRUE)

# fit model
x <- crr(lrf_time, lrf_event, cbind(trt, strt))

# summarize model fit with tidiers
tidy(x, conf.int = TRUE)
glance(x)
```

---

tidy.cv.glmnet	<i>Tidy a(n) cv.glmnet object</i>
----------------	-----------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'cv.glmnet'
tidy(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A <code>cv.glmnet</code> object returned from <a href="#">glmnet::cv.glmnet()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Value

A `tibble:::tibble()` with columns:

lambda	Value of penalty parameter lambda.
nzero	Number of non-zero coefficients for the given lambda.
std.error	The standard error of the regression term.
conf.low	lower bound on confidence interval for cross-validation estimated loss.
conf.high	upper bound on confidence interval for cross-validation estimated loss.
estimate	Median loss across all cross-validation folds for a given lamdba

## See Also

[tidy\(\)](#), [glmnet:::cv.glmnet\(\)](#)

Other `glmnet` tidiers: [glance.cv.glmnet\(\)](#), [glance.glmnet\(\)](#), [tidy.glmnet\(\)](#)

## Examples

```
# load libraries for models and data
library(glmnet)

set.seed(27)

nobs <- 100
nvar <- 50
real <- 5

x <- matrix(rnorm(nobs * nvar), nobs, nvar)
beta <- c(rnorm(real, 0, 1), rep(0, nvar - real))
y <- c(t(beta) %*% t(x)) + rnorm(nvar, sd = 3)

cvfit1 <- cv.glmnet(x, y)

tidy(cvfit1)
glance(cvfit1)

library(ggplot2)

tidied_cv <- tidy(cvfit1)
glance_cv <- glance(cvfit1)

# plot of MSE as a function of lambda
g <- ggplot(tidied_cv, aes(lambda, estimate)) +
  geom_line() +
  scale_x_log10()
g

# plot of MSE as a function of lambda with confidence ribbon
g <- g + geom_ribbon(aes(ymin = conf.low, ymax = conf.high), alpha = .25)
g
```

```

# plot of MSE as a function of lambda with confidence ribbon and choices
# of minimum lambda marked
g <- g +
  geom_vline(xintercept = glance_cv$lambda.min) +
  geom_vline(xintercept = glance_cv$lambda.1se, lty = 2)
g

# plot of number of zeros for each choice of lambda
ggplot(tidied_cv, aes(lambda, nzero)) +
  geom_line() +
  scale_x_log10()

# coefficient plot with min lambda shown
tidied <- tidy(cvfit1$glmnet.fit)

ggplot(tidied, aes(lambda, estimate, group = term)) +
  scale_x_log10() +
  geom_line() +
  geom_vline(xintercept = glance_cv$lambda.min) +
  geom_vline(xintercept = glance_cv$lambda.1se, lty = 2)

```

---

## tidy.density

(Deprecated) Tidy density objects

---

### Description

(Deprecated) Tidy density objects

### Usage

```
## S3 method for class 'density'
tidy(x, ...)
```

### Arguments

x	A density object returned from <a href="#">stats::density()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble` with two columns: points x where the density is estimated, and estimated density y.

## See Also

Other deprecated: `bootstrap()`, `confint_tidy()`, `data.frame_tidiers`, `finish_glance()`, `fix_data_frame()`, `summary_tidiers`, `tidy.dist()`, `tidy.ftable()`, `tidy.numeric()`

---

`tidy.dist`

*(Deprecated) Tidy dist objects*

---

## Description

(Deprecated) Tidy dist objects

## Usage

```
## S3 method for class 'dist'  
tidy(x, diagonal = attr(x, "Diag"), upper = attr(x, "Upper"), ...)
```

## Arguments

- |                       |  |
|-----------------------|--|
| <code>x</code>        | A <code>dist</code> object returned from <code>stats::dist()</code> .  |
| <code>diagonal</code> | Logical indicating whether or not to tidy the diagonal elements of the distance matrix. Defaults to whatever was based to the <code>diag</code> argument of <code>stats::dist()</code> .   |
| <code>upper</code>    | Logical indicating whether or not to tidy the upper half of the distance matrix. Defaults to whatever was based to the <code>upper</code> argument of <code>stats::dist()</code> .   |
| <code>...</code>      | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"><li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li><li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li></ul> |

## Details

If the distance matrix does not include an upper triangle and/or diagonal, the tidied version will not either.

**Value**

A [tibble::tibble](#) with one row for each pair of items in the distance matrix, with columns:

item1	First item
item2	Second item
distance	Distance between items

**See Also**

Other deprecated: [bootstrap\(\)](#), [confint\\_tidy\(\)](#), [data.frame\\_tidiers](#), [finish\\_glance\(\)](#), [fix\\_data\\_frame\(\)](#), [summary\\_tidiers](#), [tidy.density\(\)](#), [tidy.ftable\(\)](#), [tidy.numeric\(\)](#)

**Examples**

```
cars_dist <- dist(t(mtcars[, 1:4]))
cars_dist

tidy(cars_dist)
tidy(cars_dist, upper = TRUE)
tidy(cars_dist, diagonal = TRUE)
```

---

tidy.drc*Tidy a(n) drc object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'drc'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

**Arguments**

x	A <a href="#">drc</a> object produced by a call to <a href="#">drc::drm()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

The tibble has one row for each curve and term in the regression. The `curveid` column indicates the curve.

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.
<code>curve</code>	Index identifying the curve.

## See Also

[tidy\(\)](#), [drc::drm\(\)](#)

Other drc tidiers: [augment.drc\(\)](#), [glance.drc\(\)](#)

## Examples

```
# load libraries for models and data
library(drc)

# fit model
mod <- drm(dead / total ~ conc, type,
  weights = total, data = selenium, fct = LL.2(), type = "binomial"
)

# summarize model fit with tidiers
tidy(mod)
tidy(mod, conf.int = TRUE)
```

```
glance(mod)

augment(mod, selenium)
```

---

**tidy.emmGrid**

*Tidy a(n) emmGrid object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'emmGrid'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

<code>x</code>	An <code>emmGrid</code> object.
<code>conf.int</code>	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to <code>FALSE</code> .
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>...</code>	Additional arguments passed to <code>emmeans::summary.emmGrid()</code> or <code>lsmeans::summary.ref.grid()</code> . <b>Cautionary note:</b> misspecified arguments may be silently ignored!

## Details

Returns a data frame with one observation for each estimated marginal mean, and one column for each combination of factors. When the input is a contrast, each row will contain one estimated contrast.

There are a large number of arguments that can be passed on to `emmeans::summary.emmGrid()` or `lsmeans::summary.ref.grid()`.

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.

df	Degrees of freedom used by this term in the model.
p.value	The two-sided p-value associated with the observed statistic.
std.error	The standard error of the regression term.
estimate	Expected marginal mean
statistic	T-ratio statistic

## See Also

[tidy\(\)](#), [emmeans::ref\\_grid\(\)](#), [emmeans::emmeans\(\)](#), [emmeans::contrast\(\)](#)  
 Other emmeans tidiers: [tidy.lsmobj\(\)](#), [tidy.ref.grid\(\)](#), [tidy.summary\\_emm\(\)](#)

## Examples

```
# load libraries for models and data
library(emmeans)

# linear model for sales of oranges per day
oranges_lm1 <- lm(sales1 ~ price1 + price2 + day + store, data = oranges)

# reference grid; see vignette("basics", package = "emmeans")
oranges_rg1 <- ref_grid(oranges_lm1)
td <- tidy(oranges_rg1)
td

# marginal averages
marginal <- emmeans(oranges_rg1, "day")
tidy(marginal)

# contrasts
tidy(contrast(marginal))
tidy(contrast(marginal, method = "pairwise"))

# plot confidence intervals
library(ggplot2)

ggplot(tidy(marginal, conf.int = TRUE), aes(day, estimate)) +
  geom_point() +
  geom_errorbar(aes(ymin = conf.low, ymax = conf.high))

# by multiple prices
by_price <- emmeans(oranges_lm1, "day",
  by = "price2",
  at = list(
    price1 = 50, price2 = c(40, 60, 80),
    day = c("2", "3", "4")
  )
)

by_price
```

```

tidy(by_price)

ggplot(tidy(by_price, conf.int = TRUE), aes(price2, estimate, color = day)) +
  geom_line() +
  geom_errorbar(aes(ymin = conf.low, ymax = conf.high))

# joint_tests
tidy(joint_tests(oranges_lm1))

```

---

`tidy.epi.2by2` *Tidy a(n) epi.2by2 object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'epi.2by2'
tidy(x, parameters = c("moa", "stat"), ...)
```

## Arguments

<code>x</code>	A epi.2by2 object produced by a call to <a href="#">epiR::epi.2by2()</a>
<code>parameters</code>	Return measures of association (moa) or test statistics (stat), default is moa (measures of association)
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

The tibble has a column for each of the measures of association or tests contained in `massoc` or `massoc.detail` when [epiR::epi.2by2\(\)](#) is called.

**Value**

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>df</code>	Degrees of freedom used by this term in the model.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>term</code>	The name of the regression term.
<code>estimate</code>	Estimated measure of association

**See Also**

`tidy()`, `epiR::epi.2by2()`

**Examples**

```
# load libraries for models and data
library(epiR)

# generate data
dat <- matrix(c(13, 2163, 5, 3349), nrow = 2, byrow = TRUE)

rownames(dat) <- c("DF+", "DF-")
colnames(dat) <- c("FUS+", "FUS-")

# fit model
fit <- epi.2by2(
  dat = as.table(dat), method = "cross.sectional",
  conf.level = 0.95, units = 100, outcome = "as.columns"
)

# summarize model fit with tidiers
tidy(fit, parameters = "moa")
tidy(fit, parameters = "stat")
```

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

The methods should work with any model that conforms to the **ergm** class, such as those produced from weighted networks by the **ergm.count** package.

## Usage

```
## S3 method for class 'ergm'
tidy(x, conf.int = FALSE, conf.level = 0.95, exponentiate = FALSE, ...)
```

## Arguments

<code>x</code>	An <b>ergm</b> object returned from a call to <a href="#">ergm:::ergm()</a> .
<code>conf.int</code>	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int</code> = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>exponentiate</code>	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
<code>...</code>	Additional arguments to pass to <a href="#">ergm:::summary()</a> . <b>Cautionary note:</b> Mis-specified arguments may be silently ignored.

## Value

A **tibble:::tibble** with one row for each coefficient in the exponential random graph model, with columns:

<code>term</code>	The term in the model being estimated and tested
<code>estimate</code>	The estimated coefficient
<code>std.error</code>	The standard error
<code>mcmc.error</code>	The MCMC error
<code>p.value</code>	The two-sided p-value

## References

Hunter DR, Handcock MS, Butts CT, Goodreau SM, Morris M (2008b). **ergm**: A Package to Fit, Simulate and Diagnose Exponential-Family Models for Networks. *Journal of Statistical Software*, 24(3). <https://www.jstatsoft.org/v24/i03/>.

## See Also

[tidy\(\)](#), [ergm::ergm\(\)](#), [ergm::control.ergm\(\)](#), [ergm::summary\(\)](#)

Other ergm tidiers: [glance.ergm\(\)](#)

## Examples

```
# load libraries for models and data
library(ergm)

# load the Florentine marriage network data
data(florentine)

# fit a model where the propensity to form ties between
# families depends on the absolute difference in wealth
gest <- ergm(flomarriage ~ edges + absdiff("wealth"))

# show terms, coefficient estimates and errors
tidy(gest)

# show coefficients as odds ratios with a 99% CI
tidy(gest, exponentiate = TRUE, conf.int = TRUE, conf.level = 0.99)

# take a look at likelihood measures and other
# control parameters used during MCMC estimation
glance(gest)
glance(gest, deviance = TRUE)
glance(gest, mcmc = TRUE)
```

---

**tidy.factanal**

*Tidy a(n) factanal object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'factanal'
tidy(x, ...)
```

## Arguments

- x A factanal object created by [stats::factanal\(\)](#).
- ... Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are:
- `tidy()` methods will warn when supplied an exponentiate argument if it will be ignored.
  - `augment()` methods will warn when supplied a newdata argument if it will be ignored.

## Value

A [tibble::tibble\(\)](#) with columns:

- |            |   |
|------------|---|
| variable   | Variable under consideration.                   |
| uniqueness | Proportion of residual, or unexplained variance |
| f1X        | Factor loading for level X.                     |

## See Also

[tidy\(\)](#), [stats::factanal\(\)](#)

Other factanal tidiers: [augment.factanal\(\)](#), [glance.factanal\(\)](#)

## Examples

```
set.seed(123)

# generate data
library(dplyr)
library(purrr)

m1 <- tibble(
  v1 = c(1, 1, 1, 1, 1, 1, 1, 1, 1, 3, 3, 3, 3, 3, 4, 5, 6),
  v2 = c(1, 2, 1, 1, 1, 2, 1, 2, 1, 3, 4, 3, 3, 3, 4, 6, 5),
  v3 = c(3, 3, 3, 3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 5, 4, 6),
  v4 = c(3, 3, 4, 3, 3, 1, 2, 1, 1, 1, 2, 1, 1, 5, 6, 4),
  v5 = c(1, 1, 1, 1, 1, 3, 3, 3, 3, 1, 1, 1, 1, 1, 6, 4, 5),
  v6 = c(1, 1, 1, 2, 1, 3, 3, 4, 3, 1, 1, 2, 1, 6, 5, 4)
)

# new data
m2 <- map_dfr(m1, rev)

# factor analysis objects
fit1 <- factanal(m1, factors = 3, scores = "Bartlett")
fit2 <- factanal(m1, factors = 3, scores = "regression")
```

```

# tidying the object
tidy(fit1)
tidy(fit2)

# augmented dataframe
augment(fit1)
augment(fit2)

# augmented dataframe (with new data)
augment(fit1, data = m2)
augment(fit2, data = m2)

```

---

tidy.felm*Tidy a(n) felm object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```

## S3 method for class 'felm'
tidy(
  x,
  conf.int = FALSE,
  conf.level = 0.95,
  fe = FALSE,
  se.type = c("default", "iid", "robust", "cluster"),
  ...
)

```

**Arguments**

- x** A `felm` object returned from [lfe::felm\(\)](#).
- conf.int** Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
- conf.level** The confidence level to use for the confidence interval if `conf.int = TRUE`. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
- fe** Logical indicating whether or not to include estimates of fixed effects. Defaults to FALSE.

se.type	Character indicating the type of standard errors. Defaults to using those of the underlying <code>felm()</code> model object, e.g. clustered errors for models that were provided a cluster specification. Users can override these defaults by specifying an appropriate alternative: "iid" (for homoskedastic errors), "robust" (for Eicker-Huber-White robust errors), or "cluster" (for clustered standard errors; if the model object supports it).
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[tidy\(\)](#), [lfe:::felm\(\)](#)

Other `felm` tidiers: [augment.felm\(\)](#)

## Examples

```
# load libraries for models and data
library(lfe)

# use built-in `airquality` dataset
head(airquality)

# no FEs; same as lm()
est0 <- felm(Ozone ~ Temp + Wind + Solar.R, airquality)

# summarize model fit with tidiers
```

```

tidy(est0)
augment(est0)

# add month fixed effects
est1 <- felm(Ozone ~ Temp + Wind + Solar.R | Month, airquality)

# summarize model fit with tidiers
tidy(est1)
tidy(est1, fe = TRUE)
augment(est1)
glance(est1)

# the "se.type" argument can be used to switch out different standard errors
# types on the fly. In turn, this can be useful exploring the effect of
# different error structures on model inference.
tidy(est1, se.type = "iid")
tidy(est1, se.type = "robust")

# add clustered SEs (also by month)
est2 <- felm(Ozone ~ Temp + Wind + Solar.R | Month | 0 | Month, airquality)

# summarize model fit with tidiers
tidy(est2, conf.int = TRUE)
tidy(est2, conf.int = TRUE, se.type = "cluster")
tidy(est2, conf.int = TRUE, se.type = "robust")
tidy(est2, conf.int = TRUE, se.type = "iid")

```

---

**tidy.fitdistr** *Tidy a(n) fitdistr object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'fitdistr'
tidy(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | A <code>fitdistr</code> object returned by <code>MASS::fitdistr()</code> .  |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be |

used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>estimate</code>	The estimated value of the regression term.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

## See Also

`tidy()`, `MASS::fitdistr()`

Other fitdistr tidiers: `glance.fittistr()`

## Examples

```
# load libraries for models and data
library(MASS)

# generate data
set.seed(2015)
x <- rnorm(100, 5, 2)

# fit models
fit <- fitdistr(x, dnorm, list(mean = 3, sd = 1))

# summarize model fit with tidiers
tidy(fit)
glance(fit)
```

---

<code>tidy.fixest</code>	<i>Tidy a(n) fixest object</i>
--------------------------	--------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'fixest'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A <code>fixest</code> object returned from any of the <code>fixest</code> estimators
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments passed to <code>summary</code> and <code>confint</code> . Important arguments are <code>se</code> and <code>cluster</code> . Other arguments are <code>dof</code> , <code>exact_dof</code> , <code>forceCovariance</code> , and <code>keepBounded</code> . See <a href="#">summary.fixest</a> .

## Details

The `fixest` package provides a family of functions for estimating models with arbitrary numbers of fixed-effects, in both an OLS and a GLM context. The package also supports robust (i.e. White) and clustered standard error reporting via the generic `summary.fixest()` command. In a similar vein, the `tidy()` method for these models allows users to specify a desired standard error correction either 1) implicitly via the supplied `fixest` object, or 2) explicitly as part of the `tidy` call. See examples below.

Note that `fixest` confidence intervals are calculated assuming a normal distribution – this assumes infinite degrees of freedom for the CI. (This assumption is distinct from the degrees of freedom used to calculate the standard errors. For more on degrees of freedom with clusters and fixed effects, see <https://github.com/lrberge/fixest/issues/6> and <https://github.com/sgaure/lfe/issues/1#issuecomment-530646990>)

## Value

A [tibble::tibble\(\)](#) with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

**See Also**

[tidy\(\)](#), [fixest::feglm\(\)](#), [fixest::fenegbin\(\)](#), [fixest::feNmlm\(\)](#), [fixest::femlm\(\)](#), [fixest::feols\(\)](#), [fixest::fepois\(\)](#)

Other fixest tidiers: [augment.fixest\(\)](#)

**Examples**

```
# load libraries for models and data
library(fixest)

gravity <-
  feols(
    log(Euros) ~ log(dist_km) | Origin + Destination + Product + Year, trade
  )

tidy(gravity)
glance(gravity)
augment(gravity, trade)

# to get robust or clustered SEs, users can either:

# 1) specify the arguments directly in the `tidy()` call
tidy(gravity, conf.int = TRUE, cluster = c("Product", "Year"))

tidy(gravity, conf.int = TRUE, se = "threeway")

# 2) or, feed tidy() a summary.fixest object that has already accepted
# these arguments

gravity_summ <- summary(gravity, cluster = c("Product", "Year"))

tidy(gravity_summ, conf.int = TRUE)

# approach (1) is preferred.
```

---

**tidy.ftable**

*(Deprecated) Tidy ftable objects*

---

**Description**

This function is deprecated. Please use [tibble::as\\_tibble\(\)](#) instead.

**Usage**

```
## S3 method for class 'ftable'
tidy(x, ...)
```

## Arguments

- `x` An `ftable` object returned from [stats::ftable\(\)](#).
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

An `ftable` contains a "flat" contingency table. This melts it into a [tibble::tibble](#) with one column for each variable, then a `Freq` column.

## See Also

Other deprecated: [bootstrap\(\)](#), [confint\\_tidy\(\)](#), [data.frame\\_tidiers](#), [finish\\_glance\(\)](#), [fix\\_data\\_frame\(\)](#), [summary\\_tidiers](#), [tidy.density\(\)](#), [tidy.dist\(\)](#), [tidy.numeric\(\)](#)

---

`tidy.Gam`

*Tidy a(n) Gam object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'Gam'
tidy(x, ...)
```

## Arguments

- `x` A `Gam` object returned from a call to [gam::gam\(\)](#).
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

Tidy `gam` objects created by calls to `mgcv:::gam()` with `tidy.gam()`.

## Value

A `tibble:::tibble()` with columns:

<code>df</code>	Degrees of freedom used by this term in the model.
<code>meansq</code>	Mean sum of squares. Equal to total sum of squares divided by degrees of freedom.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>sumsq</code>	Sum of squares explained by this term.
<code>term</code>	The name of the regression term.

## See Also

`tidy()`, `gam:::gam()`, `tidy.anova()`, `tidy.gam()`

Other `gam` tidiers: `glance.Gam()`

## Examples

```
# load libraries for models and data
library(gam)

# fit model
g <- gam(mpg ~ s(hp, 4) + am + qsec, data = mtcars)

# summarize model fit with tidiers
tidy(g)
glance(g)
```

---

tidy.gamTidy a(n) gam object

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'gam'
tidy(
  x,
  parametric = FALSE,
  conf.int = FALSE,
  conf.level = 0.95,
  exponentiate = FALSE,
  ...
)
```

## Arguments

x	A gam object returned from a call to <code>mgcv:::gam()</code> .
parametric	Logical indicating if parametric or smooth terms should be tidied. Defaults to FALSE, meaning that smooth terms are tidied by default.
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
exponentiate	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

When `parametric = FALSE` return columns `edf` and `ref.df` rather than `estimate` and `std.error`.

## Value

A `tibble::tibble()` with columns:

<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.
<code>edf</code>	The effective degrees of freedom. Only reported when ‘ <code>parametric = FALSE</code> ’
<code>ref.df</code>	The reference degrees of freedom. Only reported when ‘ <code>parametric = FALSE</code> ’

## See Also

`tidy()`, `mgcv::gam()`

Other `mgcv` tidiers: `glance.gam()`

## Examples

```
# load libraries for models and data
library(mgcv)

# fit model
g <- gam(mpg ~ s(hp) + am + qsec, data = mtcars)

# summarize model fit with tidiers
tidy(g)
tidy(g, parametric = TRUE)
glance(g)
augment(g)
```

---

tidy.garch

*Tidy a(n) garch object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'garch'  
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A garch object returned by <a href="#">tseries::garch()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"><li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li><li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li></ul>

## Value

A [tibble::tibble\(\)](#) with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[tidy\(\)](#), [tseries::garch\(\)](#)

Other garch tidiers: [glance.garch\(\)](#)

## Examples

```
# load libraries for models and data  
library(tseries)
```

```

# load data
data(EuStockMarkets)

# fit model
dax <- diff(log(EuStockMarkets))[, "DAX"]
dax.garch <- garch(dax)
dax.garch

# summarize model fit with tidiers
tidy(dax.garch)
glance(dax.garch)

```

---

tidy.geeglm

*Tidy a(n) geeglm object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'geeglm'
tidy(x, conf.int = FALSE, conf.level = 0.95, exponentiate = FALSE, ...)
```

## Arguments

x	A geeglm object returned from a call to <a href="#">geepack::geeglm()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
exponentiate	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul>

## Details

If `conf.int = TRUE`, the confidence interval is computed with the an internal `confint.geeglm()` function.

If you have missing values in your model data, you may need to refit the model with `na.action = na.exclude` or deal with the missingness in the data beforehand.

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

## See Also

`tidy()`, `geepack::geeglm()`

## Examples

```
# load modeling library
library(geepack)

# load data
data(state)

ds <- data.frame(state.region, state.x77)

# fit model
geefit <- geeglm(Income ~ Frost + Murder,
  id = state.region,
  data = ds,
  corstr = "exchangeable"
)

# summarize model fit with tidiers
tidy(geefit)
tidy(geefit, conf.int = TRUE)
```

---

**tidy.glht***Tidy a(n) glht object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'glht'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

**Arguments**

<code>x</code>	A <code>glht</code> object returned by <a href="#">multcomp::glht()</a> .
<code>conf.int</code>	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to <code>FALSE</code> .
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>...</code>	Additional arguments passed to <a href="#">summary()</a> and <a href="#">tidy.summary.glht()</a> .

**Value**

A <code>tibble::tibble()</code> with columns:	
<code>contrast</code>	Levels being compared.
<code>estimate</code>	The estimated value of the regression term.
<code>null.value</code>	Value to which the estimate is compared.

**See Also**

[tidy\(\)](#), [multcomp::glht\(\)](#)

Other multcomp tidiers: [tidy.cld\(\)](#), [tidy.confint.glht\(\)](#), [tidy.summary.glht\(\)](#)

**Examples**

```
# load libraries for models and data
library(multcomp)
library(ggplot2)

amod <- aov(breaks ~ wool + tension, data = warpbreaks)
wht <- glht(amod, linfct = mcp(tension = "Tukey"))
```

```

tidy(wht)

ggplot(wht, aes(lhs, estimate)) +
  geom_point()

CI <- confint(wht)

tidy(CI)

ggplot(CI, aes(lhs, estimate, ymin = lwr, ymax = upr)) +
  geom_pointrange()

tidy(summary(wht))
ggplot(mapping = aes(lhs, estimate)) +
  geom_linerange(aes(ymin = lwr, ymax = upr), data = CI) +
  geom_point(aes(size = p), data = summary(wht)) +
  scale_size(trans = "reverse")

cld <- cld(wht)
tidy(cld)

```

---

tidy.glm*Tidy a(n) glm object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'glm'
tidy(x, conf.int = FALSE, conf.level = 0.95, exponentiate = FALSE, ...)
```

**Arguments**

<code>x</code>	A <code>glm</code> object returned from <code>stats::glm()</code> .
<code>conf.int</code>	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to <code>FALSE</code> .
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>exponentiate</code>	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to <code>FALSE</code> .

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in . . . , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## See Also

`stats::glm()`

Other lm tidiers: `augment.glm()`, `augment.lm()`, `glance.glm()`, `glance.lm()`, `glance.summary.lm()`, `glance.svyglm()`, `tidy.lm()`, `tidy.lm.beta()`, `tidy.mlm()`, `tidy.summary.lm()`

`tidy.glmnet`

*Tidy a(n) glmnet object*

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'glmnet'
tidy(x, return_zeros = FALSE, ...)
```

## Arguments

- |                           |  |
|---------------------------|--|
| <code>x</code>            | A <code>glmnet</code> object returned from <code>glmnet::glmnet()</code> .   |
| <code>return_zeros</code> | Logical indicating whether coefficients with value zero zero should be included in the results. Defaults to <code>FALSE</code> .   |
| <code>...</code>          | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in . . . , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Details

Note that while this representation of GLMs is much easier to plot and combine than the default structure, it is also much more memory-intensive. Do not use for large, sparse matrices.

No `augment` method is yet provided even though the model produces predictions, because the input data is not tidy (it is a matrix that may be very wide) and therefore combining predictions with it is not logical. Furthermore, predictions make sense only with a specific choice of lambda.

## Value

A `tibble:::tibble()` with columns:

<code>dev.ratio</code>	Fraction of null deviance explained at each value of lambda.
<code>estimate</code>	The estimated value of the regression term.
<code>lambda</code>	Value of penalty parameter lambda.
<code>step</code>	Which step of lambda choices was used.
<code>term</code>	The name of the regression term.

## See Also

`tidy\(\)`, `glmnet::glmnet\(\)`

Other `glmnet` tidiers: `glance.cv.glmnet\(\)`, `glance.glmnet\(\)`, `tidy.cv.glmnet\(\)`

## Examples

```
# load libraries for models and data
library(glmnet)

set.seed(2014)
x <- matrix(rnorm(100 * 20), 100, 20)
y <- rnorm(100)
fit1 <- glmnet(x, y)

# summarize model fit with tidiers + visualization
tidy(fit1)
glance(fit1)

library(dplyr)
library(ggplot2)

tidied <- tidy(fit1) |> filter(term != "(Intercept)")

ggplot(tidied, aes(step, estimate, group = term)) +
  geom_line()

ggplot(tidied, aes(lambda, estimate, group = term)) +
  geom_line() +
  scale_x_log10()
```

```
ggplot(tidied, aes(lambda, dev.ratio)) +
  geom_line()

# works for other types of regressions as well, such as logistic
g2 <- sample(1:2, 100, replace = TRUE)
fit2 <- glmnet(x, g2, family = "binomial")
tidy(fit2)
```

---

`tidy.glmRob`

*Tidy a(n) glmRob object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'glmRob'
tidy(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | A <code>glmRob</code> object returned from <a href="#">robust::glmRob()</a> .   |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Details

For tidiers for robust models from the **MASS** package see [tidy.rlm\(\)](#).

## See Also

[robust::glmRob\(\)](#)

Other robust tidiers: [augment.lmRob\(\)](#), [glance.glmRob\(\)](#), [glance.lmRob\(\)](#), [tidy.lmRob\(\)](#)

## Examples

```
# load libraries for models and data
library(robust)

# fit model
gm <- glmRob(am ~ wt, data = mtcars, family = "binomial")

# summarize model fit with tidiers
tidy(gm)
glance(gm)
```

---

tidy.glmrob

*Tidy a(n) glmrob object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'glmrob'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

- |                         |   |
|-------------------------|---|
| <code>x</code>          | A <code>glmrob</code> object returned from <code>robustbase:::glmrob()</code> .   |
| <code>conf.int</code>   | Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to <code>FALSE</code> .   |
| <code>conf.level</code> | The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.   |
| <code>...</code>        | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

**Details**

For tidiers for robust models from the **MASS** package see [tidy.rlm\(\)](#).

**Value**

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

**See Also**

[robustbase:::glmrob\(\)](#)

Other robustbase tidiers: [augment.glmrob\(\)](#), [augment.lmrob\(\)](#), [glance.lmrob\(\)](#), [tidy.lmrob\(\)](#)

**Examples**

```
if (requireNamespace("robustbase", quietly = TRUE)) {
  # load libraries for models and data
  library(robustbase)

  data(coleman)
  set.seed(0)

  m <- lmrob(Y ~ ., data = coleman)
  tidy(m)
  augment(m)
  glance(m)

  data(carrots)

  Rfit <- glmrob(cbind(success, total - success) ~ logdose + block,
    family = binomial, data = carrots, method = "Mqle",
    control = glmrobMqle.control(tcc = 1.2)
  )
  tidy(Rfit)
  augment(Rfit)
}
```

---

tidy.gmm	<i>Tidy a(n) gmm object</i>
----------	-----------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'gmm'
tidy(x, conf.int = FALSE, conf.level = 0.95, exponentiate = FALSE, ...)
```

## Arguments

<code>x</code>	A <code>gmm</code> object returned from <code>gmm::gmm()</code> .
<code>conf.int</code>	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to <code>FALSE</code> .
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>exponentiate</code>	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to <code>FALSE</code> .
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.

statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[tidy\(\)](#), [gmm::gmm\(\)](#)

Other gmm tidiers: [glance.gmm\(\)](#)

## Examples

```
# load libraries for models and data
library(gmm)

# examples come from the "gmm" package
# CAPM test with GMM
data(Finance)
r <- Finance[1:300, 1:10]
rm <- Finance[1:300, "rm"]
rf <- Finance[1:300, "rf"]

z <- as.matrix(r - rf)
t <- nrow(z)
zm <- rm - rf
h <- matrix(zm, t, 1)
res <- gmm(z ~ zm, x = h)

# tidy result
tidy(res)
tidy(res, conf.int = TRUE)
tidy(res, conf.int = TRUE, conf.level = .99)

# coefficient plot
library(ggplot2)
library(dplyr)

tidy(res, conf.int = TRUE) |>
  mutate(variable = reorder(term, estimate)) |>
  ggplot(aes(estimate, variable)) +
  geom_point() +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high)) +
  geom_vline(xintercept = 0, color = "red", lty = 2)

# from a function instead of a matrix
g <- function(theta, x) {
  e <- x[, 2:11] - theta[1] - (x[, 1] - theta[1]) %*% matrix(theta[2:11], 1, 10)
  gmat <- cbind(e, e * c(x[, 1]))
  return(gmat)
}
```

```

x <- as.matrix(cbind(rm, r))
res_black <- gmm(g, x = x, t0 = rep(0, 11))

tidy(res_black)
tidy(res_black, conf.int = TRUE)

# APT test with Fama-French factors and GMM

f1 <- zm
f2 <- Finance[1:300, "hml"] - rf
f3 <- Finance[1:300, "smb"] - rf
h <- cbind(f1, f2, f3)
res2 <- gmm(z ~ f1 + f2 + f3, x = h)

td2 <- tidy(res2, conf.int = TRUE)
td2

# coefficient plot
td2 |>
  mutate(variable = reorder(term, estimate)) |>
  ggplot(aes(estimate, variable)) +
  geom_point() +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high)) +
  geom_vline(xintercept = 0, color = "red", lty = 2)

```

---

tidy.htest

*Tidy/glance a(n) htest object*

---

## Description

For models that have only a single component, the [tidy\(\)](#) and [glance\(\)](#) methods are identical. Please see the documentation for both of those methods.

## Usage

```

## S3 method for class 'htest'
tidy(x, ...)

## S3 method for class 'htest'
glance(x, ...)

```

## Arguments

**x** An `htest` object, such as those created by [stats::cor.test\(\)](#), [stats::t.test\(\)](#), [stats::wilcox.test\(\)](#), [stats::chisq.test\(\)](#), etc.

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>alternative</code>	Alternative hypothesis (character).
<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>estimate1</code>	Sometimes two estimates are computed, such as in a two-sample t-test.
<code>estimate2</code>	Sometimes two estimates are computed, such as in a two-sample t-test.
<code>method</code>	Method used.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>parameter</code>	The parameter being modeled.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.

## See Also

`tidy()`, `stats::cor.test()`, `stats::t.test()`, `stats::wilcox.test()`, `stats::chisq.test()`

Other htest tidiers: `augment.htest()`, `tidy.pairwise.htest()`, `tidy.power.htest()`

## Examples

```
tt <- t.test(rnorm(10))

tidy(tt)

# the glance output will be the same for each of the below tests
glance(tt)

tt <- t.test(mpg ~ am, data = mtcars)

tidy(tt)

wt <- wilcox.test(mpg ~ am, data = mtcars, conf.int = TRUE, exact = FALSE)

tidy(wt)
```

---

```
ct <- cor.test(mtcars$wt, mtcars$mpg)

tidy(ct)

chit <- chisq.test(xtabs(Freq ~ Sex + Class, data = as.data.frame(Titanic)))

tidy(chit)
augment(chit)
```

---

**tidy.ivreg***Tidy a(n) ivreg object***Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'ivreg'
tidy(x, conf.int = FALSE, conf.level = 0.95, instruments = FALSE, ...)
```

**Arguments**

- |                          |   |
|--------------------------|---|
| <code>x</code>           | An ivreg object created by a call to <a href="#">AER::ivreg()</a> .   |
| <code>conf.int</code>    | Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.   |
| <code>conf.level</code>  | The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.   |
| <code>instruments</code> | Logical indicating whether to return coefficients from the second-stage or diagnostics tests for each endogenous regressor (F-statistics). Defaults to FALSE.   |
| <code>...</code>         | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Details

This tidier currently only supports ivreg-classed objects outputted by the AER package. The ivreg package also outputs objects of class ivreg, and will be supported in a later release.

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>p.value.Sargan</code>	p-value for Sargan test of overidentifying restrictions.
<code>p.value.weakinst</code>	p-value for weak instruments test.
<code>p.value.Wu.Hausman</code>	p-value for Wu-Hausman weak instruments test for endogeneity.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>statistic.Sargan</code>	Statistic for Sargan test of overidentifying restrictions.
<code>statistic.weakinst</code>	Statistic for Wu-Hausman test.
<code>statistic.Wu.Hausman</code>	Statistic for Wu-Hausman weak instruments test for endogeneity.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

## See Also

[tidy\(\)](#), [AER::ivreg\(\)](#)

Other ivreg tidiers: [augment.ivreg\(\)](#), [glance.ivreg\(\)](#)

## Examples

```
# load libraries for models and data
library(AER)

# load data
data("CigarettesSW", package = "AER")

# fit model
ivr <- ivreg(
  log(packs) ~ income | population,
  data = CigarettesSW,
  subset = year == "1995"
```

```
)  
  
# summarize model fit with tidiers  
tidy(ivr)  
tidy(ivr, conf.int = TRUE)  
tidy(ivr, conf.int = TRUE, instruments = TRUE)  
  
augment(ivr)  
augment(ivr, data = CigarettesSW)  
augment(ivr, newdata = CigarettesSW)  
  
glance(ivr)
```

---

**tidy.kappa***Tidy a(n) kappa object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'kappa'  
tidy(x, ...)
```

**Arguments**

- |                  |  |
|------------------|--|
| <code>x</code>   | A kappa object returned from <a href="#">psych::cohen.kappa()</a> .  |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"><li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li><li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li></ul> |

**Details**

Note that confidence level (alpha) for the confidence interval cannot be set in `tidy`. Instead you must set the `alpha` argument to [psych::cohen.kappa\(\)](#) when creating the kappa object.

**Value**

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>type</code>	Either ‘weighted’ or ‘unweighted’.

**See Also**

`tidy()`, `psych::cohen.kappa()`

**Examples**

```
# load libraries for models and data
library(psych)

# generate example data
rater1 <- 1:9
rater2 <- c(1, 3, 1, 6, 1, 5, 5, 6, 7)

# fit model
ck <- cohen.kappa(cbind(rater1, rater2))

# summarize model fit with tidiers + visualization
tidy(ck)

# graph the confidence intervals
library(ggplot2)

ggplot(tidy(ck), aes(estimate, type)) +
  geom_point() +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high))
```

---

`tidy.kde`

*Tidy a(n) kde object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'kde'  
tidy(x, ...)
```

## Arguments

x	A kde object returned from <a href="#">ks::kde()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"><li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li><li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li></ul>

## Details

Returns a data frame in long format with four columns. Use `tidy::pivot_wider(..., names_from = variable, values_from = value)` on the output to return to a wide format.

## Value

A `tibble::tibble()` with columns:

estimate	The estimated value of the regression term.
obs	weighted observed number of events in each group.
value	The value/estimate of the component. Results from data reshaping.
variable	Variable under consideration.

## See Also

[tidy\(\)](#), [ks::kde\(\)](#)

## Examples

```
# load libraries for models and data  
library(ks)  
  
# generate data  
dat <- replicate(2, rnorm(100))  
k <- kde(dat)  
  
# summarize model fit with tidiers + visualization  
td <- tidy(k)  
td
```

```

library(ggplot2)
library(dplyr)
library(tidyr)

td |>
  pivot_wider(c(obs, estimate),
  names_from = variable,
  values_from = value
) |>
  ggplot(aes(x1, x2, fill = estimate)) +
  geom_tile() +
  theme_void()

# also works with 3 dimensions
dat3 <- replicate(3, rnorm(100))
k3 <- kde(dat3)

td3 <- tidy(k3)
td3

```

---

tidy.Kendall

*Tidy a(n) Kendall object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'Kendall'
tidy(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A Kendall object returned from a call to <a href="#">Kendall::Kendall()</a> , <a href="#">Kendall::MannKendall()</a> , or <a href="#">Kendall::SeasonalMannKendall()</a> .  |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

**Value**

A `tibble:::tibble()` with columns:

`kendall_score` Kendall score.  
`p.value` The two-sided p-value associated with the observed statistic.  
`var_kendall_score` Variance of the `kendall_score`.  
`statistic` Kendall's tau statistic  
`denominator` The denominator, which is  $\tau = \text{kendall\_score}/\text{denominator}$ .

**See Also**

[tidy\(\)](#), [Kendall:::Kendall\(\)](#), [Kendall:::MannKendall\(\)](#), [Kendall:::SeasonalMannKendall\(\)](#)

**Examples**

```
# load libraries for models and data
library(Kendall)

A <- c(2.5, 2.5, 2.5, 2.5, 5, 6.5, 6.5, 10, 10, 10, 10, 10, 14, 14, 14, 16, 17)
B <- c(1, 1, 1, 1, 2, 1, 1, 2, 1, 1, 1, 1, 1, 1, 2, 2, 2)

# fit models and summarize results
f_res <- Kendall(A, B)
tidy(f_res)

s_res <- MannKendall(B)
tidy(s_res)

t_res <- SeasonalMannKendall(ts(A))
tidy(t_res)
```

---

`tidy.kmeans` *Tidy a(n) kmeans object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'kmeans'
tidy(x, col.names = colnames(x$centers), ...)
```

## Arguments

x	A kmeans object created by <a href="#">stats::kmeans()</a> .
col.names	Dimension names. Defaults to the names of the variables in x. Set to NULL to get names x1, x2, ...
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul>

## Value

A [tibble::tibble\(\)](#) with columns:

cluster	A factor describing the cluster from 1:k.
size	Number of points assigned to cluster.
withinss	The within-cluster sum of squares.

## See Also

[tidy\(\)](#), [stats::kmeans\(\)](#)

Other kmeans tidiers: [augment.kmeans\(\)](#), [glance.kmeans\(\)](#)

## Examples

```
library(cluster)
library(modeldata)
library(dplyr)

data(hpc_data)

x <- hpc_data[, 2:5]

fit <- pam(x, k = 4)

tidy(fit)
glance(fit)
augment(fit, x)
```

---

tidy.lavaan	<i>Tidy a(n) lavaan object</i>
-------------	--------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'lavaan'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A lavaan object, such as those returned from <a href="#">lavaan::cfa()</a> , and <a href="#">lavaan::sem()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments passed to <a href="#">lavaan::parameterEstimates()</a> . <b>Cautionary note:</b> Misspecified arguments may be silently ignored.

## Value

A [tibble:::tibble\(\)](#) with one row for each estimated parameter and columns:

term	The result of paste(lhs, op, rhs)
op	The operator in the model syntax (e.g. <code>~~</code> for covariances, or <code>~</code> for regression parameters)
group	The group (if specified) in the lavaan model
estimate	The parameter estimate (may be standardized)
std.error	
statistic	The z value returned by <a href="#">lavaan::parameterEstimates()</a>
p.value	
conf.low	
conf.high	
std.lv	Standardized estimates based on the variances of the (continuous) latent variables only
std.all	Standardized estimates based on both the variances of both (continuous) observed and latent variables.
std.nox	Standardized estimates based on both the variances of both (continuous) observed and latent variables, but not the variances of exogenous covariates.

**See Also**

[tidy\(\)](#), [lavaan::cfa\(\)](#), [lavaan::sem\(\)](#), [lavaan::parameterEstimates\(\)](#)

Other lavaan tidiers: [glance.lavaan\(\)](#)

**Examples**

```
# load libraries for models and data
library(lavaan)

cfa.fit <- cfa("F =~ x1 + x2 + x3 + x4 + x5 + x6 + x7 + x8 + x9",
  data = HolzingerSwineford1939, group = "school"
)

tidy(cfa.fit)
```

---

**tidy.lm**

*Tidy a(n) lm object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'lm'
tidy(x, conf.int = FALSE, conf.level = 0.95, exponentiate = FALSE, ...)
```

**Arguments**

- |                     |  |
|---------------------|--|
| <b>x</b>            | An lm object created by <a href="#">stats::lm()</a> .  |
| <b>conf.int</b>     | Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.  |
| <b>conf.level</b>   | The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.          |
| <b>exponentiate</b> | Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE. |

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

If the linear model is an `mlm` object (multiple linear model), there is an additional column `response`. See [tidy.mlm\(\)](#).

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

## See Also

[tidy\(\)](#), [stats:::summary.lm\(\)](#)

Other lm tidiers: [augment.glm\(\)](#), [augment.lm\(\)](#), [glance.glm\(\)](#), [glance.lm\(\)](#), [glance.summary.lm\(\)](#), [glance.svyglm\(\)](#), [tidy.glm\(\)](#), [tidy.lm.beta\(\)](#), [tidy.mlm\(\)](#), [tidy.summary.lm\(\)](#)

## Examples

```
library(ggplot2)
library(dplyr)

mod <- lm(mpg ~ wt + qsec, data = mtcars)

tidy(mod)
glance(mod)

# coefficient plot
d <- tidy(mod, conf.int = TRUE)
```

```

ggplot(d, aes(estimate, term, xmin = conf.low, xmax = conf.high, height = 0)) +
  geom_point() +
  geom_vline(xintercept = 0, lty = 4) +
  geom_errorbarh()

# aside: There are tidy() and glance() methods for lm.summary objects too.
# this can be useful when you want to conserve memory by converting large lm
# objects into their leaner summary.lm equivalents.
s <- summary(mod)
tidy(s, conf.int = TRUE)
glance(s)

augment(mod)
augment(mod, mtcars, interval = "confidence")

# predict on new data
newdata <- mtcars |>
  head(6) |>
  mutate(wt = wt + 1)
augment(mod, newdata = newdata)

# ggplot2 example where we also construct 95% prediction interval

# simpler bivariate model since we're plotting in 2D
mod2 <- lm(mpg ~ wt, data = mtcars)

au <- augment(mod2, newdata = newdata, interval = "prediction")

ggplot(au, aes(wt, mpg)) +
  geom_point() +
  geom_line(aes(y = .fitted)) +
  geom_ribbon(aes(ymin = .lower, ymax = .upper), col = NA, alpha = 0.3)

# predict on new data without outcome variable. Output does not include .resid
newdata <- newdata |>
  select(-mpg)

augment(mod, newdata = newdata)

au <- augment(mod, data = mtcars)

ggplot(au, aes(.hat, .std.resid)) +
  geom_vline(size = 2, colour = "white", xintercept = 0) +
  geom_hline(size = 2, colour = "white", yintercept = 0) +
  geom_point() +
  geom_smooth(se = FALSE)

plot(mod, which = 6)

ggplot(au, aes(.hat, .cooksdi)) +
  geom_vline(xintercept = 0, colour = NA) +
  geom_abline(slope = seq(0, 3, by = 0.5), colour = "white") +
  geom_smooth(se = FALSE) +

```

```

  geom_point()

# column-wise models
a <- matrix(rnorm(20), nrow = 10)
b <- a + rnorm(length(a))
result <- lm(b ~ a)

tidy(result)

```

---

tidy.lm.beta	<i>Tidy a(n) lm.beta object</i>
--------------	---------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'lm.beta'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

- |                         |   |
|-------------------------|---|
| <code>x</code>          | An <code>lm.beta</code> object created by <code>lm.beta::lm.beta</code> .   |
| <code>conf.int</code>   | Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to <code>FALSE</code> .   |
| <code>conf.level</code> | The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.   |
| <code>...</code>        | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Details

If the linear model is an `m1m` object (multiple linear model), there is an additional column `response`. If you have missing values in your model data, you may need to refit the model with `na.action = na.exclude`.

**Value**

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

**See Also**

Other lm tidiers: `augment.glm()`, `augment.lm()`, `glance.glm()`, `glance.lm()`, `glance.summary.lm()`, `glance.svyglm()`, `tidy.glm()`, `tidy.lm()`, `tidy.mlm()`, `tidy.summary.lm()`

**Examples**

```
# load libraries for models and data
library(lm.beta)

# fit models
mod <- stats::lm(speed ~ ., data = cars)
std <- lm.beta(mod)

# summarize model fit with tidiers
tidy(std, conf.int = TRUE)

# generate data
ctl <- c(4.17, 5.58, 5.18, 6.11, 4.50, 4.61, 5.17, 4.53, 5.33, 5.14)
trt <- c(4.81, 4.17, 4.41, 3.59, 5.87, 3.83, 6.03, 4.89, 4.32, 4.69)
group <- gl(2, 10, 20, labels = c("Ctl", "Trt"))
weight <- c(ctl, trt)

# fit models
mod2 <- lm(weight ~ group)
std2 <- lm.beta(mod2)

# summarize model fit with tidiers
tidy(std2, conf.int = TRUE)
```

---

tidy.lmodel2	<i>Tidy a(n) lmodel2 object</i>
--------------	---------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'lmodel2'
tidy(x, ...)
```

## Arguments

x	A lmodel2 object returned by <code>lmodel2::lmodel2()</code> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>
<hr/>	

## Details

There are always only two terms in an lmodel2: "Intercept" and "Slope". These are computed by four methods: OLS (ordinary least squares), MA (major axis), SMA (standard major axis), and RMA (ranged major axis).

The returned p-value is one-tailed and calculated via a permutation test. A permutational test is used because distributional assumptions may not be valid. More information can be found in `vignette("mod2user", package = "lmodel2")`.

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
term	The name of the regression term.
method	Either OLS/MA/SMA/RMA

**See Also**

[tidy\(\)](#), [lmodel2::lmodel2\(\)](#)  
 Other lmodel2 tidiers: [glance.lmodel2\(\)](#)

**Examples**

```
# load libraries for models and data
library(lmodel2)

data(mod2ex2)
Ex2.res <- lmodel2(Prey ~ Predators, data = mod2ex2, "relative", "relative", 99)
Ex2.res

# summarize model fit with tidiers + visualization
tidy(Ex2.res)
glance(Ex2.res)

# this allows coefficient plots with ggplot2
library(ggplot2)

ggplot(tidy(Ex2.res), aes(estimate, term, color = method)) +
  geom_point() +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high)) +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high))
```

---

**tidy.lmRob**

*Tidy a(n) lmRob object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'lmRob'
tidy(x, ...)
```

**Arguments**

**x** A lmRob object returned from [robust::lmRob\(\)](#).

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

For tidiers for robust models from the **MASS** package see [tidy.rlm\(\)](#).

## See Also

[robust::lmRob\(\)](#)

Other robust tidiers: [augment.lmRob\(\)](#), [glance.glmRob\(\)](#), [glance.lmRob\(\)](#), [tidy.glmRob\(\)](#)

## Examples

```
# load modeling library
library(robust)

# fit model
m <- lmRob(mpg ~ wt, data = mtcars)

# summarize model fit with tidiers
tidy(m)
augment(m)
glance(m)
```

---

tidy.lmrob

*Tidy a(n) lmrob object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'lmrob'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A lmrob object returned from <a href="#">robustbase::lmrob()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul>

## Details

For tidiers for robust models from the **MASS** package see [tidy.rlm\(\)](#).

## See Also

[robustbase::lmrob\(\)](#)

Other robustbase tidiers: [augment.glmrob\(\)](#), [augment.lmrob\(\)](#), [glance.lmrob\(\)](#), [tidy.glmrob\(\)](#)

## Examples

```
if (requireNamespace("robustbase", quietly = TRUE)) {
  # load libraries for models and data
  library(robustbase)

  data(coleman)
  set.seed(0)

  m <- lmrob(Y ~ ., data = coleman)
  tidy(m)
  augment(m)
  glance(m)

  data(carrots)

  Rfit <- glmrob(cbind(success, total - success) ~ logdose + block,
    family = binomial, data = carrots, method = "Mqle",
    control = glmrobMqle.control(tcc = 1.2)
  )

  tidy(Rfit)
  augment(Rfit)
```

```
}
```

---

tidy.lsmobj	<i>Tidy a(n) lsmobj object</i>
-------------	--------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'lsmobj'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	An <code>lsmobj</code> object.
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments passed to <code>emmeans::summary.emmGrid()</code> or <code>lsmeans::summary.ref.grid()</code> . <b>Cautionary note:</b> misspecified arguments may be silently ignored!

## Details

Returns a data frame with one observation for each estimated marginal mean, and one column for each combination of factors. When the input is a contrast, each row will contain one estimated contrast.

There are a large number of arguments that can be passed on to `emmeans::summary.emmGrid()` or `lsmeans::summary.ref.grid()`.

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
contrast	Levels being compared.
df	Degrees of freedom used by this term in the model.
null.value	Value to which the estimate is compared.

p.value	The two-sided p-value associated with the observed statistic.
std.error	The standard error of the regression term.
estimate	Expected marginal mean
statistic	T-ratio statistic

## See Also

[tidy\(\)](#), [emmeans::ref\\_grid\(\)](#), [emmeans::emmeans\(\)](#), [emmeans::contrast\(\)](#)  
 Other emmeans tidiers: [tidy.emmGrid\(\)](#), [tidy.ref.grid\(\)](#), [tidy.summary\\_emm\(\)](#)

## Examples

```
# load libraries for models and data
library(emmeans)

# linear model for sales of oranges per day
oranges_lm1 <- lm(sales1 ~ price1 + price2 + day + store, data = oranges)

# reference grid; see vignette("basics", package = "emmeans")
oranges_rg1 <- ref_grid(oranges_lm1)
td <- tidy(oranges_rg1)
td

# marginal averages
marginal <- emmeans(oranges_rg1, "day")
tidy(marginal)

# contrasts
tidy(contrast(marginal))
tidy(contrast(marginal, method = "pairwise"))

# plot confidence intervals
library(ggplot2)

ggplot(tidy(marginal, conf.int = TRUE), aes(day, estimate)) +
  geom_point() +
  geom_errorbar(aes(ymin = conf.low, ymax = conf.high))

# by multiple prices
by_price <- emmeans(oranges_lm1, "day",
  by = "price2",
  at = list(
    price1 = 50, price2 = c(40, 60, 80),
    day = c("2", "3", "4")
  )
)

by_price

tidy(by_price)
```

```
ggplot(tidy(by_price, conf.int = TRUE), aes(price2, estimate, color = day)) +
  geom_line() +
  geom_errorbar(aes(ymin = conf.low, ymax = conf.high))

# joint_tests
tidy(joint_tests(oranges_lm1))
```

---

tidy.manova*Tidy a(n) manova object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'manova'
tidy(x, test = "Pillai", ...)
```

## Arguments

x	A manova object return from <a href="#">stats:::manova()</a> .
test	One of "Pillai" (Pillai's trace), "Wilks" (Wilk's lambda), "Hotelling-Lawley" (Hotelling-Lawley trace) or "Roy" (Roy's greatest root) indicating which test statistic should be used. Defaults to "Pillai".
...	Arguments passed on to <a href="#">stats:::summary.manova</a>
	object An object of class "manova" or an aov object with multiple responses.
	intercept logical. If TRUE, the intercept term is included in the table.
	tol tolerance to be used in deciding if the residuals are rank-deficient: see <a href="#">qr</a> .

## Details

Depending on which test statistic is specified only one of `pillai`, `wilks`, `hl` or `roy` is included.

## Value

A [tibble:::tibble\(\)](#) with columns:

den.df	Degrees of freedom of the denominator.
num.df	Degrees of freedom.
p.value	The two-sided p-value associated with the observed statistic.

statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
term	The name of the regression term.
pillai	Pillai's trace.
wilks	Wilk's lambda.
hl	Hotelling-Lawley trace.
roy	Roy's greatest root.

## See Also

[tidy\(\)](#), [stats::summary.manova\(\)](#)

Other anova tidiers: [glance.anova\(\)](#), [glance.aov\(\)](#), [tidy.TukeyHSD\(\)](#), [tidy.anova\(\)](#), [tidy.aov\(\)](#), [tidy.aovlist\(\)](#)

## Examples

```
npk2 <- within(npk, foo <- rnorm(24))
m <- manova(cbind(yield, foo) ~ block + N * P * K, npk2)
tidy(m)
```

---

`tidy.map`

*Tidy a(n) map object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'map'
tidy(x, ...)
```

## Arguments

<code>x</code>	A <code>map</code> object returned from <a href="#">maps::map()</a> .
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

### Value

A `tibble::tibble()` with columns:

term	The name of the regression term.
long	Longitude.
lat	Latitude.

Remaining columns give information on geographic attributes and depend on the inputted map object. See `?maps::map` for more information.

### See Also

`tidy()`, `maps::map()`

### Examples

```
# load libraries for models and data
library(maps)
library(ggplot2)

ca <- map("county", "ca", plot = FALSE, fill = TRUE)

tidy(ca)

qplot(long, lat, data = ca, geom = "polygon", group = group)

tx <- map("county", "texas", plot = FALSE, fill = TRUE)
tidy(tx)
qplot(long, lat,
      data = tx, geom = "polygon", group = group,
      colour = I("white"))
)
```

---

`tidy.margins` *Tidy a(n) margins object*

---

### Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

### Usage

```
## S3 method for class 'margins'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A margins object returned from <code>margins::margins()</code> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

The `margins` package provides a way to obtain coefficient marginal effects for a variety of (non-linear) models, such as logit or models with multiway interaction terms. Note that the `glance.margins()` method requires rerunning the underlying model again, which can take some time. Similarly, an `augment.margins()` method is not currently supported, but users can simply run the underlying model to obtain the same information.

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

`tidy()`, `margins::margins()`

## Examples

```
# load libraries for models and data
library(margins)

# example 1: logit model
mod_log <- glm(am ~ cyl + hp + wt, data = mtcars, family = binomial)

# get tidied "naive" model coefficients
tidy(mod_log)

# convert to marginal effects with margins()
marg_log <- margins(mod_log)

# get tidied marginal effects
tidy(marg_log)
tidy(marg_log, conf.int = TRUE)

# requires running the underlying model again. quick for this example
glance(marg_log)

# augmenting `margins` outputs isn't supported, but
# you can get the same info by running on the underlying model
augment(mod_log)

# example 2: threeway interaction terms
mod_ie <- lm(mpg ~ wt * cyl * disp, data = mtcars)

# get tidied "naive" model coefficients
tidy(mod_ie)

# convert to marginal effects with margins()
marg_ie0 <- margins(mod_ie)
# get tidied marginal effects
tidy(marg_ie0)
glance(marg_ie0)

# marginal effects evaluated at specific values of a variable (here: cyl)
marg_ie1 <- margins(mod_ie, at = list(cyl = c(4,6,8)))

# summarize model fit with tidiers
tidy(marg_ie1)

# marginal effects of one interaction variable (here: wt), modulated at
# specific values of the two other interaction variables (here: cyl and drat)
marg_ie2 <- margins(mod_ie,
                     variables = "wt",
                     at = list(cyl = c(4,6,8), drat = c(3, 3.5, 4)))

# summarize model fit with tidiers
tidy(marg_ie2)
```

---

tidy.Mclust	<i>Tidy a(n) Mclust object</i>
-------------	--------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'Mclust'
tidy(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | An Mclust object return from <a href="#">mclust:::Mclust()</a> .  |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

## Value

A [tibble:::tibble\(\)](#) with columns:

- |            |   |
|------------|---|
| proportion | The mixing proportion of each component   |
| size       | Number of points assigned to cluster.   |
| mean       | The mean for each component. In case of 2+ dimensional models, a column with the mean is added for each dimension. NA for noise component |
| variance   | In case of one-dimensional and spherical models, the variance for each component, omitted otherwise. NA for noise component               |
| component  | Cluster id as a factor.   |

## See Also

[tidy\(\)](#), [mclust:::Mclust\(\)](#)

Other mclust tidiers: [augment.Mclust\(\)](#)

## Examples

```
# load library for models and data
library(mclust)

# load data manipulation libraries
library(dplyr)
library(tibble)
library(purrr)
library(tidyr)

set.seed(27)

centers <- tibble(
  cluster = factor(1:3),
  # number points in each cluster
  num_points = c(100, 150, 50),
  # x1 coordinate of cluster center
  x1 = c(5, 0, -3),
  # x2 coordinate of cluster center
  x2 = c(-1, 1, -2)
)

points <- centers |>
  mutate(
    x1 = map2(num_points, x1, rnorm),
    x2 = map2(num_points, x2, rnorm)
  ) |>
  select(-num_points, -cluster) |>
  unnest(c(x1, x2))

# fit model
m <- Mclust(points)

# summarize model fit with tidiers
tidy(m)
augment(m, points)
glance(m)
```

---

tidy.mediate

*Tidy a(n) mediate object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'mediate'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A <code>mediate</code> object produced by a call to <a href="#">mediation::mediate()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

The tibble has four rows. The first two indicate the mediated effect in the control and treatment groups, respectively. And the last two the direct effect in each group.

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[tidy\(\)](#), [mediation::mediate\(\)](#)

## Examples

```
# load libraries for models and data
library(mediation)

data("jobs", package = "mediation")

# fit models
b <- lm(job_seek ~ treat + econ_hard + sex + age, data = jobs)
c <- lm(depress2 ~ treat + job_seek + econ_hard + sex + age, data = jobs)
mod <- mediate(b, c, sims = 50, treat = "treat", mediator = "job_seek")

# summarize model fit with tidiers
tidy(mod)
tidy(mod, conf.int = TRUE)
tidy(mod, conf.int = TRUE, conf.level = .99)
```

---

tidy.mfx

*Tidy a(n) mfx object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

The particular functions below provide generic tidy methods for objects returned by the `mfx` package, preserving the calculated marginal effects instead of the naive model coefficients. The returned tidy tibble will also include an additional "atmean" column indicating how the marginal effects were originally calculated (see Details below).

## Usage

```
## S3 method for class 'mfx'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)

## S3 method for class 'logitmfx'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)

## S3 method for class 'negbinmfx'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)

## S3 method for class 'poissonmfx'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)

## S3 method for class 'probitmfx'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A <code>logitmfx</code> , <code>negbinmfx</code> , <code>poissonmfx</code> , or <code>probitmfx</code> object. (Note that <code>betamfx</code> objects receive their own set of tidiers.)
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

The `mfx` package provides methods for calculating marginal effects for various generalized linear models (GLMs). Unlike standard linear models, estimated model coefficients in a GLM cannot be directly interpreted as marginal effects (i.e., the change in the response variable predicted after a one unit change in one of the regressors). This is because the estimated coefficients are multiplicative, dependent on both the link function that was used for the estimation and any other variables that were included in the model. When calculating marginal effects, users must typically choose whether they want to use i) the average observation in the data, or ii) the average of the sample marginal effects. See `vignette("mfxarticle")` from the `mfx` package for more details.

## Value

A `tibble:::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.
atmean	TRUE if the marginal effects were originally calculated as the partial effects for the average observation. If FALSE, then these were instead calculated as average partial effects.

**See Also**

[tidy\(\)](#), [mfx::logitmfx\(\)](#), [mfx::negbinmfx\(\)](#), [mfx::poissonmfx\(\)](#), [mfx::probitmfx\(\)](#)  
 Other mfx tidiers: [augment.betamfx\(\)](#), [augment.mfx\(\)](#), [glance.betamfx\(\)](#), [glance.mfx\(\)](#),  
[tidy.betamfx\(\)](#)

**Examples**

```
# load libraries for models and data
library(mfx)

# get the marginal effects from a logit regression
mod_logmfx <- logitmfx(am ~ cyl + hp + wt, atmean = TRUE, data = mtcars)

tidy(mod_logmfx, conf.int = TRUE)

# compare with the naive model coefficients of the same logit call
tidy(
  glm(am ~ cyl + hp + wt, family = binomial, data = mtcars),
  conf.int = TRUE
)

augment(mod_logmfx)
glance(mod_logmfx)

# another example, this time using probit regression
mod_probmfx <- probitmfx(am ~ cyl + hp + wt, atmean = TRUE, data = mtcars)

tidy(mod_probmfx, conf.int = TRUE)
augment(mod_probmfx)
glance(mod_probmfx)
```

---

tidy.mjoint*Tidy a(n) mjoint object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'mjoint'
tidy(
  x,
```

```

  component = "survival",
  conf.int = FALSE,
  conf.level = 0.95,
  boot_se = NULL,
  ...
)

```

## Arguments

x	An <code>mjoint</code> object returned from <a href="#">joineRML::mjoint()</a> .
component	Character specifying whether to tidy the survival or the longitudinal component of the model. Must be either "survival" or "longitudinal". Defaults to "survival".
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int</code> = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
boot_se	Optionally a <code>bootSE</code> object from <a href="#">joineRML::bootSE()</a> . If specified, calculates confidence intervals via the bootstrap. Defaults to NULL, in which case standard errors are calculated from the empirical information matrix.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

**See Also**

[tidy\(\)](#), [joineRML::mjoint\(\)](#), [joineRML::bootSE\(\)](#)

Other mjoint tidiers: [glance.mjoint\(\)](#)

**Examples**

```
# broom only skips running these examples because the example models take a
# while to generate—they should run just fine, though!
## Not run:

# load libraries for models and data
library(joineRML)

# fit a joint model with bivariate longitudinal outcomes
data(heart.valve)

hvd <- heart.valve[!is.na(heart.valve$log.grad) &
  !is.na(heart.valve$log.lvmi) &
  heart.valve$num <= 50, ]

fit <- mjoint(
  formLongFixed = list(
    "grad" = log.grad ~ time + sex + hs,
    "lvmi" = log.lvmi ~ time + sex
  ),
  formLongRandom = list(
    "grad" = ~ 1 | num,
    "lvmi" = ~ time | num
  ),
  formSurv = Surv(fuyears, status) ~ age,
  data = hvd,
  inits = list("gamma" = c(0.11, 1.51, 0.80)),
  timeVar = "time"
)

# extract the survival fixed effects
tidy(fit)

# extract the longitudinal fixed effects
tidy(fit, component = "longitudinal")

# extract the survival fixed effects with confidence intervals
tidy(fit, ci = TRUE)

# extract the survival fixed effects with confidence intervals based
# on bootstrapped standard errors
bSE <- bootSE(fit, nboot = 5, safe.boot = TRUE)
tidy(fit, boot_se = bSE, ci = TRUE)

# augment original data with fitted longitudinal values and residuals
```

```

hvd2 <- augment(fit)

# extract model statistics
glance(fit)

## End(Not run)

```

---

tidy.mle2*Tidy a(n) mle2 object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'mle2'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

**Arguments**

- |                         |   |
|-------------------------|---|
| <code>x</code>          | An <code>mle2</code> object created by a call to <code>bbmle::mle2()</code> .   |
| <code>conf.int</code>   | Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to <code>FALSE</code> .   |
| <code>conf.level</code> | The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.   |
| <code>...</code>        | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li><code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li><code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

**Value**

A `tibble::tibble()` with columns:

- |                        |  |
|------------------------|--|
| <code>conf.high</code> | Upper bound on the confidence interval for the estimate. |
|------------------------|--|

conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[tidy\(\)](#), [bbmle::mle2\(\)](#), [tidy\\_optim\(\)](#)

## Examples

```
# load libraries for models and data
library(bbmle)

# generate data
x <- 0:10
y <- c(26, 17, 13, 12, 20, 5, 9, 8, 5, 4, 8)
d <- data.frame(x, y)

# fit model
fit <- mle2(y ~ dpois(lambda = ymean),
  start = list(ymean = mean(y)), data = d
)

# summarize model fit with tidiers
tidy(fit)
```

---

tidy.mlm

*Tidy a(n) mlm object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'mlm'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	An <code>mlm</code> object created by <code>stats::lm()</code> with a matrix as the response.
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to <code>FALSE</code> .
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

In contrast to `lm` object (simple linear model), `tidy` output for `mlm` (multiple linear model) objects contain an additional column `response`.

If you have missing values in your model data, you may need to refit the model with `na.action = na.exclude`.

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

`tidy()`

Other `lm` tidiers: `augment.glm()`, `augment.lm()`, `glance.glm()`, `glance.lm()`, `glance.summary.lm()`, `glance.svyglm()`, `tidy.glm()`, `tidy.lm()`, `tidy.lm.beta()`, `tidy.summary.lm()`

## Examples

```
# fit model
mod <- lm(cbind(mpg, disp) ~ wt, mtcars)

# summarize model fit with tidiers
tidy(mod, conf.int = TRUE)
```

tidy.mlogit

*Tidying methods for logit models*

## Description

These methods tidy the coefficients of mnl and nl models generated by the functions of the `mlogit` package.

## Usage

```
## S3 method for class 'mlogit'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

- `x` an object returned from [mlogit::mlogit\(\)](#).
- `conf.int` Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
- `conf.level` The confidence level to use for the confidence interval if `conf.int = TRUE`. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A [tibble::tibble\(\)](#) with columns:

- `conf.high` Upper bound on the confidence interval for the estimate.
- `conf.low` Lower bound on the confidence interval for the estimate.
- `estimate` The estimated value of the regression term.

p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[tidy\(\)](#), [mlogit::mlogit\(\)](#)

Other mlogit tidiers: [augment.mlogit\(\)](#), [glance.mlogit\(\)](#)

## Examples

```
# load libraries for models and data
library(mlogit)

data("Fishing", package = "mlogit")
Fish <- dfidx(Fishing, varying = 2:9, shape = "wide", choice = "mode")

# fit model
m <- mlogit(mode ~ price + catch | income, data = Fish)

# summarize model fit with tidiers
tidy(m)
augment(m)
glance(m)
```

---

**tidy.muhaz** *Tidy a(n) muhaz object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'muhaz'
tidy(x, ...)
```

## Arguments

- `x` A `muhaz` object returned by [muhaz::muhaz\(\)](#).
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

- |                       |                        |
|-----------------------|------------------------|
| <code>time</code>     | Point in time.         |
| <code>estimate</code> | Estimated hazard rate. |

## See Also

[tidy\(\)](#), [muhaz::muhaz\(\)](#)

Other `muhaz` tidiers: [glance.muhaz\(\)](#)

## Examples

```
# load libraries for models and data
library(muhaz)
library(survival)

# fit model
x <- muhaz(ovarian$futime, ovarian$fustat)

# summarize model fit with tidiers
tidy(x)
glance(x)
```

---

## Description

These methods tidy the coefficients of multinomial logistic regression models generated by `multinom` of the `nnet` package.

## Usage

```
## S3 method for class 'multinom'
tidy(x, conf.int = FALSE, conf.level = 0.95, exponentiate = FALSE, ...)
```

## Arguments

x	A <code>multinom</code> object returned from <a href="#">nnet::multinom()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
exponentiate	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.
y.value	The response level.

## See Also

[tidy\(\)](#), [nnet::multinom\(\)](#)

Other multinom tidiers: [glance.multinom\(\)](#)

## Examples

```
# load libraries for models and data
library(nnet)
library(MASS)

example(birthwt)

bwt.mu <- multinom(low ~ ., bwt)

tidy(bwt.mu)
glance(bwt.mu)

# or, for output from a multinomial logistic regression
fit.gear <- multinom(gear ~ mpg + factor(am), data = mtcars)
tidy(fit.gear)
glance(fit.gear)
```

---

tidy.negbin	<i>Tidy a(n) negbin object</i>
-------------	--------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'negbin'
tidy(x, conf.int = FALSE, conf.level = 0.95, exponentiate = FALSE, ...)
```

## Arguments

- x A `glm.nb` object returned by [MASS::glm.nb\(\)](#).
- conf.int Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
- conf.level The confidence level to use for the confidence interval if `conf.int = TRUE`. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
- exponentiate Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
- ... For `tidy()`, additional arguments passed to [summary\(\)](#). Otherwise ignored.

**See Also**

[MASS::glm.nb\(\)](#)  
 Other `glm.nb` tidiers: [glance.negbin\(\)](#)

**Examples**

```
# load libraries for models and data
library(MASS)

# fit model
r <- glm.nb(Days ~ Sex / (Age + Eth * Lrn), data = quine)

# summarize model fit with tidiers
tidy(r)
glance(r)
```

---

`tidy.nlrq`

*Tidy a(n) nlrq object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'nlrq'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

**Arguments**

- `x` A `nlrq` object returned from [quantreg::nlrq\(\)](#).
- `conf.int` Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to `FALSE`.
- `conf.level` The confidence level to use for the confidence interval if `conf.int = TRUE`. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

## See Also

`tidy()`, `quantreg::nlrq()`

Other quantreg tidiers: `augment.nlrq()`, `augment.rq()`, `augment.rqs()`, `glance.nlrq()`, `glance.rq()`, `tidy.rq()`, `tidy.rqs()`

## Examples

```
# load modeling library
library(quantreg)

# build artificial data with multiplicative error
set.seed(1)
dat <- NULL
dat$x <- rep(1:25, 20)
dat$y <- SSlogis(dat$x, 10, 12, 2) * rnorm(500, 1, 0.1)

# fit the median using nlrq
mod <- nlrq(y ~ SSlogis(x, Asym, mid, scal),
  data = dat, tau = 0.5, trace = TRUE
)

# summarize model fit with tidiers
tidy(mod)
glance(mod)
augment(mod)
```

---

tidy.nls*Tidy a(n) nls object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'nls'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

**Arguments**

x	An <code>nls</code> object returned from <a href="#">stats::nls()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

**Value**

A [tibble::tibble\(\)](#) with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[tidy](#), [stats::nls\(\)](#), [stats::summary.nls\(\)](#)  
Other nls tidiers: [augment.nls\(\)](#), [glance.nls\(\)](#)

## Examples

```
# fit model
n <- nls(mpg ~ k * e^wt, data = mtcars, start = list(k = 1, e = 2))

# summarize model fit with tidiers + visualization
tidy(n)
augment(n)
glance(n)

library(ggplot2)

ggplot(augment(n), aes(wt, mpg)) +
  geom_point() +
  geom_line(aes(y = .fitted))

newdata <- head(mtcars)
newdata$wt <- newdata$wt + 1

augment(n, newdata = newdata)
```

---

tidy.numeric

*Tidy atomic vectors*

---

## Description

Vector tidiers are deprecated and will be removed from an upcoming release of broom.

## Usage

```
## S3 method for class 'numeric'
tidy(x, ...)

## S3 method for class 'character'
tidy(x, ...)

## S3 method for class 'logical'
tidy(x, ...)
```

## Arguments

- x An object of class "numeric", "integer", "character", or "logical". Most likely a named vector
- ... Extra arguments (not used)

## Details

Turn atomic vectors into data frames, where the names of the vector (if they exist) are a column and the values of the vector are a column.

## See Also

Other deprecated: [bootstrap\(\)](#), [confint\\_tidy\(\)](#), [data.frame\\_tidiers](#), [finish\\_glance\(\)](#), [fix\\_data\\_frame\(\)](#), [summary\\_tidiers](#), [tidy.density\(\)](#), [tidy.dist\(\)](#), [tidy.ftable\(\)](#)

Other deprecated: [bootstrap\(\)](#), [confint\\_tidy\(\)](#), [data.frame\\_tidiers](#), [finish\\_glance\(\)](#), [fix\\_data\\_frame\(\)](#), [summary\\_tidiers](#), [tidy.density\(\)](#), [tidy.dist\(\)](#), [tidy.ftable\(\)](#)

Other deprecated: [bootstrap\(\)](#), [confint\\_tidy\(\)](#), [data.frame\\_tidiers](#), [finish\\_glance\(\)](#), [fix\\_data\\_frame\(\)](#), [summary\\_tidiers](#), [tidy.density\(\)](#), [tidy.dist\(\)](#), [tidy.ftable\(\)](#)

## Examples

```
## Not run:
x <- 1:5
names(x) <- letters[1:5]
tidy(x)

## End(Not run)
```

---

tidy.pairwise.htest *Tidy a(n) pairwise.htest object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'pairwise.htest'
tidy(x, ...)
```

## Arguments

- x A pairwise.htest object such as those returned from `stats::pairwise.t.test()` or `stats::pairwise.wilcox.test()`.
- ... Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
  - `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

Note that in one-sided tests, the alternative hypothesis of each test can be stated as "group1 is greater/less than group2".

Note also that the columns of `group1` and `group2` will always be a factor, even if the original input is (e.g.) numeric.

## Value

A `tibble::tibble()` with columns:

- `group1` First group being compared.
- `group2` Second group being compared.
- `p.value` The two-sided p-value associated with the observed statistic.

## See Also

`stats::pairwise.t.test()`, `stats::pairwise.wilcox.test()`, `tidy()`

Other htest tidiers: `augment.htest()`, `tidy.htest()`, `tidy.power.htest()`

## Examples

```
attach(airquality)
Month <- factor(Month, labels = month.abb[5:9])
ptt <- pairwise.t.test(Ozone, Month)
tidy(ptt)

library(modeldata)
data(hpc_data)
attach(hpc_data)
ptt2 <- pairwise.t.test(compounds, class)
tidy(ptt2)

tidy(pairwise.t.test(compounds, class, alternative = "greater"))
```

```
tidy(pairwise.t.test(compounds, class, alternative = "less"))

tidy(pairwise.wilcox.test(compounds, class))
```

---

tidy.pam

*Tidy a(n) pam object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'pam'
tidy(x, col.names = paste0("x", 1:ncol(x$medoids)), ...)
```

## Arguments

x	An pam object returned from <a href="#">cluster::pam()</a>
col.names	Column names in the input data frame. Defaults to the names of the variables in x.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul>

## Details

For examples, see the pam vignette.

## Value

A [tibble::tibble\(\)](#) with columns:

size	Size of each cluster.
max.diss	Maximal dissimilarity between the observations in the cluster and that cluster's medoid.

avg.diss	Average dissimilarity between the observations in the cluster and that cluster's medoid.
diameter	Diameter of the cluster.
separation	Separation of the cluster.
avg.width	Average silhouette width of the cluster.
cluster	A factor describing the cluster from 1:k.

## See Also

[tidy\(\)](#), [cluster::pam\(\)](#)

Other pam tidiers: [augment.pam\(\)](#), [glance.pam\(\)](#)

## Examples

```
# load libraries for models and data
library(dplyr)
library(ggplot2)
library(cluster)
library(modeldata)
data(hpc_data)

x <- hpc_data[, 2:5]
p <- pam(x, k = 4)

# summarize model fit with tidiers + visualization
tidy(p)
glance(p)
augment(p, x)

augment(p, x) |>
  ggplot(aes(compounds, input_fields)) +
  geom_point(aes(color = .cluster)) +
  geom_text(aes(label = cluster), data = tidy(p), size = 10)
```

---

**tidy.plm**

*Tidy a(n) plm object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'plm'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A <code>plm</code> object returned by <a href="#">plm::plm()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[tidy\(\)](#), [plm::plm\(\)](#), [tidy.lm\(\)](#)

Other `plm` tidiers: [augment.plm\(\)](#), [glance.plm\(\)](#)

## Examples

```
# load libraries for models and data
library(plm)
```

```

# load data
data("Produc", package = "plm")

# fit model
zz <- plm(log(gsp) ~ log(pcap) + log(pc) + log(emp) + unemp,
           data = Produc, index = c("state", "year"))
)

# summarize model fit with tidiers
summary(zz)

tidy(zz)
tidy(zz, conf.int = TRUE)
tidy(zz, conf.int = TRUE, conf.level = 0.9)

augment(zz)
glance(zz)

```

---

tidy.poLCA

*Tidy a(n) poLCA object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'poLCA'
tidy(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A poLCA object returned from <a href="#">poLCA::poLCA()</a> .   |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul> |

**Value**

A `tibble:::tibble()` with columns:

<code>class</code>	The class under consideration.
<code>outcome</code>	Outcome of manifest variable.
<code>std.error</code>	The standard error of the regression term.
<code>variable</code>	Manifest variable
<code>estimate</code>	Estimated class-conditional response probability

**See Also**

[tidy\(\)](#), [poLCA:::poLCA\(\)](#)

Other poLCA tidiers: [augment.poLCA\(\)](#), [glance.poLCA\(\)](#)

**Examples**

```
# load libraries for models and data
library(poLCA)
library(dplyr)

# generate data
data(values)

f <- cbind(A, B, C, D) ~ 1

# fit model
M1 <- poLCA(f, values, nclass = 2, verbose = FALSE)

M1

# summarize model fit with tidiers + visualization
tidy(M1)
augment(M1)
glance(M1)

library(ggplot2)

ggplot(tidy(M1), aes(factor(class), estimate, fill = factor(outcome))) +
  geom_bar(stat = "identity", width = 1) +
  facet_wrap(~variable)

# three-class model with a single covariate.
data(election)

f2a <- cbind(
  MORALG, CARESG, KNOWG, LEADG, DISHONG, INTELG,
  MORALB, CARESB, KNOWB, LEADB, DISHONB, INTELB
) ~ PARTY
```

```

nes2a <- poLCA(f2a, election, nclass = 3, nrep = 5, verbose = FALSE)

td <- tidy(nes2a)
td

ggplot(td, aes(outcome, estimate, color = factor(class), group = class)) +
  geom_line() +
  facet_wrap(~variable, nrow = 2) +
  theme(axis.text.x = element_text(angle = 90, hjust = 1))

au <- augment(nes2a)

au

count(au, .class)

# if the original data is provided, it leads to NAs in new columns
# for rows that weren't predicted
au2 <- augment(nes2a, data = election)

au2

dim(au2)

```

---

tidy.polr*Tidy a(n) polr object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```

## S3 method for class 'polr'
tidy(
  x,
  conf.int = FALSE,
  conf.level = 0.95,
  exponentiate = FALSE,
  p.values = FALSE,
  ...
)

```

## Arguments

x	A <code>polr</code> object returned from <code>MASS::polr()</code> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int</code> = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
exponentiate	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
p.values	Logical. Should p-values be returned, based on chi-squared tests from <code>MASS::dropterm()</code> . Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

In `broom 0.7.0` the `coefficient_type` column was renamed to `coef.type`, and the contents were changed as well. Now the contents are `coefficient` and `scale`, rather than `coefficient` and `zeta`.

Calculating `p.values` with the `dropterm()` function is the approach suggested by the `MASS` package author. This approach is computationally intensive so that `p.values` are only returned if requested explicitly. Additionally, it only works for models containing no variables with more than two categories. If this condition is not met, a message is shown and `NA` is returned instead of `p-values`.

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[tidy](#), [MASS::polr\(\)](#)

Other ordinal tidiers: [augment.clm\(\)](#), [augment.polr\(\)](#), [glance.clm\(\)](#), [glance.clmm\(\)](#), [glance.polr\(\)](#), [glance.svyolr\(\)](#), [tidy.clm\(\)](#), [tidy.clmm\(\)](#), [tidy.svyolr\(\)](#)

## Examples

```
# load libraries for models and data
library(MASS)

# fit model
fit <- polr(Sat ~ Infl + Type + Cont, weights = Freq, data = housing)

# summarize model fit with tidiers
tidy(fit, exponentiate = TRUE, conf.int = TRUE)

glance(fit)
augment(fit, type.predict = "class")

fit2 <- polr(factor(gear) ~ am + mpg + qsec, data = mtcars)

tidy(fit, p.values = TRUE)
```

`tidy.power.htest` *Tidy a(n) power.htest object*

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'power.htest'
tidy(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | A <code>power.htest</code> object such as those returned from <a href="#">stats::power.t.test()</a> .   |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: |

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

### Value

A `tibble::tibble()` with columns:

<code>delta</code>	True difference in means.
<code>n</code>	Number of observations by component.
<code>power</code>	Power achieved for given value of <code>n</code> .
<code>sd</code>	Standard deviation.
<code>sig.level</code>	Significance level (Type I error probability).

### See Also

`stats::power.t.test()`

Other htest tidiers: `augment.htest()`, `tidy.htest()`, `tidy.pairwise.htest()`

### Examples

```
ptt <- power.t.test(n = 2:30, delta = 1)
tidy(ptt)

library(ggplot2)

ggplot(tidy(ptt), aes(n, power)) +
  geom_line()
```

---

`tidy.prcomp`

*Tidy a(n) prcomp object*

---

### Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

### Usage

```
## S3 method for class 'prcomp'
tidy(x, matrix = "u", ...)
```

## Arguments

x	A <code>prcomp</code> object returned by <code>stats::prcomp()</code> .
matrix	Character specifying which component of the PCA should be tidied. <ul style="list-style-type: none"> <li>• "u", "samples", "scores", or "x": returns information about the map from the original space into principle components space.</li> <li>• "v", "rotation", "loadings" or "variables": returns information about the map from principle components space back into the original space.</li> <li>• "d", "eigenvalues" or "pcs": returns information about the eigenvalues.</li> </ul>
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

See <https://stats.stackexchange.com/questions/134282/relationship-between-svd-and-pca-how-to-use-svd-to-perform-pca> for information on how to interpret the various tidied matrices. Note that SVD is only equivalent to PCA on centered data.

## Value

A `tibble::tibble` with columns depending on the component of PCA being tidied.

If `matrix` is "u", "samples", "scores", or "x" each row in the tidied output corresponds to the original data in PCA space. The columns are:

row	ID of the original observation (i.e. <code>rowname</code> from original data).
PC	Integer indicating a principal component.
value	The score of the observation for that particular principal component. That is, the location of the observation in PCA space.

If `matrix` is "v", "rotation", "loadings" or "variables", each row in the tidied output corresponds to information about the principle components in the original space. The columns are:

row	The variable labels ( <code>colnames</code> ) of the data set on which PCA was performed.
PC	An integer vector indicating the principal component.
value	The value of the eigenvector (axis score) on the indicated principal component.

If `matrix` is "d", "eigenvalues" or "pcs", the columns are:

PC	An integer vector indicating the principal component.
std.dev	Standard deviation explained by this PC.

percent	Fraction of variation explained by this component (a numeric value between 0 and 1).
cumulative	Cumulative fraction of variation explained by principle components up to this component (a numeric value between 0 and 1).

## See Also

[stats:::prcomp\(\)](#), [svd\\_tidiers](#)

Other svd tidiers: [augment.prcomp\(\)](#), [tidy\\_irlba\(\)](#), [tidy\\_svd\(\)](#)

## Examples

```
pc <- prcomp(USArrests, scale = TRUE)

# information about rotation
tidy(pc)

# information about samples (states)
tidy(pc, "samples")

# information about PCs
tidy(pc, "pcs")

# state map
library(dplyr)
library(ggplot2)
library(maps)

pc |>
  tidy(matrix = "samples") |>
  mutate(region = tolower(row)) |>
  inner_join(map_data("state"), by = "region") |>
  ggplot(aes(long, lat, group = group, fill = value)) +
  geom_polygon() +
  facet_wrap(~PC) +
  theme_void() +
  ggtitle("Principal components of arrest data")

au <- augment(pc, data = USArrests)

au

ggplot(au, aes(.fittedPC1, .fittedPC2)) +
  geom_point() +
  geom_text(aes(label = .rownames), vjust = 1, hjust = 1)
```

---

`tidy.pyyears` *Tidy a(n) pyyears object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'pyyears'  
tidy(x, ...)
```

## Arguments

- |                  |  |
|------------------|--|
| <code>x</code>   | A pyyears object returned from <a href="#">survival::pyyears()</a> .   |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"><li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li><li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li></ul> |

## Details

`expected` is only present in the output when if a `ratetable` term is present.

If the `data.frame = TRUE` argument is supplied to `pyyears`, this is simply the contents of `x$data`.

## Value

A [tibble::tibble\(\)](#) with columns:

- |                       |                                      |
|-----------------------|--------------------------------------|
| <code>expected</code> | Expected number of events.           |
| <code>pyyears</code>  | Person-years of exposure.            |
| <code>n</code>        | number of subjects contributing time |
| <code>event</code>    | observed number of events            |

**See Also**

[tidy\(\)](#), [survival::pyears\(\)](#)  
 Other pyears tidiers: [glance.pyyears\(\)](#)  
 Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.aareg\(\)](#), [glance.cch\(\)](#),  
[glance.coxph\(\)](#), [glance.pyyears\(\)](#), [glance.survdiff\(\)](#), [glance.survexp\(\)](#), [glance.survfit\(\)](#),  
[glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.coxph\(\)](#), [tidy.survdiff\(\)](#), [tidy.survexp\(\)](#),  
[tidy.survfit\(\)](#), [tidy.survreg\(\)](#)

**Examples**

```
# load libraries for models and data
library(survival)

# generate and format data
temp.yr <- tcut(mgus$dxyr, 55:92, labels = as.character(55:91))
temp.age <- tcut(mgus$age, 34:101, labels = as.character(34:100))
ptime <- ifelse(is.na(mgus$pctime), mgus$futime, mgus$pctime)
pstat <- ifelse(is.na(mgus$pctime), 0, 1)
pfit <- pyears(Surv(ptime / 365.25, pstat) ~ temp.yr + temp.age + sex, mgus,
  data.frame = TRUE
)

# summarize model fit with tidiers
tidy(pfit)
glance(pfit)

# if data.frame argument is not given, different information is present in
# output
pfit2 <- pyears(Surv(ptime / 365.25, pstat) ~ temp.yr + temp.age + sex, mgus)

tidy(pfit2)
glance(pfit2)
```

---

tidy.rcorr

*Tidy a(n) rcorr object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'rcorr'
tidy(x, diagonal = FALSE, ...)
```

## Arguments

x	An <code>rcorr</code> object returned from <a href="#">Hmisc::rcorr()</a> .
diagonal	Logical indicating whether or not to include diagonal elements of the correlation matrix, or the correlation of a column with itself. For the elements, <code>estimate</code> is always 1 and <code>p.value</code> is always NA. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

Suppose the original data has columns A and B. In the correlation matrix from `rcorr` there may be entries for both the `cor(A, B)` and `cor(B, A)`. Only one of these pairs will ever be present in the `tidy` output.

## Value

A `tibble::tibble()` with columns:

column1	Name or index of the first column being described.
column2	Name or index of the second column being described.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
n	Number of observations used to compute the correlation

## See Also

[tidy\(\)](#), [Hmisc::rcorr\(\)](#)

## Examples

```
# load libraries for models and data
library(Hmisc)

mat <- replicate(52, rnorm(100))

# add some NAs
mat[sample(length(mat), 2000)] <- NA

# also, column names
colnames(mat) <- c(LETTERS, letters)
```

```

# fit model
rc <- rcorr(mat)

# summarize model fit with tidiers + visualization
td <- tidy(rc)
td

library(ggplot2)
ggplot(td, aes(p.value)) +
  geom_histogram(binwidth = .1)

ggplot(td, aes(estimate, p.value)) +
  geom_point() +
  scale_y_log10()

```

---

`tidy.ref.grid` *Tidy a(n) ref.grid object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'ref.grid'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

- |                         |   |
|-------------------------|---|
| <code>x</code>          | A <code>ref.grid</code> object created by <a href="#">emmeans::ref_grid()</a> .   |
| <code>conf.int</code>   | Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to <code>FALSE</code> .   |
| <code>conf.level</code> | The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval. |
| <code>...</code>        | Additional arguments passed to <a href="#">emmeans::summary.emmGrid()</a> or <a href="#">lsmeans::summary.ref.grid()</a> .<br><b>Cautionary note:</b> misspecified arguments may be silently ignored!               |

## Details

Returns a data frame with one observation for each estimated marginal mean, and one column for each combination of factors. When the input is a contrast, each row will contain one estimated contrast.

There are a large number of arguments that can be passed on to `emmeans::summary.emmGrid()` or `lsmeans::summary.ref.grid()`.

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
df	Degrees of freedom used by this term in the model.
p.value	The two-sided p-value associated with the observed statistic.
std.error	The standard error of the regression term.
estimate	Expected marginal mean
statistic	T-ratio statistic

## See Also

`tidy()`, `emmeans::ref_grid()`, `emmeans::emmeans()`, `emmeans::contrast()`

Other emmeans tidiers: `tidy.emmGrid()`, `tidy.lsmobj()`, `tidy.summary_emm()`

## Examples

```
# load libraries for models and data
library(emmeans)

# linear model for sales of oranges per day
oranges_lm1 <- lm(sales1 ~ price1 + price2 + day + store, data = oranges)

# reference grid; see vignette("basics", package = "emmeans")
oranges_rg1 <- ref_grid(oranges_lm1)
td <- tidy(oranges_rg1)
td

# marginal averages
marginal <- emmeans(oranges_rg1, "day")
tidy(marginal)

# contrasts
tidy(contrast(marginal))
tidy(contrast(marginal, method = "pairwise"))

# plot confidence intervals
library(ggplot2)
```

```

ggplot(tidy(marginal, conf.int = TRUE), aes(day, estimate)) +
  geom_point() +
  geom_errorbar(aes(ymin = conf.low, ymax = conf.high))

# by multiple prices
by_price <- emmeans(oranges_lm1, "day",
  by = "price2",
  at = list(
    price1 = 50, price2 = c(40, 60, 80),
    day = c("2", "3", "4")
  )
)

by_price

tidy(by_price)

ggplot(tidy(by_price, conf.int = TRUE), aes(price2, estimate, color = day)) +
  geom_line() +
  geom_errorbar(aes(ymin = conf.low, ymax = conf.high))

# joint_tests
tidy(joint_tests(oranges_lm1))

```

**tidy.regsubsets** *Tidy a(n) regsubsets object*

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'regsubsets'
tidy(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | A <code>regsubsets</code> object created by <a href="#">leaps::regsubsets()</a> .   |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: |

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>r.squared</code>	R squared statistic, or the percent of variation explained by the model.
<code>adj.r.squared</code>	Adjusted R squared statistic
<code>BIC</code>	Bayesian information criterion for the component.
<code>mallows_cp</code>	Mallow's Cp statistic.

## See Also

[tidy\(\)](#), [leaps::regsubsets\(\)](#)

## Examples

```
# load libraries for models and data
library(leaps)

# fit model
all_fits <- regsubsets(hp ~ ., mtcars)

# summarize model fit with tidiers
tidy(all_fits)
```

---

<code>tidy.ridgelm</code>	<i>Tidy a(n) ridgelm object</i>
---------------------------	---------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'ridgelm'
tidy(x, ...)
```

## Arguments

- `x` A `ridgelm` object returned from `MASS::lm.ridge()`.
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>GCV</code>	Generalized cross validation error estimate.
<code>lambda</code>	Value of penalty parameter <code>lambda</code> .
<code>term</code>	The name of the regression term.
<code>estimate</code>	estimate of scaled coefficient using this <code>lambda</code>
<code>scale</code>	Scaling factor of estimated coefficient

## See Also

- `tidy()`, `MASS::lm.ridge()`  
 Other `ridgelm` tidiers: `glance.ridgelm()`

## Examples

```
# load libraries for models and data
library(MASS)

names(longley)[1] <- "y"

# fit model and summarizd results
fit1 <- lm.ridge(y ~ ., longley)
tidy(fit1)

fit2 <- lm.ridge(y ~ ., longley, lambda = seq(0.001, .05, .001))
td2 <- tidy(fit2)
g2 <- glance(fit2)

# coefficient plot
library(ggplot2)
ggplot(td2, aes(lambda, estimate, color = term)) +
  geom_line()
```

```
# GCV plot
ggplot(td2, aes(lambda, GCV)) +
  geom_line()

# add line for the GCV minimizing estimate
ggplot(td2, aes(lambda, GCV)) +
  geom_line() +
  geom_vline(xintercept = g2$lambdaGCV, col = "red", lty = 2)
```

---

tidy.rlm*Tidy a(n) rlm object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'rlm'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	An <code>rlm</code> object returned by <a href="#">MASS::rlm()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int</code> = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## See Also

[MASS::rlm\(\)](#)

Other `rlm` tidiers: [augment.rlm\(\)](#), [glance.rlm\(\)](#)

---

`tidy.rma`*Tidy a(n) rma object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'rma'
tidy(
  x,
  conf.int = FALSE,
  conf.level = 0.95,
  exponentiate = FALSE,
  include_studies = FALSE,
  measure = "GEN",
  ...
)
```

## Arguments

<code>x</code>	An <code>rma</code> object such as those created by <code>metafor::rma()</code> , <code>metafor::rma.uni()</code> , <code>metafor::rma.glmm()</code> , <code>metafor::rma.mh()</code> , <code>metafor::rma.mv()</code> , or <code>metafor::rma.peto()</code> .
<code>conf.int</code>	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to <code>FALSE</code> .
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>exponentiate</code>	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to <code>FALSE</code> .
<code>include_studies</code>	Logical. Should individual studies be included in the output? Defaults to <code>FALSE</code> .
<code>measure</code>	Measure type. See <code>metafor::escalc()</code>
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> </ul>

- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the individual study
<code>type</code>	The estimate type (summary vs individual study)

## Examples

```
# load libraries for models and data
library(metafor)

df <-
  escalc(
    measure = "RR",
    ai = tpos,
    bi = tneg,
    ci = cpos,
    di = cneg,
    data = dat.bcg
  )

meta_analysis <- rma(yi, vi, data = df, method = "EB")

tidy(meta_analysis)
```

---

tidy.roc

*Tidy a(n) roc object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'roc'
tidy(x, ...)
```

## Arguments

- x An `roc` object returned from a call to [AUC::roc\(\)](#).
- ... Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble()` with columns:

- `cutoff` The cutoff used for classification. Observations with predicted probabilities above this value were assigned class 1, and observations with predicted probabilities below this value were assigned class 0.
- `fpr` False positive rate.
- `tpr` The true positive rate at the given cutoff.

## See Also

[tidy\(\)](#), [AUC::roc\(\)](#)

## Examples

```
# load libraries for models and data
library(AUC)

# load data
data(churn)

# fit model
r <- roc(churn$predictions, churn$labels)

# summarize with tidiers + visualization
td <- tidy(r)
td

library(ggplot2)
```

```

ggplot(td, aes(fpr, tpr)) +
  geom_line()

# compare the ROC curves for two prediction algorithms
library(dplyr)
library(tidyr)

rocs <- churn |>
  pivot_longer(contains("predictions"),
    names_to = "algorithm",
    values_to = "value"
  ) |>
  nest(data = -algorithm) |>
  mutate(tidy_roc = purrr::map(data, \(x) tidy(roc(x$value, x$labels)))) |>
  unnest(tidy_roc)

ggplot(rocs, aes(fpr, tpr, color = algorithm)) +
  geom_line()

```

---

tidy.rq

*Tidy a(n) rq object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'rq'
tidy(x, se.type = NULL, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	An <code>rq</code> object returned from <a href="#">quantreg::rq()</a> .
se.type	Character specifying the method to use to calculate standard errors. Passed to <a href="#">quantreg::summary.rq()</a> se argument. Defaults to "rank" if the sample size is less than 1000, otherwise defaults to "nid".
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments passed to <a href="#">quantreg::summary.rq()</a> .

## Details

If `se.type = "rank"` confidence intervals are calculated by `summary.rq` and `statistic` and `p.value` values are not returned. When only a single predictor is included in the model, no confidence intervals are calculated and the confidence limits are set to NA.

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

## See Also

`tidy()`, `quantreg::rq()`

Other quantreg tidiers: `augment.nlrq()`, `augment.rq()`, `augment.rqs()`, `glance.nlrq()`, `glance.rq()`, `tidy.nlrq()`, `tidy.rqs()`

## Examples

```
# load modeling library and data
library(quantreg)

data(stackloss)

# median (l1) regression fit for the stackloss data.
mod1 <- rq(stack.loss ~ stack.x, .5)

# weighted sample median
mod2 <- rq(rnorm(50) ~ 1, weights = runif(50))

# summarize model fit with tidiers
tidy(mod1)
glance(mod1)
augment(mod1)

tidy(mod2)
glance(mod2)
augment(mod2)

# varying tau to generate an rqs object
mod3 <- rq(stack.loss ~ stack.x, tau = c(.25, .5))
```

```

tidy(mod3)
augment(mod3)

# glance cannot handle rqs objects like `mod3`--use a purrr
# `map`-based workflow instead

```

---

tidy.rqs*Tidy a(n) rqs object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'rqs'
tidy(x, se.type = "rank", conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	An rqs object returned from <a href="#">quantreg::rq()</a> .
se.type	Character specifying the method to use to calculate standard errors. Passed to <a href="#">quantreg::summary.rq()</a> se argument. Defaults to "rank".
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments passed to <a href="#">quantreg::summary.rqs()</a>

## Details

If se.type = "rank" confidence intervals are calculated by [summary.rq](#). When only a single predictor is included in the model, no confidence intervals are calculated and the confidence limits are set to NA.

## Value

A [tibble::tibble\(\)](#) with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.

estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.
quantile	Linear conditional quantile.

## See Also

[tidy\(\)](#), [quantreg::rq\(\)](#)

Other quantreg tidiers: [augment.nlrq\(\)](#), [augment.rq\(\)](#), [augment.rqs\(\)](#), [glance.nlrq\(\)](#), [glance.rq\(\)](#), [tidy.nlrq\(\)](#), [tidy.rq\(\)](#)

## Examples

```
# load modeling library and data
library(quantreg)

data(stackloss)

# median (l1) regression fit for the stackloss data.
mod1 <- rq(stack.loss ~ stack.x, .5)

# weighted sample median
mod2 <- rq(rnorm(50) ~ 1, weights = runif(50))

# summarize model fit with tidiers
tidy(mod1)
glance(mod1)
augment(mod1)

tidy(mod2)
glance(mod2)
augment(mod2)

# varying tau to generate an rqs object
mod3 <- rq(stack.loss ~ stack.x, tau = c(.25, .5))

tidy(mod3)
augment(mod3)

# glance cannot handle rqs objects like `mod3`--use a purrr
# `map`-based workflow instead
```

tidy.sarlm

*Tidying methods for spatially autoregressive models*

## Description

These methods tidy the coefficients of spatial autoregression models generated by functions in the `spatialreg` package.

## Usage

```
## S3 method for class 'sarlm'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

<code>x</code>	An object returned from <code>spatialreg::lagsarlm()</code> or <code>spatialreg::errorsarlm()</code> .
<code>conf.int</code>	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
<code>conf.level</code>	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

**See Also**

[tidy\(\)](#), [spatialreg::lagsarlm\(\)](#), [spatialreg::errorsarlm\(\)](#), [spatialreg::sacsarlm\(\)](#)  
 Other spatialreg tidiers: [augment.sarlm\(\)](#), [glance.sarlm\(\)](#)

**Examples**

```
# load libraries for models and data
library(spatialreg)
library(spdep)

# load data
data(oldcol, package = "spdep")

listw <- nb2listw(COL.nb, style = "W")

# fit model
crime_sar <-
  lagsarlm(CRIME ~ INC + HOVAL,
            data = COL.OLD,
            listw = listw,
            method = "eigen"
  )

# summarize model fit with tidiers
tidy(crime_sar)
tidy(crime_sar, conf.int = TRUE)
glance(crime_sar)
augment(crime_sar)

# fit another model
crime_sem <- errorsarlm(CRIME ~ INC + HOVAL, data = COL.OLD, listw)

# summarize model fit with tidiers
tidy(crime_sem)
tidy(crime_sem, conf.int = TRUE)
glance(crime_sem)
augment(crime_sem)

# fit another model
crime_sac <- sacsarlm(CRIME ~ INC + HOVAL, data = COL.OLD, listw)

# summarize model fit with tidiers
tidy(crime_sac)
tidy(crime_sac, conf.int = TRUE)
glance(crime_sac)
augment(crime_sac)
```

---

`tidy.spec`*Tidy a(n) spec object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'spec'  
tidy(x, ...)
```

## Arguments

- |                  |  |
|------------------|--|
| <code>x</code>   | A <code>spec</code> object created by <a href="#">stats::spectrum()</a> .  |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"><li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li><li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li></ul> |

## Value

A `tibble::tibble()` with columns:

- |                   |   |
|-------------------|---|
| <code>freq</code> | Vector of frequencies at which the spectral density is estimated.   |
| <code>spec</code> | Vector (for univariate series) or matrix (for multivariate series) of estimates of the spectral density at frequencies corresponding to <code>freq</code> . |

## See Also

[tidy\(\)](#), [stats::spectrum\(\)](#)

Other time series tidiers: [tidy.acf\(\)](#), [tidy.ts\(\)](#), [tidy.zoo\(\)](#)

## Examples

```
spc <- spectrum(lh)
tidy(spc)

library(ggplot2)
ggplot(tidy(spc), aes(freq, spec)) +
  geom_line()
```

---

tidy.speedglm	<i>Tidy a(n) speedglm object</i>
---------------	----------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'speedglm'
tidy(x, conf.int = FALSE, conf.level = 0.95, exponentiate = FALSE, ...)
```

## Arguments

- |                           |   |
|---------------------------|---|
| <code>x</code>            | A <code>speedglm</code> object returned from <a href="#">speedglm::speedglm()</a> .   |
| <code>conf.int</code>     | Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.   |
| <code>conf.level</code>   | The confidence level to use for the confidence interval if <code>conf.int</code> = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.  |
| <code>exponentiate</code> | Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.  |
| <code>...</code>          | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

**Value**

A `tibble:::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

**See Also**

[speedglm:::speedglm\(\)](#)

Other `speedlm` tidiers: [augment.speedlm\(\)](#), [glance.speedglm\(\)](#), [glance.speedlm\(\)](#), [tidy.speedlm\(\)](#)

**Examples**

```
# load libraries for models and data
library(speedglm)

# generate data
clotting <- data.frame(
  u = c(5, 10, 15, 20, 30, 40, 60, 80, 100),
  lot1 = c(118, 58, 42, 35, 27, 25, 21, 19, 18)
)

# fit model
fit <- speedglm(lot1 ~ log(u), data = clotting, family = Gamma(log))

# summarize model fit with tidiers
tidy(fit)
glance(fit)
```

---

`tidy.speedlm` *Tidy a(n) speedlm object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'speedlm'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A <code>speedlm</code> object returned from <a href="#">speedglm::speedlm()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A [tibble::tibble\(\)](#) with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[speedglm::speedlm\(\)](#), [tidy.lm\(\)](#)

Other `speedlm` tidiers: [augment.speedlm\(\)](#), [glance.speedglm\(\)](#), [glance.speedlm\(\)](#), [tidy.speedglm\(\)](#)

## Examples

```
# load modeling library
library(speedglm)
```

```

# fit model
mod <- speedlm(mpg ~ wt + qsec, data = mtcars, fitted = TRUE)

# summarize model fit with tidiers
tidy(mod)
glance(mod)
augment(mod)

```

---

tidy.summary.glht	<i>Tidy a(n) summary.glht object</i>
-------------------	--------------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'summary.glht'
tidy(x, ...)
```

## Arguments

- |     |   |
|-----|---|
| x   | A <code>summary.glht</code> object created by calling <code>multcomp::summary.glht()</code> on a <code>glht</code> object created with <code>multcomp::glht()</code> .  |
| ... | Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Value

A `tibble::tibble()` with columns:

- |                         |   |
|-------------------------|---|
| <code>contrast</code>   | Levels being compared.  |
| <code>estimate</code>   | The estimated value of the regression term.   |
| <code>null.value</code> | Value to which the estimate is compared.  |
| <code>p.value</code>    | The two-sided p-value associated with the observed statistic.                           |
| <code>statistic</code>  | The value of a T-statistic to use in a hypothesis that the regression term is non-zero. |
| <code>std.error</code>  | The standard error of the regression term.  |

**See Also**

[tidy\(\)](#), [multcomp::summary.glht\(\)](#), [multcomp::glht\(\)](#)  
 Other multcomp tidiers: [tidy.cld\(\)](#), [tidy.confint.glht\(\)](#), [tidy.glht\(\)](#)

**Examples**

```
# load libraries for models and data
library(multcomp)
library(ggplot2)

amod <- aov(breaks ~ wool + tension, data = warpbreaks)
wht <- glht(amod, linfct = mcp(tension = "Tukey"))

tidy(wht)

ggplot(wht, aes(lhs, estimate)) +
  geom_point()

CI <- confint(wht)

tidy(CI)

ggplot(CI, aes(lhs, estimate, ymin = lwr, ymax = upr)) +
  geom_pointrange()

tidy(summary(wht))
ggplot(mapping = aes(lhs, estimate)) +
  geom_linerange(aes(ymin = lwr, ymax = upr), data = CI) +
  geom_point(aes(size = p), data = summary(wht)) +
  scale_size(trans = "reverse")

cld <- cld(wht)
tidy(cld)
```

---

**tidy.summary.lm** *Tidy a(n) summary.lm object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

**Usage**

```
## S3 method for class 'summary.lm'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

x	A <code>summary.lm</code> object created by <code>stats::summary.lm()</code> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

The `tidy.summary.lm()` method is a potentially useful alternative to `tidy.lm()`. For instance, if users have already converted large `lm` objects into their leaner `summary.lm` equivalents to conserve memory.

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

`tidy()`, `stats::summary.lm()`

Other `lm` tidiers: `augment.glm()`, `augment.lm()`, `glance.glm()`, `glance.lm()`, `glance.summary.lm()`, `glance.svyglm()`, `tidy.glm()`, `tidy.lm()`, `tidy.lm.beta()`, `tidy.mlm()`

## Examples

```
# fit model
mod <- lm(mpg ~ wt + qsec, data = mtcars)
modsumm <- summary(mod)

# summarize model fit with tidiers
tidy(mod, conf.int = TRUE)

# equivalent to the above
tidy(modsumm, conf.int = TRUE)

glance(mod)

# mostly the same, except for a few missing columns
glance(modsumm)
```

---

**tidy.summary\_emm** *Tidy a(n) summary\_emm object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'summary_emm'
tidy(x, null.value = NULL, ...)
```

## Arguments

<code>x</code>	A <code>summary_emm</code> object.
<code>null.value</code>	Value to which estimate is compared.
<code>...</code>	Additional arguments passed to <code>emmeans::summary.emmGrid()</code> or <code>lsmeans::summary.ref.grid()</code> . <b>Cautionary note:</b> misspecified arguments may be silently ignored!

## Details

Returns a data frame with one observation for each estimated marginal mean, and one column for each combination of factors. When the input is a contrast, each row will contain one estimated contrast.

There are a large number of arguments that can be passed on to `emmeans::summary.emmGrid()` or `lsmeans::summary.ref.grid()`.

## Value

A `tibble:::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
contrast	Levels being compared.
den.df	Degrees of freedom of the denominator.
df	Degrees of freedom used by this term in the model.
null.value	Value to which the estimate is compared.
num.df	Degrees of freedom.
p.value	The two-sided p-value associated with the observed statistic.
std.error	The standard error of the regression term.
level1	One level of the factor being contrasted
level2	The other level of the factor being contrasted
term	Model term in joint tests
estimate	Expected marginal mean
statistic	T-ratio statistic or F-ratio statistic

## See Also

`tidy()`, `emmeans:::ref_grid()`, `emmeans:::emmeans()`, `emmeans:::contrast()`  
 Other emmeans tidiers: `tidy.emmGrid()`, `tidy.lsmobj()`, `tidy.ref.grid()`

## Examples

```
# load libraries for models and data
library(emmeans)

# linear model for sales of oranges per day
oranges_lm1 <- lm(sales1 ~ price1 + price2 + day + store, data = oranges)

# reference grid; see vignette("basics", package = "emmeans")
oranges_rg1 <- ref_grid(oranges_lm1)
td <- tidy(oranges_rg1)
td

# marginal averages
marginal <- emmeans(oranges_rg1, "day")
tidy(marginal)

# contrasts
tidy(contrast(marginal))
tidy(contrast(marginal, method = "pairwise"))

# plot confidence intervals
```

```

library(ggplot2)

ggplot(tidy(marginal, conf.int = TRUE), aes(day, estimate)) +
  geom_point() +
  geom_errorbar(aes(ymin = conf.low, ymax = conf.high))

# by multiple prices
by_price <- emmeans(oranges_lm1, "day",
  by = "price2",
  at = list(
    price1 = 50, price2 = c(40, 60, 80),
    day = c("2", "3", "4")
  )
)

by_price

tidy(by_price)

ggplot(tidy(by_price, conf.int = TRUE), aes(price2, estimate, color = day)) +
  geom_line() +
  geom_errorbar(aes(ymin = conf.low, ymax = conf.high))

# joint_tests
tidy(joint_tests(oranges_lm1))

```

---

**tidy.survdiff** *Tidy a(n) survdiff object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'survdiff'
tidy(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | An survdiff object returned from <a href="#">survival::survdiff()</a> .   |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: |

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

### Value

A `tibble::tibble()` with columns:

<code>exp</code>	Weighted expected number of events in each group.
<code>N</code>	Number of subjects in each group.
<code>obs</code>	weighted observed number of events in each group.

### See Also

[tidy\(\)](#), [survival::survdiff\(\)](#)

Other survdiff tidiers: [glance.survdiff\(\)](#)

Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.aareg\(\)](#), [glance.cch\(\)](#), [glance.coxph\(\)](#), [glance.pyears\(\)](#), [glance.survdiff\(\)](#), [glance.survexp\(\)](#), [glance.survfit\(\)](#), [glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.coxph\(\)](#), [tidy.pyears\(\)](#), [tidy.survexp\(\)](#), [tidy.survfit\(\)](#), [tidy.survreg\(\)](#)

### Examples

```
# load libraries for models and data
library(survival)

# fit model
s <- survdiff(
  Surv(time, status) ~ pat.karno + strata(inst),
  data = lung
)

# summarize model fit with tidiers
tidy(s)
glance(s)
```

---

<code>tidy.survexp</code>	<i>Tidy a(n) survexp object</i>
---------------------------	---------------------------------

---

### Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'survexp'
tidy(x, ...)
```

## Arguments

- x An survexp object returned from [survival::survexp\(\)](#).
- ... Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are:
- tidy() methods will warn when supplied an exponentiate argument if it will be ignored.
  - augment() methods will warn when supplied a newdata argument if it will be ignored.

## Value

A [tibble::tibble\(\)](#) with columns:

- |          |   |
|----------|---|
| n.risk   | Number of individuals at risk at time zero. |
| time     | Point in time.                              |
| estimate | Estimate survival                           |

## See Also

[tidy\(\)](#), [survival::survexp\(\)](#)

Other survexp tidiers: [glance.survexp\(\)](#)

Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.aareg\(\)](#), [glance.cch\(\)](#), [glance.coxph\(\)](#), [glance.pyears\(\)](#), [glance.survdiff\(\)](#), [glance.survexp\(\)](#), [glance.survfit\(\)](#), [glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.coxph\(\)](#), [tidy.pyears\(\)](#), [tidy.survdiff\(\)](#), [tidy.survfit\(\)](#), [tidy.survreg\(\)](#)

## Examples

```
# load libraries for models and data
library(survival)

# fit model
sexpfit <- survexp(
  futime ~ 1,
  rmap = list(
    sex = "male",
    year = accept.dt,
    age = (accept.dt - birth.dt)
  ),
```

```

  method = "conditional",
  data = jasa
)

# summarize model fit with tidiers
tidy(sexfit)
glance(sexfit)

```

---

tidy.survfit	<i>Tidy a(n) survfit object</i>
--------------	---------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'survfit'
tidy(x, ...)
```

## Arguments

x	An <code>survfit</code> object returned from <a href="#">survival::survfit()</a> .
...	For <code>glance.survfit()</code> , additional arguments passed to <a href="#">summary()</a> . Otherwise ignored.

## Value

A [tibble::tibble\(\)](#) with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
n.censor	Number of censored events.
n.event	Number of events at time t.
n.risk	Number of individuals at risk at time zero.
std.error	The standard error of the regression term.
time	Point in time.
estimate	estimate of survival or cumulative incidence rate when multistate
state	state if multistate survfit object input
strata	strata if stratified survfit object input

**See Also**

[tidy\(\)](#), [survival::survfit\(\)](#)

Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.aareg\(\)](#), [glance.cch\(\)](#), [glance.coxph\(\)](#), [glance.pyears\(\)](#), [glance.survdiff\(\)](#), [glance.survexp\(\)](#), [glance.survfit\(\)](#), [glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.coxph\(\)](#), [tidy.pyyears\(\)](#), [tidy.survdiff\(\)](#), [tidy.survexp\(\)](#), [tidy.survreg\(\)](#)

**Examples**

```
# load libraries for models and data
library(survival)

# fit model
cfit <- coxph(Surv(time, status) ~ age + sex, lung)
sfit <- survfit(cfit)

# summarize model fit with tidiers + visualization
tidy(sfit)
glance(sfit)

library(ggplot2)

ggplot(tidy(sfit), aes(time, estimate)) +
  geom_line() +
  geom_ribbon(aes(ymin = conf.low, ymax = conf.high), alpha = .25)

# multi-state
fitCI <- survfit(Surv(stop, status * as.numeric(event), type = "mstate") ~ 1,
  data = mgus1, subset = (start == 0)
)

td_multi <- tidy(fitCI)

td_multi

ggplot(td_multi, aes(time, estimate, group = state)) +
  geom_line(aes(color = state)) +
  geom_ribbon(aes(ymin = conf.low, ymax = conf.high), alpha = .25)
```

---

**tidy.survreg**

*Tidy a(n) survreg object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'survreg'
tidy(x, conf.level = 0.95, conf.int = FALSE, ...)
```

## Arguments

x	An <code>survreg</code> object returned from <a href="#">survival::survreg()</a> .
conf.level	The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

conf.high	Upper bound on the confidence interval for the estimate.
conf.low	Lower bound on the confidence interval for the estimate.
estimate	The estimated value of the regression term.
p.value	The two-sided p-value associated with the observed statistic.
statistic	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
std.error	The standard error of the regression term.
term	The name of the regression term.

## See Also

[tidy\(\)](#), [survival::survreg\(\)](#)

Other survreg tidiers: [augment.survreg\(\)](#), [glance.survreg\(\)](#)

Other survival tidiers: [augment.coxph\(\)](#), [augment.survreg\(\)](#), [glance.aareg\(\)](#), [glance.cch\(\)](#), [glance.coxph\(\)](#), [glance.pyears\(\)](#), [glance.survdiff\(\)](#), [glance.survexp\(\)](#), [glance.survfit\(\)](#), [glance.survreg\(\)](#), [tidy.aareg\(\)](#), [tidy.cch\(\)](#), [tidy.coxph\(\)](#), [tidy.pyyears\(\)](#), [tidy.survdiff\(\)](#), [tidy.survexp\(\)](#), [tidy.survfit\(\)](#)

## Examples

```

# load libraries for models and data
library(survival)

# fit model
sr <- survreg(
  Surv(futime, fustat) ~ ecog.ps + rx,
  ovarian,
  dist = "exponential"
)

# summarize model fit with tidiers + visualization
tidy(sr)
augment(sr, ovarian)
glance(sr)

# coefficient plot
td <- tidy(sr, conf.int = TRUE)

library(ggplot2)

ggplot(td, aes(estimate, term)) +
  geom_point() +
  geom_errorbarh(aes(xmin = conf.low, xmax = conf.high), height = 0) +
  geom_vline(xintercept = 0)

```

---

**tidy.svyglm** *Tidy a(n) svyglm object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'svyglm'
tidy(x, conf.int = FALSE, conf.level = 0.95, exponentiate = FALSE, ...)
```

## Arguments

- |                 |   |
|-----------------|---|
| <b>x</b>        | A <code>svyglm</code> object returned from <a href="#">survey::svyglm()</a> .                               |
| <b>conf.int</b> | Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE. |

conf.level	The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
exponentiate	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass conf.level = 0.9, all computation will proceed using conf.level = 0.95. Two exceptions here are: <ul style="list-style-type: none"> <li>• tidy() methods will warn when supplied an exponentiate argument if it will be ignored.</li> <li>• augment() methods will warn when supplied a newdata argument if it will be ignored.</li> </ul>

## See Also

[survey::svyglm\(\)](#), [stats::glm\(\)](#)

---

tidy.svyolr	<i>Tidy a(n) svyolr object</i>
-------------	--------------------------------

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'svyolr'
tidy(x, conf.int = FALSE, conf.level = 0.95, exponentiate = FALSE, ...)
```

## Arguments

x	A svyolr object returned from <a href="#">survey::svyolr()</a> .
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.
conf.level	The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
exponentiate	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to FALSE.

...

Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

The `tidy.svyolr()` tidier is a light wrapper around `tidy.polr()`. However, the implementation for p-value calculation in `tidy.polr()` is both computationally intensive and specific to that model, so the `p.values` argument to `tidy.svyolr()` is currently ignored, and will raise a warning when passed.

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

## See Also

`tidy`, `survey::svyolr()`

Other ordinal tidiers: `augment.clm()`, `augment.polr()`, `glance.clm()`, `glance.clmm()`, `glance.polr()`, `glance.svyolr()`, `tidy.clm()`, `tidy.clmm()`, `tidy.polr()`

## Examples

```
library(broom)
library(survey)

data(api)
dclus1 <- svydesign(id = ~dnum, weights = ~pw, data = apiclus1, fpc = ~fpc)
dclus1 <- update(dclus1, mealcat = cut(meals, c(0, 25, 50, 75, 100)))

m <- svyolr(mealcat ~ avg.ed + mobility + stype, design = dclus1)

m
```

```
tidy(m, conf.int = TRUE)
```

---

**tidy.systemfit** *Tidy a(n) systemfit object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'systemfit'  
tidy(x, conf.int = TRUE, conf.level = 0.95, ...)
```

## Arguments

- |                         |  |
|-------------------------|--|
| <code>x</code>          | A <code>systemfit</code> object produced by a call to <code>systemfit::systemfit()</code> .  |
| <code>conf.int</code>   | Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.  |
| <code>conf.level</code> | The confidence level to use for the confidence interval if <code>conf.int = TRUE</code> . Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.  |
| <code>...</code>        | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"><li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li><li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li></ul> |

## Details

This tidy method works with any model objects of class `systemfit`. Default returns a tibble of six columns.

**Value**

A `tibble:::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.

**See Also**

`tidy()`, `systemfit:::systemfit()`

**Examples**

```
set.seed(27)

# load libraries for models and data
library(systemfit)

# generate data
df <- data.frame(
  X = rnorm(100),
  Y = rnorm(100),
  Z = rnorm(100),
  W = rnorm(100)
)

# fit model
fit <- systemfit(formula = list(Y ~ Z, W ~ X), data = df, method = "SUR")

# summarize model fit with tidiers
tidy(fit)
tidy(fit, conf.int = TRUE)
```

---

`tidy.table`

*Tidy a(n) table object*

---

**Description**

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

Deprecated. Please use `tibble:::as_tibble()` instead.

## Usage

```
## S3 method for class 'table'  
tidy(x, ...)
```

## Arguments

x	A <a href="#">base::table</a> object.
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"><li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li><li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li></ul>

## Details

Directly calls [tibble::as\\_tibble\(\)](#) on a [base::table](#) object.

## Value

A [tibble::tibble](#) in long-form containing frequency information for the table in a `Freq` column. The result is much like what you get from [tidyR::pivot\\_longer\(\)](#).

## See Also

[tibble::as\\_tibble.table\(\)](#)

---

tidy.ts

*Tidy a(n) ts object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'ts'  
tidy(x, ...)
```

## Arguments

- `x` A univariate or multivariate `ts` times series object.
- `...` Additional arguments. Not used. Needed to match generic signature only. **Cautionary note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:
- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
  - `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Details

`series` column is only present for multivariate `ts` objects.

## Value

A `tibble:::tibble()` with columns:

- |                     |   |
|---------------------|---|
| <code>index</code>  | Index (i.e. date or time) for a ‘ <code>ts</code> ’ or ‘ <code>zoo</code> ’ object. |
| <code>series</code> | Name of the series (present only for multivariate time series).                     |
| <code>value</code>  | The value/estimate of the component. Results from data reshaping.                   |

## See Also

[tidy\(\)](#), [stats:::ts\(\)](#)

Other time series tidiers: [tidy.acf\(\)](#), [tidy.spec\(\)](#), [tidy.zoo\(\)](#)

## Examples

```
set.seed(678)

tidy(ts(1:10, frequency = 4, start = c(1959, 2)))

z <- ts(matrix(rnorm(300), 100, 3), start = c(1961, 1), frequency = 12)
colnames(z) <- c("Aa", "Bb", "Cc")

tidy(z)
```

---

`tidy.TukeyHSD` *Tidy a(n) TukeyHSD object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'TukeyHSD'  
tidy(x, ...)
```

## Arguments

- |                  |  |
|------------------|--|
| <code>x</code>   | A TukeyHSD object return from <a href="#">stats:::TukeyHSD()</a> .   |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"><li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li><li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li></ul> |

## Value

A [tibble:::tibble\(\)](#) with columns:

- |                          |  |
|--------------------------|--|
| <code>adj.p.value</code> | P-value adjusted for multiple comparisons.               |
| <code>conf.high</code>   | Upper bound on the confidence interval for the estimate. |
| <code>conf.low</code>    | Lower bound on the confidence interval for the estimate. |
| <code>contrast</code>    | Levels being compared.                                   |
| <code>estimate</code>    | The estimated value of the regression term.              |
| <code>null.value</code>  | Value to which the estimate is compared.                 |
| <code>term</code>        | The name of the regression term.                         |

## See Also

[tidy\(\)](#), [stats:::TukeyHSD\(\)](#)

Other anova tidiers: [glance.anova\(\)](#), [glance.aov\(\)](#), [tidy.anova\(\)](#), [tidy.aov\(\)](#), [tidy.aovlist\(\)](#), [tidy.manova\(\)](#)

## Examples

```
fm1 <- aov(breaks ~ wool + tension, data = warpbreaks)
thsd <- TukeyHSD(fm1, "tension", ordered = TRUE)
tidy(thsd)

# may include comparisons on multiple terms
fm2 <- aov(mpg ~ as.factor(gear) * as.factor(cyl), data = mtcars)
tidy(TukeyHSD(fm2))
```

---

tidy.varest

*Tidy a(n) varest object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'varest'
tidy(x, conf.int = FALSE, conf.level = 0.95, ...)
```

## Arguments

- |            |   |
|------------|---|
| x          | A varest object produced by a call to <a href="#">vars::VAR()</a> .   |
| conf.int   | Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to FALSE.   |
| conf.level | The confidence level to use for the confidence interval if conf.int = TRUE. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval. |
| ...        | For <code>glance()</code> , additional arguments passed to <a href="#">summary()</a> . Otherwise ignored.   |

## Details

The tibble has one row for each term in the regression. The component column indicates whether a particular term was used to model either the "mean" or "precision". Here the precision is the inverse of the variance, often referred to as phi. At least one term will have been used to model the precision phi.

The `vars` package does not include a `confint` method and does not report confidence intervals for `varest` objects. Setting the `tidy` argument `conf.int = TRUE` will return a warning.

## Value

A `tibble::tibble()` with columns:

<code>conf.high</code>	Upper bound on the confidence interval for the estimate.
<code>conf.low</code>	Lower bound on the confidence interval for the estimate.
<code>estimate</code>	The estimated value of the regression term.
<code>p.value</code>	The two-sided p-value associated with the observed statistic.
<code>statistic</code>	The value of a T-statistic to use in a hypothesis that the regression term is non-zero.
<code>std.error</code>	The standard error of the regression term.
<code>term</code>	The name of the regression term.
<code>component</code>	Whether a particular term was used to model the mean or the precision in the regression. See details.

## See Also

`tidy()`, `vars::VAR()`

## Examples

```
# load libraries for models and data
library(vars)

# load data
data("Canada", package = "vars")

# fit models
mod <- VAR(Canada, p = 1, type = "both")

# summarize model fit with tidiers
tidy(mod)
glance(mod)
```

---

tidy.zoo

*Tidy a(n) zoo object*

---

## Description

Tidy summarizes information about the components of a model. A model component might be a single term in a regression, a single hypothesis, a cluster, or a class. Exactly what tidy considers to be a model component varies across models but is usually self-evident. If a model has several distinct types of components, you will need to specify which components to return.

## Usage

```
## S3 method for class 'zoo'
tidy(x, ...)
```

## Arguments

x	A <code>zoo</code> object such as those created by <a href="#">zoo::zoo()</a> .
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Value

A `tibble::tibble()` with columns:

index	Index (i.e. date or time) for a ‘ts’ or ‘zoo’ object.
series	Name of the series (present only for multivariate time series).
value	The value/estimate of the component. Results from data reshaping.

## See Also

[tidy\(\)](#), [zoo::zoo\(\)](#)

Other time series tidiers: [tidy.acf\(\)](#), [tidy.spec\(\)](#), [tidy.ts\(\)](#)

## Examples

```
# load libraries for models and data
library(zoo)
library(ggplot2)

set.seed(1071)

# generate data
Z.index <- as.Date(sample(12450:12500, 10))
Z.data <- matrix(rnorm(30), ncol = 3)
colnames(Z.data) <- c("Aa", "Bb", "Cc")
Z <- zoo(Z.data, Z.index)

# summarize model fit with tidiers + visualization
tidy(Z)

ggplot(tidy(Z), aes(index, value, color = series)) +
```

```

geom_line()

ggplot(tidy(Z), aes(index, value)) +
  geom_line() +
  facet_wrap(~series, ncol = 1)

Zrolled <- rollmean(Z, 5)
ggplot(tidy(Zrolled), aes(index, value, color = series)) +
  geom_line()

```

---

tidy\_irlba

*Tidy a(n) irlba object masquerading as list*

---

## Description

Broom tidies a number of lists that are effectively S3 objects without a class attribute. For example, `stats::optim()`, `svd()` and `interp::interp()` produce consistent output, but because they do not have a class attribute, they cannot be handled by S3 dispatch.

These functions look at the elements of a list and determine if there is an appropriate tidying method to apply to the list. Those tidiers are implemented as functions of the form `tidy_<function>` or `glance_<function>` and are not exported (but they are documented!).

If no appropriate tidying method is found, they throw an error.

## Usage

```
tidy_irlba(x, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| <code>x</code>   | A list returned from <code>irlba::irlba()</code> .  |
| <code>...</code> | Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul> |

## Details

A very thin wrapper around `tidy_svd()`.

## Value

A `tibble::tibble` with columns depending on the component of PCA being tidied.

If `matrix` is "u", "samples", "scores", or "x" each row in the tidied output corresponds to the original data in PCA space. The columns are:

<code>row</code>	ID of the original observation (i.e. rowname from original data).
<code>PC</code>	Integer indicating a principal component.
<code>value</code>	The score of the observation for that particular principal component. That is, the location of the observation in PCA space.

If `matrix` is "v", "rotation", "loadings" or "variables", each row in the tidied output corresponds to information about the principle components in the original space. The columns are:

<code>row</code>	The variable labels (colnames) of the data set on which PCA was performed.
<code>PC</code>	An integer vector indicating the principal component.
<code>value</code>	The value of the eigenvector (axis score) on the indicated principal component.

If `matrix` is "d", "eigenvalues" or "pcs", the columns are:

<code>PC</code>	An integer vector indicating the principal component.
<code>std.dev</code>	Standard deviation explained by this PC.
<code>percent</code>	Fraction of variation explained by this component (a numeric value between 0 and 1).
<code>cumulative</code>	Cumulative fraction of variation explained by principle components up to this component (a numeric value between 0 and 1).

## See Also

`tidy\(\), irlba::irlba\(\)`

Other list tidiers: `glance\_optim\(\), list\_tidiers\(\), tidy\_optim\(\), tidy\_svd\(\), tidy\_xyz\(\)`

Other svd tidiers: `augment.prcomp\(\), tidy.prcomp\(\), tidy\_svd\(\)`

## Examples

```
library(modeldata)
data(hpc_data)

mat <- scale(as.matrix(hpc_data[, 2:5]))
s <- svd(mat)

tidy_u <- tidy(s, matrix = "u")
tidy_u

tidy_d <- tidy(s, matrix = "d")
tidy_d
```

```

tidy_v <- tidy(s, matrix = "v")
tidy_v

library(ggplot2)
library(dplyr)

ggplot(tidy_d, aes(PC, percent)) +
  geom_point() +
  ylab("% of variance explained")

tidy_u |>
  mutate(class = hpc_data$class[row]) |>
  ggplot(aes(class, value)) +
  geom_boxplot() +
  facet_wrap(~PC, scale = "free_y")

```

---

tidy\_optim

*Tidy a(n) optim object masquerading as list*

---

## Description

Broom tidies a number of lists that are effectively S3 objects without a class attribute. For example, `stats::optim()`, `svd()` and `interp::interp()` produce consistent output, but because they do not have a class attribute, they cannot be handled by S3 dispatch.

These functions look at the elements of a list and determine if there is an appropriate tidying method to apply to the list. Those tidiers are implemented as functions of the form `tidy_<function>` or `glance_<function>` and are not exported (but they are documented!).

If no appropriate tidying method is found, they throw an error.

## Usage

```
tidy_optim(x, ...)
```

## Arguments

<code>x</code>	A list returned from <code>stats::optim()</code> .
<code>...</code>	Additional arguments. Not used. Needed to match generic signature only. <b>Cautionary note:</b> Misspelled arguments will be absorbed in <code>...</code> , where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

**Value**

A `tibble::tibble()` with columns:

parameter	The parameter being modeled.
std.error	The standard error of the regression term.
value	The value/estimate of the component. Results from data reshaping.

`std.error` is only provided as a column if the Hessian is calculated.

**Note**

This function assumes that the provided objective function is a negative log-likelihood function. Results will be invalid if an incorrect function is supplied.

`tidy(o)` `glance(o)`

**See Also**

`tidy()`, `stats::optim()`

Other list tidiers: `glance_optim()`, `list_tidiers`, `tidy_irlba()`, `tidy_svd()`, `tidy_xyz()`

**Examples**

```
f <- function(x) (x[1] - 2)^2 + (x[2] - 3)^2 + (x[3] - 8)^2
o <- optim(c(1, 1, 1), f)
```

`tidy_svd`

*Tidy a(n) svd object masquerading as list*

**Description**

Broom tidies a number of lists that are effectively S3 objects without a class attribute. For example, `stats::optim()`, `svd()` and `interp::interp()` produce consistent output, but because they do not have a class attribute, they cannot be handled by S3 dispatch.

These functions look at the elements of a list and determine if there is an appropriate tidying method to apply to the list. Those tidiers are implemented as functions of the form `tidy_<function>` or `glance_<function>` and are not exported (but they are documented!).

If no appropriate tidying method is found, they throw an error.

**Usage**

```
tidy_svd(x, matrix = "u", ...)
```

## Arguments

x	A list with components u, d, v returned by <code>base::svd()</code> .
matrix	Character specifying which component of the PCA should be tidied. <ul style="list-style-type: none"> <li>• "u", "samples", "scores", or "x": returns information about the map from the original space into principle components space.</li> <li>• "v", "rotation", "loadings" or "variables": returns information about the map from principle components space back into the original space.</li> <li>• "d", "eigenvalues" or "pcs": returns information about the eigenvalues.</li> </ul>
...	Additional arguments. Not used. Needed to match generic signature only. <b>Cautious note:</b> Misspelled arguments will be absorbed in ..., where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass <code>conf.level = 0.9</code> , all computation will proceed using <code>conf.level = 0.95</code> . Two exceptions here are: <ul style="list-style-type: none"> <li>• <code>tidy()</code> methods will warn when supplied an <code>exponentiate</code> argument if it will be ignored.</li> <li>• <code>augment()</code> methods will warn when supplied a <code>newdata</code> argument if it will be ignored.</li> </ul>

## Details

See <https://stats.stackexchange.com/questions/134282/relationship-between-svd-and-pca-how-to-use-svd-to-perform-pca> for information on how to interpret the various tidied matrices. Note that SVD is only equivalent to PCA on centered data.

## Value

A `tibble::tibble` with columns depending on the component of PCA being tidied.

If `matrix` is "u", "samples", "scores", or "x" each row in the tidied output corresponds to the original data in PCA space. The columns are:

row	ID of the original observation (i.e. rowname from original data).
PC	Integer indicating a principal component.
value	The score of the observation for that particular principal component. That is, the location of the observation in PCA space.

If `matrix` is "v", "rotation", "loadings" or "variables", each row in the tidied output corresponds to information about the principle components in the original space. The columns are:

row	The variable labels (colnames) of the data set on which PCA was performed.
PC	An integer vector indicating the principal component.
value	The value of the eigenvector (axis score) on the indicated principal component.

If `matrix` is "d", "eigenvalues" or "pcs", the columns are:

PC	An integer vector indicating the principal component.
std.dev	Standard deviation explained by this PC.

percent	Fraction of variation explained by this component (a numeric value between 0 and 1).
cumulative	Cumulative fraction of variation explained by principle components up to this component (a numeric value between 0 and 1).

## See Also

[base:::svd\(\)](#)

Other svd tidiers: [augment.prcomp\(\)](#), [tidy.prcomp\(\)](#), [tidy\\_irlba\(\)](#)

Other list tidiers: [glance\\_optim\(\)](#), [list\\_tidiers](#), [tidy\\_irlba\(\)](#), [tidy\\_optim\(\)](#), [tidy\\_xyz\(\)](#)

## Examples

```
library(modeldata)
data(hpc_data)

mat <- scale(as.matrix(hpc_data[, 2:5]))
s <- svd(mat)

tidy_u <- tidy(s, matrix = "u")
tidy_u

tidy_d <- tidy(s, matrix = "d")
tidy_d

tidy_v <- tidy(s, matrix = "v")
tidy_v

library(ggplot2)
library(dplyr)

ggplot(tidy_d, aes(PC, percent)) +
  geom_point() +
  ylab("% of variance explained")

tidy_u |>
  mutate(class = hpc_data$class[row]) |>
  ggplot(aes(class, value)) +
  geom_boxplot() +
  facet_wrap(~PC, scale = "free_y")
```

## Description

Broom tidies a number of lists that are effectively S3 objects without a class attribute. For example, `stats::optim()`, `svd()` and `interp::interp()` produce consistent output, but because they do not have a class attribute, they cannot be handled by S3 dispatch.

These functions look at the elements of a list and determine if there is an appropriate tidying method to apply to the list. Those tidiers are implemented as functions of the form `tidy_<function>` or `glance_<function>` and are not exported (but they are documented!).

If no appropriate tidying method is found, they throw an error.

`xyz` lists (lists where `x` and `y` are vectors of coordinates and `z` is a matrix of values) are typically used by functions such as `graphics::persp()` or `graphics::image()` and returned by interpolation functions such as `interp::interp()`.

## Usage

```
tidy_xyz(x, ...)
```

## Arguments

`x` A list with component `x`, `y` and `z`, where `x` and `y` are vectors and `z` is a matrix. The length of `x` must equal the number of rows in `z` and the length of `y` must equal the number of columns in `z`.

`...` Additional arguments. Not used. Needed to match generic signature only. **Cautious note:** Misspelled arguments will be absorbed in `...`, where they will be ignored. If the misspelled argument has a default value, the default value will be used. For example, if you pass `conf.level = 0.9`, all computation will proceed using `conf.level = 0.95`. Two exceptions here are:

- `tidy()` methods will warn when supplied an `exponentiate` argument if it will be ignored.
- `augment()` methods will warn when supplied a `newdata` argument if it will be ignored.

## Value

A `tibble::tibble` with vector columns `x`, `y` and `z`.

## See Also

`tidy()`, `graphics::persp()`, `graphics::image()`, `interp::interp()`

Other list tidiers: `glance_optim()`, `list_tidiers`, `tidy_irlba()`, `tidy_optim()`, `tidy_svd()`

## Examples

```
A <- list(x = 1:5, y = 1:3, z = matrix(runif(5 * 3), nrow = 5))
image(A)
tidy(A)
```

# Index

- \* **Arima tidiers**
  - glance.Arima, 107
  - tidy.Arima, 229
- \* **aareg tidiers**
  - glance.aareg, 102
  - tidy.aareg, 223
- \* **anova tidiers**
  - glance.anova, 103
  - glance.aov, 105
  - tidy.anova, 225
  - tidy.aov, 227
  - tidy.aovlist, 228
  - tidy.manova, 315
  - tidy.TukeyHSD, 393
- \* **betareg tidiers**
  - tidy.betareg, 233
- \* **biglm tidiers**
  - glance.biglm, 111
  - tidy.biglm, 234
- \* **bingroup tidiers**
  - glance.binDesign, 113
  - tidy.binDesign, 236
  - tidy.binWidth, 237
- \* **car tidiers**
  - durbinWatsonTest\_tidiers, 99
  - leveneTest\_tidiers, 218
- \* **cch tidiers**
  - glance.cch, 114
  - glance.survfit, 209
  - tidy.cch, 242
- \* **cmprsk tidiers**
  - glance.crr, 124
  - tidy.crr, 256
- \* **coeftest tidiers**
  - tidy.coeftest, 249
- \* **coeftest\_tidiers**
  - glance.coeftest, 120
- \* **coxph tidiers**
  - augment.coxph, 17
- glance.coxph, 122
- tidy.coxph, 254
- \* **crr tidiers**
  - glance.crr, 124
- \* **decompose tidiers**
  - augment.decomposed.ts, 20
  - augment.stl, 91
- \* **deprecated**
  - bootstrap, 96
  - confint\_tidy, 96
  - data.frame\_tidiers, 97
  - finish\_glance, 101
  - fix\_data\_frame, 101
  - summary\_tidiers, 222
  - tidy.density, 260
  - tidy.dist, 261
  - tidy.ftable, 276
  - tidy.numeric, 339
- \* **drc tidiers**
  - augment.drc, 22
  - glance.drc, 128
  - tidy.drc, 262
- \* **emmeans tidiers**
  - tidy.emmGrid, 264
  - tidy.lsmobj, 313
  - tidy.ref.grid, 356
  - tidy.summary\_emm, 378
- \* **epiR tidiers**
  - tidy.epi.2by2, 266
- \* **ergm tidiers**
  - glance.ergm, 129
  - tidy.ergm, 267
- \* **factanal tidiers**
  - augment.factanal, 25
  - glance.factanal, 131
  - tidy.factanal, 269
- \* **felm tidiers**
  - augment.felm, 26
  - tidy.felm, 271

- \* **fitdistr tidiers**
    - glance.fitdistr, 134
    - tidy.fitdistr, 273
  - \* **fixest tidiers**
    - augment.fixest, 28
    - tidy.fixest, 274
  - \* **gam tidiers**
    - glance.Gam, 138
    - tidy.Gam, 277
  - \* **garch tidiers**
    - glance.garch, 141
    - tidy.garch, 280
  - \* **geepack tidiers**
    - glance.geeglm, 142
  - \* **glm.nb tidiers**
    - glance.negbin, 176
    - tidy.negbin, 335
  - \* **glmnet tidiers**
    - glance.cv.glmnet, 126
    - glance.glmnet, 145
    - tidy.cv.glmnet, 258
    - tidy.glmnet, 286
  - \* **gmm tidiers**
    - glance.gmm, 148
    - tidy.gmm, 291
  - \* **htest tidiers**
    - augment.htest, 38
    - tidy.htest, 293
    - tidy.pairwise.htest, 340
    - tidy.power.htest, 349
  - \* **ivreg tidiers**
    - augment.ivreg, 40
    - glance.ivreg, 150
    - tidy.ivreg, 295
  - \* **kmeans tidiers**
    - augment.kmeans, 42
    - glance.kmeans, 152
    - tidy.kmeans, 301
  - \* **lavaan tidiers**
    - glance.lavaan, 154
    - tidy.lavaan, 303
  - \* **list tidiers**
    - glance\_optim, 217
    - list\_tidiers, 219
    - tidy\_irlba, 397
    - tidy\_optim, 399
    - tidy\_svd, 400
    - tidy\_xyz, 402
- \* **lm tidiers**
    - augment.lm, 33
    - augment.lm, 44
    - glance.lm, 143
    - glance.lm, 156
    - glance.summary.lm, 203
    - glance.svyglm, 212
    - tidy.lm, 285
    - tidy.lm, 304
    - tidy.lm.beta, 307
    - tidy.mlm, 329
    - tidy.summary.lm, 376
  - \* **lmodel2 tidiers**
    - glance.lmodel2, 158
    - tidy.lmodel2, 309
  - \* **margins tidiers**
    - tidy.margins, 317
  - \* **mclust tidiers**
    - augment.Mclust, 53
    - tidy.Mclust, 320
  - \* **mediate tidiers**
    - tidy.mediate, 321
  - \* **mfx tidiers**
    - augment.betamfx, 10
    - augment.mfx, 55
    - glance.betamfx, 108
    - glance.mfx, 167
    - tidy.betamfx, 231
    - tidy.mfx, 323
  - \* **mgev tidiers**
    - glance.gam, 139
    - tidy.gam, 279
  - \* **mjoint tidiers**
    - glance.mjoint, 169
    - tidy.mjoint, 325
  - \* **mlogit tidiers**
    - augment.mlogit, 61
    - glance.mlogit, 171
    - tidy.mlogit, 331
  - \* **muhaz tidiers**
    - glance.muhaz, 173
    - tidy.muhaz, 332
  - \* **multcomp tidiers**
    - tidy.cld, 244
    - tidy.confint.glht, 251
    - tidy.glht, 284
    - tidy.summary.glht, 375
  - \* **multinom tidiers**

- glance.multinom, 174
  - tidy.multinom, 333
- \* **nls tidiers**
  - augment.nls, 65
  - glance.nls, 179
  - tidy.nls, 338
- \* **ordinal tidiers**
  - augment.clm, 15
  - augment.polr, 73
  - glance.clm, 116
  - glance.clmm, 118
  - glance.polr, 186
  - glance.svyolr, 214
  - tidy.clm, 245
  - tidy.clmm, 248
  - tidy.polr, 347
  - tidy.svyolr, 387
- \* **pam tidiers**
  - augment.pam, 67
  - glance.pam, 180
  - tidy.pam, 342
- \* **plm tidiers**
  - augment.plm, 69
  - glance.plm, 182
  - tidy.plm, 343
- \* **poLCA tidiers**
  - augment.poLCA, 71
  - glance.poLCA, 184
  - tidy.poLCA, 345
- \* **pyears tidiers**
  - glance.pyyears, 188
  - tidy.pyyears, 353
- \* **quantreg tidiers**
  - augment.nlrq, 63
  - augment.rq, 81
  - augment.rqs, 83
  - glance.nlrq, 177
  - glance.rq, 194
  - tidy.nlrq, 336
  - tidy.rq, 365
  - tidy.rqs, 367
- \* **ridgelm tidiers**
  - glance.ridgelm, 189
  - tidy.ridgelm, 359
- \* **rlm tidiers**
  - augment.rlm, 77
  - glance.rlm, 191
  - tidy.rlm, 361
- \* **robust tidiers**
  - augment.lmRob, 48
  - glance.glmRob, 146
  - glance.lmRob, 160
  - tidy.glmRob, 288
  - tidy.lmRob, 310
- \* **robustbase tidiers**
  - augment.glmrob, 36
  - augment.lmrob, 49
  - glance.lmrob, 162
  - tidy.glmrob, 289
  - tidy.lmrob, 311
- \* **smoothing spline tidiers**
  - augment.smooth.spline, 88
  - glance.smooth.spline, 198
- \* **spatialreg tidiers**
  - augment.sarlm, 85
  - glance.sarlm, 196
  - tidy.sarlm, 369
- \* **speedlm tidiers**
  - augment.speedlm, 89
  - glance.speedglm, 200
  - glance.speedlm, 201
  - tidy.speedglm, 372
  - tidy.speedlm, 373
- \* **survdiff tidiers**
  - glance.survdiff, 206
  - tidy.survdiff, 380
- \* **survexp tidiers**
  - glance.survexp, 207
  - tidy.survexp, 381
- \* **survey tidiers**
  - tidy.svyglm, 386
- \* **survfit tidiers**
  - tidy.survfit, 383
- \* **survival tidiers**
  - augment.coxph, 17
  - augment.survreg, 92
  - glance.aareg, 102
  - glance.cch, 114
  - glance.coxph, 122
  - glance.pyyears, 188
  - glance.survdiff, 206
  - glance.survexp, 207
  - glance.survfit, 209
  - glance.survreg, 210
  - tidy.aareg, 223
  - tidy.cch, 242

tidy.coxph, 254  
 tidy.pyears, 353  
 tidy.survdiff, 380  
 tidy.survexp, 381  
 tidy.survfit, 383  
 tidy.survreg, 384  
**\* survreg tidiers**  
 augment.survreg, 92  
 glance.survreg, 210  
 tidy.survreg, 384  
**\* svd tidiers**  
 augment.prcomp, 75  
 tidy.prcomp, 350  
 tidy\_irlba, 397  
 tidy\_svd, 400  
**\* systemfit tidiers**  
 tidy.systemfit, 389  
**\* time series tidiers**  
 tidy.acf, 224  
 tidy.spec, 371  
 tidy.ts, 391  
 tidy.zoo, 395  
**\* vars tidiers**  
 tidy.varest, 394  
  
 aareg\_tidiers (tidy.aareg), 223  
 AER::ivreg(), 41, 42, 151, 152, 295, 296  
 aer\_tidiers (tidy.ivreg), 295  
 Arima\_tidiers (tidy.Arima), 229  
 AUC::roc(), 364  
 auc\_tidiers (tidy.roc), 363  
 augment, 82, 85  
 augment(), 14, 18, 19, 21, 24, 26, 27, 30, 32, 39, 42, 43, 46, 53, 55, 63, 64, 68, 70, 72, 87, 89, 92, 94, 95, 199  
 augment.betamfx, 10, 58, 109, 169, 232, 325  
 augment.betareg, 13  
 augment.betareg(), 12  
 augment.clm, 15, 75, 117, 119, 187, 215, 247, 249, 349, 388  
 augment.coxph, 17, 94, 103, 116, 123, 189, 207, 208, 210, 212, 224, 243, 255, 354, 381, 382, 384, 385  
 augment.data.frame  
 (data.frame\_tidiers), 97  
 augment.decomposed.ts, 20, 92  
 augment.drc, 22, 129, 263  
 augment.factanal, 25, 132, 270  
 augment.felm, 26, 272  
  
 augment.fixest, 28, 276  
 augment.gam, 30  
 augment.glm, 33, 46, 144, 157, 204, 214, 286, 305, 308, 330, 377  
 augment.glm(), 58  
 augment.glmRob, 35  
 augment.glmrob, 36, 51, 163, 290, 312  
 augment.htest, 38, 294, 341, 350  
 augment.ivreg, 40, 152, 296  
 augment.kmeans, 42, 153, 302  
 augment.lm, 35, 44, 144, 157, 204, 214, 286, 305, 308, 330, 377  
 augment.lmRob, 48, 147, 161, 288, 311  
 augment.lmrob, 37, 49, 163, 290, 312  
 augment.loess, 52  
 augment.logitmfx (augment.mfx), 55  
 augment.Mclust, 53, 320  
 augment.mfx, 12, 55, 109, 169, 232, 325  
 augment.mjjoint, 59  
 augment.mlogit, 61, 172, 332  
 augment.negbinmfx (augment.mfx), 55  
 augment.nlrq, 63, 82, 85, 178, 195, 337, 366, 368  
 augment.nls, 65, 180, 339  
 augment.NULL (null\_tidiers), 220  
 augment.pam, 67, 181, 343  
 augment.plm, 69, 183, 344  
 augment.poissonmfx (augment.mfx), 55  
 augment.poLCA, 71, 185, 346  
 augment.polr, 16, 73, 117, 119, 187, 215, 247, 249, 349, 388  
 augment.prcomp, 75, 352, 398, 402  
 augment.probitmfx (augment.mfx), 55  
 augment.rlm, 77, 192, 361  
 augment.rma, 79  
 augment.rq, 64, 81, 85, 178, 195, 337, 366, 368  
 augment.rqs, 64, 82, 83, 178, 195, 337, 366, 368  
 augment.sarlm, 85, 197, 370  
 augment.smooth.spline, 88, 199  
 augment.speedlm, 89, 201, 202, 373, 374  
 augment.stl, 21, 91  
 augment.survreg, 19, 92, 103, 116, 123, 189, 207, 208, 210, 212, 224, 243, 255, 354, 381, 382, 384, 385  
 augment\_columns, 95  
  
 base::data.frame, 11, 14, 16, 18, 23, 25, 27,

29, 31, 34, 37, 41, 43, 45, 48, 50, 52, 54, 57, 60, 64, 65, 67, 69, 71, 74, 76, 77, 81, 84, 88, 90, 93  
 base::data.frame(), 11, 14, 16, 18, 23, 29, 32, 34, 37, 41, 45, 49, 50, 52, 57, 64, 65, 74, 76, 78, 81, 84, 90, 93  
 base::svd(), 219, 401, 402  
 base::table, 391  
 bbmle::mle2(), 328, 329  
 bbmle\_tidiers(tidy.mle2), 328  
 betareg::betareg(), 13, 14, 110, 111, 233, 234  
 betareg::predict.betareg(), 11  
 betareg::residuals.betareg(), 11  
 betareg\_tidiers(tidy.betareg), 233  
 biglm::bigglm(), 112, 235  
 biglm::biglm(), 112, 235  
 bindesign\_tidiers(tidy.bindesign), 236  
 binGroup::binDesign, 113  
 binGroup::binDesign(), 114, 236, 237  
 binGroup::binWidth(), 238  
 binwidth\_tidiers(tidy.binWidth), 237  
 boot::boot(), 239, 240  
 boot::boot.ci(), 239, 240  
 boot::tsboot(), 240  
 boot\_tidiers(tidy.boot), 239  
 bootstrap, 96, 97, 99, 101, 102, 222, 261, 262, 277, 340  
 btergm::btergm(), 241  
 btergm\_tidiers(tidy.btergm), 241  
  
 car::Anova(), 104, 226  
 car::durbinWatsonTest(), 100  
 car::leveneTest(), 104, 218, 219, 226, 228, 229  
 car::linearHypothesis(), 104, 226  
 caret::confusionMatrix(), 253, 254  
 caret\_tidiers(tidy.confusionMatrix), 253  
 cch\_tidiers(tidy.cch), 242  
 cfa\_tidiers(tidy.lavaan), 303  
 cluster::pam(), 67, 68, 181, 342, 343  
 cmprsk::crr(), 124, 125, 257  
 cmprsk\_tidiers(tidy.crr), 256  
 coeftest\_tidiers(tidy.coeftest), 249  
 confint(), 97  
 confint\_tidy, 96, 96, 99, 101, 102, 222, 261, 262, 277, 340  
  
 confusionMatrix\_tidiers  
     (tidy.confusionMatrix), 253  
 coxph\_tidiers(tidy.coxph), 254  
  
 data.frame\_tidiers, 96, 97, 97, 101, 102, 222, 261, 262, 277, 340  
 decompose\_tidiers  
     (augment.decomposed.ts), 20  
 drc::drm(), 23, 24, 128, 129, 262, 263  
 drc\_tidiers(tidy.drc), 262  
 durbinWatsonTest\_tidiers, 99, 219  
  
 emmeans::contrast(), 265, 314, 357, 379  
 emmeans::emmeans(), 265, 314, 357, 379  
 emmeans::ref\_grid(), 265, 314, 356, 357, 379  
 emmeans::summary.emmGrid(), 264, 313, 356, 357, 378  
 emmeans\_tidiers(tidy.lsmobj), 313  
 epi::epi.2by2(), 266, 267  
 epiR\_tidiers(tidy.epi.2by2), 266  
 ergm::control.ergm(), 269  
 ergm::ergm(), 130, 268, 269  
 ergm::summary(), 130, 268, 269  
 ergm::summary.ergm(), 130  
 ergm\_tidiers(tidy.ergm), 267  
  
 factanal\_tidiers(tidy.factanal), 269  
 felm\_tidiers(tidy.felm), 271  
 finish\_glance, 96, 97, 99, 101, 102, 222, 261, 262, 277, 340  
 fitdistr\_tidiers(tidy.fitdistr), 273  
 fix\_data\_frame, 96, 97, 99, 101, 101, 222, 261, 262, 277, 340  
 fixest::feglm(), 30, 276  
 fixest::femlm(), 30, 276  
 fixest::fenegbin(), 30, 276  
 fixest::feNmlm(), 30, 276  
 fixest::feols(), 30, 276  
 fixest::fepois(), 30, 276  
  
 gam::gam(), 138, 139, 277, 278  
 Gam\_tidiers(tidy.Gam), 277  
 gam\_tidiers(tidy.gam), 279  
 garch\_tidiers(tidy.garch), 280  
 geeglm\_tidiers(tidy.geeglm), 282  
 geepack::geeglm(), 142, 143, 282, 283  
 geepack\_tidiers(tidy.geeglm), 282  
 glance(), 99, 100, 103, 105, 106, 111, 112, 114, 116, 121, 123, 125, 127, 129,

130, 132, 139, 140, 142, 143, 146, 149, 152, 153, 155, 157, 159, 170, 172, 174, 175, 177, 178, 181, 183, 185, 189, 190, 192, 195, 197, 204, 207, 208, 210, 212, 217–219, 293  
glance.aareg, 19, 94, 102, 116, 123, 189, 207, 208, 210, 212, 224, 243, 255, 354, 381, 382, 384, 385  
glance.anova, 103, 106, 226, 228, 229, 316, 393  
glance.aov, 105, 105, 226, 228, 229, 316, 393  
glance.Arma, 107, 230  
glance.betamfx, 12, 58, 108, 169, 232, 325  
glance.betareg, 110  
glance.betareg(), 109  
glance.biglm, 111, 235  
glance.binDesign, 113, 237, 238  
glance.cch, 19, 94, 103, 114, 123, 189, 207, 208, 210, 212, 224, 243, 255, 354, 381, 382, 384, 385  
glance.clm, 16, 75, 116, 119, 187, 215, 247, 249, 349, 388  
glance.clmm, 16, 75, 117, 118, 187, 215, 247, 249, 349, 388  
glance.coeftest, 120  
glance.coxph, 19, 94, 103, 116, 122, 189, 207, 208, 210, 212, 224, 243, 255, 354, 381, 382, 384, 385  
glance.crr, 124, 257  
glance.cv.glmnet, 126, 146, 259, 287  
glance.data.frame (data.frame\_tidiers), 97  
glance.drc, 24, 128, 263  
glance.durbinWatsonTest  
(durbinWatsonTest\_tidiers), 99  
glance.ergm, 129, 269  
glance.factanal, 26, 131, 270  
glance.felm, 133  
glance.fitdistr, 134, 274  
glance.fixest, 136  
glance.Gam, 138, 278  
glance.gam, 139, 280  
glance.gam(), 138  
glance.garch, 141, 281  
glance.geeglm, 142  
glance.glm, 35, 46, 143, 157, 204, 214, 286, 305, 308, 330, 377  
glance.glm(), 168, 169  
glance.glmnet, 127, 145, 259, 287  
glance.glmRob, 49, 146, 161, 288, 311  
glance.gmm, 148, 292  
glance.htest (tidy.htest), 293  
glance.ivreg, 42, 150, 296  
glance.kmeans, 43, 152, 302  
glance.lavaan, 154, 304  
glance.list (list\_tidiers), 219  
glance.lm, 35, 46, 144, 156, 204, 214, 286, 305, 308, 330, 377  
glance.lm(), 204  
glance.lmodel2, 158, 310  
glance.lmRob, 49, 147, 160, 288, 311  
glance.lmrob, 37, 51, 162, 290, 312  
glance.logitmfx (glance.mfx), 167  
glance.margins, 163  
glance.Mclust, 165  
glance.mfx, 12, 58, 109, 167, 232, 325  
glance.mjjoint, 169, 327  
glance.mlogit, 63, 171, 332  
glance.muhaz, 173, 333  
glance.multinom, 174, 334  
glance.negbin, 176, 336  
glance.negbinmfx (glance.mfx), 167  
glance.nlrq, 64, 82, 85, 177, 195, 337, 366, 368  
glance.nls, 66, 179, 339  
glance.NULL (null\_tidiers), 220  
glance.optim (glance\_optim), 217  
glance.pam, 68, 180, 343  
glance.plm, 70, 182, 344  
glance.poissonmfx (glance.mfx), 167  
glance.poLCA, 72, 184, 346  
glance.polr, 16, 75, 117, 119, 186, 215, 247, 249, 349, 388  
glance.probitmfx (glance.mfx), 167  
glance.pyears, 19, 94, 103, 116, 123, 188, 207, 208, 210, 212, 224, 243, 255, 354, 381, 382, 384, 385  
glance.ridgelm, 189, 360  
glance.rlm, 78, 191, 361  
glance.rma, 193  
glance.rq, 64, 82, 85, 178, 194, 337, 366, 368  
glance.sarlm, 87, 196, 370  
glance.smooth.spline, 89, 198  
glance.speedglm, 90, 200, 202, 373, 374  
glance.speedlmm, 90, 201, 201, 373, 374  
glance.summary.lm, 35, 46, 144, 157, 203,

214, 286, 305, 308, 330, 377  
`glance.summary.lm()`, 157, 204  
`glance.summaryDefault`  
 (summary\_tidiers), 222  
`glance.survdiff`, 19, 94, 103, 116, 123, 189, 206, 208, 210, 212, 224, 243, 255, 354, 381, 382, 384, 385  
`glance.survexp`, 19, 94, 103, 116, 123, 189, 207, 208, 210, 212, 224, 243, 255, 354, 381, 382, 384, 385  
`glance.survfit`, 19, 94, 103, 116, 123, 189, 207, 208, 209, 212, 224, 243, 255, 354, 381, 382, 384, 385  
`glance.survreg`, 19, 94, 103, 116, 123, 189, 207, 208, 210, 212, 224, 243, 255, 354, 381, 382, 384, 385  
`glance.svyglm`, 35, 46, 144, 157, 204, 212, 286, 305, 308, 330, 377  
`glance.svyolr`, 16, 75, 117, 119, 187, 214, 247, 249, 349, 388  
`glance.varest`, 216  
`glance_optim`, 217, 220, 398, 400, 402, 403  
`glm.nb_tidiers`(`glance.negbin`), 176  
`glmnet::cv.glmnet()`, 126, 127, 258, 259  
`glmnet::glmnet()`, 145, 146, 286, 287  
`glmnet_tidiers`(`tidy.glmnet`), 286  
`gmm::gmm()`, 148, 149, 291, 292  
`gmm_tidiers`(`tidy.gmm`), 291  
`graphics::image()`, 403  
`graphics::persp()`, 403  
  
`Hmisc::rcorr()`, 355  
`Hmisc_tidiers`(`tidy.rcorr`), 354  
`htest_tidiers`(`tidy.htest`), 293  
  
`interp::interp()`, 217, 219, 397, 399, 400, 403  
`irlba::irlba()`, 397, 398  
`irlba_tidiers`(`tidy_irlba`), 397  
`ivreg_tidiers`(`tidy.ivreg`), 295  
  
`joineRML::bootSE()`, 326, 327  
`joineRML::fitted.mjjoint()`, 60  
`joineRML::mjjoint()`, 60, 170, 326, 327  
`joineRML::residuals.mjjoint()`, 60  
`joinerml_tidiers`(`tidy.mjjoint`), 325  
  
`kappa_tidiers`(`tidy.kappa`), 297  
`kde_tidiers`(`tidy.kde`), 298  
  
`Kendall::Kendall()`, 300, 301  
`Kendall::MannKendall()`, 300, 301  
`Kendall::SeasonalMannKendall()`, 300, 301  
  
`Kendall_tidiers`(`tidy.Kendall`), 300  
`kendall_tidiers`(`tidy.Kendall`), 300  
`kmeans_tidiers`(`tidy.kmeans`), 301  
`ks::kde()`, 299  
`ks_tidiers`(`tidy.kde`), 298  
  
`lavaan::cfa()`, 154, 155, 303, 304  
`lavaan::fitmeasures()`, 155  
`lavaan::parameterEstimates()`, 303, 304  
`lavaan::sem()`, 154, 155, 303, 304  
`lavaan_tidiers`(`tidy.lavaan`), 303  
`leaps::regsubsets()`, 358, 359  
`leaps_tidiers`(`tidy.regsubsets`), 358  
`leveneTest_tidiers`, 100, 218  
`lfe::felm()`, 27, 133, 271, 272  
`lfe_tidiers`(`tidy.felm`), 271  
`list_tidiers`, 218, 219, 398, 400, 402, 403  
`lm.beta::lm.beta`, 307  
`lm_tidiers`(`tidy.lm`), 304  
`lmodel2::lmodel2()`, 159, 309, 310  
`lmodel2_tidiers`(`tidy.lmodel2`), 309  
`lmtest::coeftest()`, 120, 121, 250  
`lmtest_tidiers`(`tidy.coeftest`), 249  
`loess_tidiers`(`augment.loess`), 52  
`lsmeans::summary.ref.grid()`, 264, 313, 356, 357, 378  
  
`maps::map()`, 316, 317  
`maps_tidiers`(`tidy.map`), 316  
`margins::margins()`, 164, 318  
`margins_tidiers`(`tidy.margins`), 317  
`MASS::dropterm()`, 348  
`MASS::fitdistr()`, 135, 273, 274  
`MASS::glm.nb()`, 176, 177, 335, 336  
`MASS::lm.ridge()`, 190, 360  
`MASS::polr()`, 74, 75, 186, 187, 348, 349  
`MASS::rlm()`, 77, 78, 191, 192, 361  
`MASS::select.ridgelm()`, 190  
`mclust::Mclust()`, 54, 55, 166, 320  
`mclust_tidiers`(`tidy.Mclust`), 320  
`mean`, 98  
`mediate_tidiers`(`tidy.mediate`), 321  
`mediation::mediate()`, 322  
`metafor::escalc()`, 362  
`metafor::rma()`, 79, 193, 362

metafor::rma.glmm(), 79, 193, 362  
 metafor::rma.mh(), 79, 193, 362  
 metafor::rma.mv(), 79, 193, 362  
 metafor::rma.peto(), 79, 193, 362  
 metafor::rma.uni(), 79, 193, 362  
 mfx::betamfx(), 12, 109, 232  
 mfx::logitmfx(), 58, 169, 325  
 mfx::negbinmfx(), 58, 169, 325  
 mfx::poissonmfx(), 58, 169, 325  
 mfx::probitmfx(), 58, 169, 325  
 mgcv::gam(), 31, 32, 138, 140, 278–280  
 mgcv\_tidiers(tidy.gam), 279  
 mjoint\_tidiers(tidy.mjoint), 325  
 mle2\_tidiers(tidy.mle2), 328  
 mlogit::mlogit(), 62, 172, 331, 332  
 mlogit\_tidiers(tidy.mlogit), 331  
 muhaz::muhaz(), 173, 174, 333  
 muhaz\_tidiers(tidy.muhaz), 332  
 multcomp::cld(), 244, 245  
 multcomp::confint.glht(), 245, 251, 252  
 multcomp::glht(), 245, 251, 252, 284, 375,  
     376  
 multcomp::summary.glht(), 245, 375, 376  
 multcomp\_tidiers(tidy.glht), 284  
 multinom\_tidiers(tidy.multinom), 333  
  
 nlrq\_tidiers(tidy.nlrq), 336  
 nls\_tidiers(tidy.nls), 338  
 nnet::multinom(), 175, 334  
 nnet\_tidiers(tidy.multinom), 333  
 null\_tidiers, 220  
  
 optim\_tidiers(tidy\_optim), 399  
 ordinal::clm(), 16, 117, 246, 247  
 ordinal::clmm(), 119, 248, 249  
 ordinal::confint.clm(), 246, 247, 249  
 ordinal::predict.clm(), 16  
 ordinal\_tidiers(tidy.clm), 245  
  
 pam\_tidiers(tidy.pam), 342  
 plm::plm(), 69, 70, 182, 183, 344  
 plm\_tidiers(tidy.plm), 343  
 poLCA::poLCA(), 71, 72, 184, 185, 345, 346  
 poLCA\_tidiers(tidy.poLCA), 345  
 polr\_tidiers(tidy.polr), 347  
 prcomp\_tidiers(tidy.prcomp), 350  
 predict.fixest, 29  
 psych::cohen.kappa(), 297, 298  
 psych\_tidiers(tidy.kappa), 297  
  
 purrr::map(), 195  
 purrr::map\_df(), 220  
 pyears\_tidiers(tidy.pyears), 353  
  
 qr, 315  
 quantreg::nlrq(), 64, 178, 336, 337  
 quantreg::predict.rq, 82, 84  
 quantreg::predict.rq(), 82  
 quantreg::predict.rqs(), 85  
 quantreg::rq(), 81, 82, 84, 85, 195, 365–368  
 quantreg::summary.rq(), 365, 367  
 quantreg::summary.rqs(), 367  
 quantreg\_tidiers(tidy.rq), 365  
  
 rcorr\_tidiers(tidy.rcorr), 354  
 ridgelm\_tidiers(tidy.ridgelm), 359  
 rlm\_tidiers(glance.rlm), 191  
 robust::glmRob(), 147, 288  
 robust::lmRob(), 48, 49, 161, 310, 311  
 robust\_tidiers(tidy.lmRob), 310  
 robustbase::glmrob(), 36, 37, 289, 290  
 robustbase::lmrob(), 50, 51, 162, 163, 312  
 robustbase\_tidiers(tidy.lmrob), 311  
 roc\_tidiers(tidy.roc), 363  
 rq\_tidiers(tidy.rq), 365  
 rqs\_tidiers(tidy.rqs), 367  
 rsample::bootstraps(), 240  
  
 sem\_tidiers(tidy.lavaan), 303  
 sexpfit\_tidiers(tidy.survexp), 381  
 smooth.spline\_tidiers  
     (augment.smooth.spline), 88  
 sp\_tidiers, 221  
 spatialreg::errorsarlm(), 86, 197, 369,  
     370  
 spatialreg::lagsarlm(), 86, 197, 369, 370  
 spatialreg::sacsarlm(), 197, 370  
 spatialreg\_tidiers(tidy.sarlm), 369  
 speedglm::speedglm(), 200, 372, 373  
 speedglm::speedlm(), 90, 201, 202, 374  
 speedglm\_tidiers(tidy.speedglm), 372  
 speedlm\_tidiers(tidy.speedlm), 373  
 splines::ns(), 11, 13, 15, 17, 20, 23, 25, 26,  
     29, 31, 33, 35, 36, 39, 41, 43, 44, 48,  
     50, 54, 56, 59, 62, 65, 67, 69, 71, 74,  
     76, 77, 79, 81, 84, 86, 90, 91, 93  
 stats::acf(), 225  
 stats::anova(), 104, 226  
 stats::aov(), 106, 227–229

stats::arima(), 107, 108, 230  
 stats::ccf(), 225  
 stats::chisq.test(), 39, 293, 294  
 stats::cooks.distance(), 14, 32  
 stats::cor.test(), 39, 293, 294  
 stats::decompose(), 21  
 stats::density(), 260  
 stats::dist(), 261  
 stats::factanal(), 25, 26, 131, 132, 270  
 stats::ftable(), 277  
 stats::glm(), 34, 35, 144, 214, 285, 286, 387  
 stats::kmeans(), 43, 153, 302  
 stats::lm(), 26, 45, 156, 203, 304, 330  
 stats::loess(), 52, 53  
 stats::manova(), 315  
 stats::na.action, 19, 46, 53  
 stats::nls(), 65, 66, 179, 180, 338, 339  
 stats::optim(), 217–219, 397, 399, 400, 403  
 stats::pacf(), 225  
 stats::pairwise.t.test(), 341  
 stats::pairwise.wilcox.test(), 341  
 stats::poly(), 11, 13, 15, 17, 20, 23, 25, 26, 29, 31, 33, 35, 36, 39, 41, 43, 44, 48, 50, 54, 56, 59, 62, 65, 67, 69, 71, 74, 76, 77, 79, 81, 84, 86, 90, 91, 93  
 stats::power.t.test(), 349, 350  
 stats::prcomp(), 76, 77, 351, 352  
 stats::predict(), 14, 18, 32, 37, 93  
 stats::predict.glm(), 34, 57  
 stats::predict.lm(), 46  
 stats::predict.loess(), 53  
 stats::predict.nls(), 66  
 stats::predict.smooth.spline(), 89  
 stats::residuals(), 14, 18, 32, 37, 93  
 stats::residuals.glm(), 34, 58  
 stats::rstandard.glm(), 34, 58  
 stats::smooth.spline(), 88, 89, 198, 199  
 stats::spectrum(), 371  
 stats::stl(), 92  
 stats::summary.aov(), 227  
 stats::summary.lm(), 305, 377  
 stats::summary.manova, 315  
 stats::summary.manova(), 316  
 stats::summary.nls(), 339  
 stats::t.test(), 39, 293, 294  
 stats::ts(), 392  
 stats::TukeyHSD(), 393  
 stats::wilcox.test(), 39, 293, 294  
 summary(), 222, 284, 335, 383, 394  
 summary.fixest, 29, 136, 275  
 summary\_tidiers, 96, 97, 99, 101, 102, 222, 261, 262, 277, 340  
 survdiff\_tidiers(tidy.survdiff), 380  
 survexp\_tidiers(tidy.survexp), 381  
 survey::anova.svyglm, 214  
 survey::svyglm(), 213, 214, 386, 387  
 survey::svyolr(), 215, 387, 388  
 survfit\_tidiers(tidy.survfit), 383  
 survival::aareg(), 102, 103, 223, 224  
 survival::cch(), 115, 116, 242, 243  
 survival::coxph(), 18, 19, 122, 123, 255  
 survival::pyears(), 188, 189, 353, 354  
 survival::summary.survfit(), 209  
 survival::Surv(), 11, 13, 15, 17, 20, 23, 25, 26, 29, 31, 33, 35, 36, 39, 41, 43, 44, 48, 50, 54, 56, 59, 62, 65, 67, 69, 71, 74, 76, 77, 79, 81, 84, 86, 90, 91, 93  
 survival::survdiff(), 206, 207, 380, 381  
 survival::survexp(), 208, 382  
 survival::survfit(), 209, 210, 383, 384  
 survival::survreg(), 93, 94, 211, 212, 385  
 survreg\_tidiers(tidy.survreg), 384  
 svd(), 217, 397, 399, 400, 403  
 svd\_tidiers, 77, 352  
 svd\_tidiers(tidy\_svd), 400  
 svyolr\_tidiers(tidy.svyolr), 387  
 systemfit::systemfit(), 389, 390  
 systemfit\_tidiers(tidy.systemfit), 389  
 tibble::as\_tibble(), 276, 390, 391  
 tibble::as\_tibble.table(), 391  
 tibble::tibble, 11, 13, 15, 17, 20, 21, 23, 25, 26, 29, 31, 33, 35, 36, 38, 41, 43, 44, 48, 50, 54, 56, 59, 62, 65, 67, 69, 71, 74, 76, 77, 79, 81, 84, 86, 90–93, 154, 220, 222, 261, 262, 268, 277, 351, 391, 398, 401, 403  
 tibble::tibble(), 11, 12, 14, 16, 18, 19, 23–25, 27, 29, 31, 32, 34, 37, 39, 41, 43, 45, 46, 48–54, 57, 58, 60, 63–72, 74, 76–78, 80–82, 84, 87–90, 93, 94, 100, 102–115, 117–120, 122–126, 128, 129, 131, 133, 135–154, 156, 159–184, 186–197, 199–204, 206–209, 211–216, 218, 219, 224–226, 229, 230, 232, 233, 235,

237, 238, 240, 241, 243, 245, 247, 248, 250, 252, 253, 255, 257, 259, 263, 264, 267, 270, 272, 274, 275, 278, 280, 281, 283, 284, 287, 290, 291, 294, 296, 298, 299, 301–303, 305, 308, 309, 313, 315, 317, 318, 320, 322, 324, 326, 328, 330, 331, 333, 334, 337, 338, 341, 342, 344, 346, 348, 350, 353, 355, 357, 359, 360, 363, 364, 366, 367, 369, 371, 373–375, 377, 379, 381–383, 385, 388, 390, 392, 393, 395, 396, 400

tidy, 16, 66, 117, 119, 180, 187, 215, 247, 249, 339, 349, 388

tidy(), 75, 99, 100, 135, 218, 219, 224–226, 228, 229, 234, 235, 237, 238, 240, 241, 243, 245, 250, 252, 254, 255, 257, 259, 263, 265, 267, 269, 270, 272, 274, 276, 278, 280, 281, 283, 284, 287, 292–294, 296, 298, 299, 301, 302, 304, 305, 310, 314, 316–318, 320, 322, 325, 327, 329, 330, 332–334, 337, 341, 343, 344, 346, 354, 355, 357, 359, 360, 364, 366, 368, 370, 371, 376, 377, 379, 381, 382, 384, 385, 390, 392, 393, 395, 396, 398, 400, 403

tidy.aareg, 19, 94, 103, 116, 123, 189, 207, 208, 210, 212, 223, 243, 255, 354, 381, 382, 384, 385

tidy.acf, 224, 371, 392, 396

tidy.anova, 105, 106, 225, 228, 229, 316, 393

tidy.anova(), 278

tidy.aov, 105, 106, 226, 227, 229, 316, 393

tidy.aovlist, 105, 106, 226, 228, 228, 316, 393

tidy.Arima, 108, 229

tidy.betamfx, 12, 58, 109, 169, 231, 325

tidy.betareg, 233

tidy.betareg(), 232

tidy.biglm, 112, 234

tidy.binDesign, 114, 236, 238

tidy.binWidth, 114, 237, 237

tidy.boot, 239

tidy.btergm, 241

tidy.cch, 19, 94, 103, 116, 123, 189, 207, 208, 210, 212, 224, 242, 255, 354, 381, 382, 384, 385

tidy.character (tidy.numeric), 339

tidy.cld, 244, 252, 284, 376

tidy.clm, 16, 75, 117, 119, 187, 215, 245, 249, 349, 388

tidy.clmm, 16, 75, 117, 119, 187, 215, 247, 248, 349, 388

tidy.coeftest, 249

tidy.confint.glmht, 245, 251, 284, 376

tidy.confusionMatrix, 253

tidy.coxph, 19, 94, 103, 116, 123, 189, 207, 208, 210, 212, 224, 243, 254, 354, 381, 382, 384, 385

tidy.crr, 125, 256

tidy.cv.glmnet, 127, 146, 258, 287

tidy.data.frame (data.frame\_tidiers), 97

tidy.density, 96, 97, 99, 101, 102, 222, 260, 262, 277, 340

tidy.dist, 96, 97, 99, 101, 102, 222, 261, 261, 277, 340

tidy.drc, 24, 129, 262

tidy.durbinWatsonTest  
(durbinWatsonTest\_tidiers), 99

tidy.emmGrid, 264, 314, 357, 379

tidy.epi.2by2, 266

tidy.ergm, 130, 267

tidy.factanal, 26, 132, 269

tidy.felm, 27, 271

tidy.fitdistr, 135, 273

tidy.fixest, 30, 274

tidy.ftable, 96, 97, 99, 101, 102, 222, 261, 262, 276, 340

tidy.Gam, 139, 277

tidy.gam, 140, 279

tidy.gam(), 278

tidy.garch, 142, 280

tidy.geeglm, 282

tidy.glmht, 245, 252, 284, 376

tidy.glm, 35, 46, 144, 157, 204, 214, 285, 305, 308, 330, 377

tidy.glmnet, 127, 146, 259, 286

tidy.glmRob, 49, 147, 161, 288, 311

tidy.glmrob, 37, 51, 163, 289, 312

tidy.gmm, 149, 291

tidy.htest, 39, 293, 341, 350

tidy.irlba (tidy\_irlba), 397

tidy.ivreg, 42, 152, 295

tidy.kappa, 297

tidy.kde, 298

tidy.Kendall, 300  
 tidy.kmeans, 43, 153, 301  
 tidy.lavaan, 155, 303  
 tidy.leveneTest (leveneTest\_tidiers), 218  
 tidy.leveneTest(), 226, 228, 229  
 tidy.Line (sp\_tidiers), 221  
 tidy.Lines (sp\_tidiers), 221  
 tidy.list (list\_tidiers), 219  
 tidy.lm, 35, 46, 144, 157, 204, 214, 286, 304, 308, 330, 377  
 tidy.lm(), 344, 374, 377  
 tidy.lm.beta, 35, 46, 144, 157, 204, 214, 286, 305, 307, 330, 377  
 tidy.lmodel2, 159, 309  
 tidy.lmRob, 49, 147, 161, 288, 310  
 tidy.lmrob, 37, 51, 163, 290, 311  
 tidy.logical (tidy.numeric), 339  
 tidy.logitmfx (tidy.mfx), 323  
 tidy.lsmobj, 265, 313, 357, 379  
 tidy.manova, 105, 106, 226, 228, 229, 315, 393  
 tidy.map, 316  
 tidy.margins, 317  
 tidy.Mclust, 55, 320  
 tidy.mediate, 321  
 tidy.mfx, 12, 58, 109, 169, 232, 323  
 tidy.mjoint, 170, 325  
 tidy.mle2, 328  
 tidy.mlm, 35, 46, 144, 157, 204, 214, 286, 305, 308, 329, 377  
 tidy.mlm(), 305  
 tidy.mlogit, 63, 172, 331  
 tidy.muhaz, 174, 332  
 tidy.multinom, 175, 333  
 tidy.negbin, 177, 335  
 tidy.negbinmfx (tidy.mfx), 323  
 tidy.nlrq, 64, 82, 85, 178, 195, 336, 366, 368  
 tidy.nls, 66, 180, 338  
 tidy.NULL (null\_tidiers), 220  
 tidy.numeric, 96, 97, 99, 101, 102, 222, 261, 262, 277, 339  
 tidy.optim (tidy\_optim), 399  
 tidy.pairwise.htest, 39, 294, 340, 350  
 tidy.pam, 68, 181, 342  
 tidy.plm, 70, 183, 343  
 tidy.poissonmfx (tidy.mfx), 323  
 tidy.poLCA, 72, 185, 345  
 tidy.polr, 16, 75, 117, 119, 187, 215, 247, 249, 347, 388  
 tidy.polr(), 388  
 tidy.Polygon (sp\_tidiers), 221  
 tidy.Polygons (sp\_tidiers), 221  
 tidy.power.htest, 39, 294, 341, 349  
 tidy.prcomp, 77, 350, 398, 402  
 tidy.probitmfx (tidy.mfx), 323  
 tidy.pyears, 19, 94, 103, 116, 123, 189, 207, 208, 210, 212, 224, 243, 255, 353, 381, 382, 384, 385  
 tidy.rcorr, 354  
 tidy.ref.grid, 265, 314, 356, 379  
 tidy.regsubsets, 358  
 tidy.ridgelm, 190, 359  
 tidy.rlm, 78, 192, 361  
 tidy.rlm(), 37, 49, 51, 162, 288, 290, 311, 312  
 tidy.rma, 362  
 tidy.roc, 363  
 tidy.rq, 64, 82, 85, 178, 195, 337, 365, 368  
 tidy.rqs, 64, 82, 85, 178, 195, 337, 366, 367  
 tidy.sarlm, 87, 197, 369  
 tidy.SpatialLinesDataFrame (sp\_tidiers), 221  
 tidy.SpatialPolygons (sp\_tidiers), 221  
 tidy.SpatialPolygonsDataFrame (sp\_tidiers), 221  
 tidy.spec, 225, 371, 392, 396  
 tidy.speedglm, 90, 201, 202, 372, 374  
 tidy.speedlm, 90, 201, 202, 373, 373  
 tidy.summary.glht, 245, 252, 284, 375  
 tidy.summary.glht(), 284  
 tidy.summary.lm, 35, 46, 144, 157, 204, 214, 286, 305, 308, 330, 376  
 tidy.summary\_emm, 265, 314, 357, 378  
 tidy.summaryDefault (summary\_tidiers), 222  
 tidy.survdiff, 19, 94, 103, 116, 123, 189, 207, 208, 210, 212, 224, 243, 255, 354, 380, 382, 384, 385  
 tidy.survexp, 19, 94, 103, 116, 123, 189, 207, 208, 210, 212, 224, 243, 255, 354, 381, 381, 384, 385  
 tidy.survfit, 19, 94, 103, 116, 123, 189, 207, 208, 210, 212, 224, 243, 255, 354, 381, 382, 383, 385  
 tidy.survreg, 19, 94, 103, 116, 123, 189,

207, 208, 210, 212, 224, 243, 255,  
354, 381, 382, 384, 384  
tidy.svyglm, 386  
tidy.svyolr, 16, 75, 117, 119, 187, 215, 247,  
249, 349, 387  
tidy.systemfit, 389  
tidy.table, 390  
tidy.ts, 225, 371, 391, 396  
tidy.TukeyHSD, 105, 106, 226, 228, 229, 316,  
393  
tidy.varest, 394  
tidy.zoo, 225, 371, 392, 395  
tidy\_irlba, 77, 218, 220, 352, 397, 400, 402,  
403  
tidy\_optim, 218, 220, 398, 399, 402, 403  
tidy\_optim(), 329  
tidy\_svd, 77, 218, 220, 352, 398, 400, 400,  
403  
tidy\_svd(), 397  
tidy\_xyz, 218, 220, 398, 400, 402, 402  
tidy::pivot\_longer(), 391  
tseries::garch(), 141, 142, 281  
vars:::VAR(), 216, 217, 394, 395  
vars\_tidiers (tidy.varest), 394  
xyz\_tidiers (tidy\_xyz), 402  
zoo::zoo(), 396  
zoo\_tidiers (tidy.zoo), 395