

# Package ‘dexter’

January 21, 2026

**Type** Package

**Title** Data Management and Analysis of Tests

**Version** 1.7.2

**Maintainer** Jesse Koops <jesse.koops@cito.nl>

**Description** A system for the management, assessment, and psychometric analysis of data from educational and psychological tests.

**License** LGPL-3

**URL** <https://dexter-psychometrics.github.io/dexter/>

**BugReports** <https://github.com/dexter-psychometrics/dexter/issues>

**Encoding** UTF-8

**LazyData** yes

**Depends** R (>= 4.1)

**Imports** RSQLite (>= 2.2.7), DBI (>= 1.0.0), MASS (>= 7.3), tidyR (>= 1.2.0), rlang (>= 1.0.0), dplyr (>= 1.1.0), Rcpp (>= 1.0.1), RcppArmadillo (>= 0.12.6.6.0), graphics, grDevices, methods, utils

**LinkingTo** Rcpp, RcppArmadillo (>= 0.12.6.6.0), dqrng, BH

**RoxygenNote** 7.3.3

**Suggests** knitr, rmarkdown, latticeExtra, testthat, Cairo, cli

**VignetteBuilder** knitr

**NeedsCompilation** yes

**Author** Gunter Maris [aut],  
Timo Bechger [aut],  
Jesse Koops [aut, cre],  
Ivailo Partchev [aut]

**Repository** CRAN

**Date/Publication** 2026-01-21 12:50:08 UTC

## Contents

dexter-package	3
ability	4
add_booklet	6
add_item_properties	8
add_person_properties	9
close_project	9
coef.enorm	10
coef.inter	11
coef.latent_cor	11
coef.p2pass	12
design_info	12
DIF	13
distractor_plot	14
fit_domains	15
fit_enorm	16
fit_inter	18
get_booklets	19
get_design	19
get_items	20
get_persons	20
get_responses	21
get_resp_data	22
get_rules	23
get_testscores	24
get_variables	24
individual_differences	25
information	26
keys_to_rules	28
latent_cor	28
open_project	30
plausible_scores	30
plausible_values	32
plot.DIF_stats	34
plot.enorm	35
plot.inter	36
plot.p2pass	37
probability_to_pass	38
profile_plot	39
profile_tables	41
ratedData	42
ratedDataProperties	42
ratedDataRules	43
read_oplm_par	43
r_score_IM	44
standards_3dc	44
standards_db	46

start_new_project . . . . .	47
start_new_project_from_oplm . . . . .	48
tia_tables . . . . .	49
touch_rules . . . . .	50
verbAggrData . . . . .	51
verbAggrProperties . . . . .	52
verbAggrRules . . . . .	52

<b>Index</b>	<b>53</b>
--------------	-----------

---

## Description

Dexter provides a comprehensive solution for managing and analyzing educational test data.

## Details

The main features are:

- project databases providing a structure for storing data about persons, items, responses and booklets.
- methods to assess data quality using Classical test theory and plots.
- CML calibration of the extended nominal response model and interaction model.

To learn more about dexter, start with the vignettes: ‘browseVignettes(package="dexter")’

Dexter uses the following global options

- ‘dexter.use\_tibble‘ return tibbles instead of data.frames, defaults to FALSE
- ‘dexter.progress‘ show progress bars, defaults to TRUE in interactive sessions
- ‘dexter.max\_cores‘ set a maximum number of cores that dexter will use, defaults to the minimum of ‘Sys.getenv("OMP\_THREAD\_LIMIT")‘ and ‘getOption("Ncpus")‘, otherwise unlimited.

## Author(s)

**Maintainer:** Jesse Koops <jesse.koops@cito.nl>

Authors:

- Gunter Maris
- Timo Bechger
- Ivailo Partchev

**See Also**

Useful links:

- <https://dexter-psychometrics.github.io/dexter/>
- Report bugs at <https://github.com/dexter-psychometrics/dexter/issues>

---

ability	<i>Estimate abilities</i>
---------	---------------------------

---

**Description**

Computes estimates of ability for persons or for booklet scores

**Usage**

```
ability(
  dataSrc,
  parms,
  predicate = NULL,
  method = c("MLE", "EAP", "WLE"),
  prior = c("normal", "Jeffreys"),
  parms_draw = c("sample", "average"),
  mu = 0,
  sigma = 4,
  merge_within_persons = FALSE
)

ability_tables(
  parms,
  design = NULL,
  method = c("MLE", "EAP", "WLE"),
  prior = c("normal", "Jeffreys"),
  parms_draw = c("sample", "average"),
  mu = 0,
  sigma = 4
)
```

**Arguments**

dataSrc	a connection to a dexter database, a matrix, or a data.frame with columns: person_id, item_id, item_score
parms	object produced by <a href="#">fit_enorm</a> or a data.frame with columns item_id, item_score and, beta
predicate	An optional expression to subset data, if NULL all data is used
method	Maximum Likelihood (MLE), Expected A posteriori (EAP) or Weighted Likelihood (WLE)

<b>prior</b>	If an EAP estimate is produced one can choose a normal prior or Jeffreys prior; i.e., a prior proportional to the square root of test information.
<b>parms_draw</b>	When parms is Bayesian, parms_draw can be the index of the posterior sample of the item parameters that will be used for generating abilities. If parms_draw='sample' ability estimates are estimated over all draws and averaged. Rubin's rule is used to combine the imputation variance and sampling variance. If parms_draw='average', the posterior mean of the item parameters is used.
<b>mu</b>	Mean of the normal prior
<b>sigma</b>	Standard deviation of the normal prior
<b>merge_within_persons</b>	for persons who were administered multiple booklets, whether to provide just one ability value (TRUE) or one per booklet(FALSE)
<b>design</b>	A data.frame with columns item_id and optionally booklet_id. If the column booklet_id is not included, the score transformation table will be based on all items found in the design. If design is NULL and parms is an enorm fit object the score transformation table will be computed based on the test design that was used to fit the items.

## Details

MLE estimates of ability will produce -Inf and Inf estimates for the minimum (=0) and the maximum score on a booklet. If this is undesirable, we advise to use WLE. The WLE was proposed by Warm (1989) to reduce bias in the MLE and is also known as the Warm estimator.

## Value

- ability** a data.frame with columns: booklet\_id, person\_id, booklet\_score, theta and optionally se (standard error)
- ability\_tables** a data.frame with columns: booklet\_id, booklet\_score, theta and optionally se (standard error)

## References

Warm, T. A. (1989). Weighted likelihood estimation of ability in item response theory. *Psychometrika*, 54(3), 427-450.

## Examples

```
db = start_new_project(verbAggrRules, ":memory:")
add_booklet(db, verbAggrData, "agg")

f = fit_enorm(db)

mle = ability_tables(f, method="MLE")
eap = ability_tables(f, method="EAP", mu=0, sigma=1)
wle = ability_tables(f, method="WLE")
```

```

plot(wle$booklet_score, wle$theta, xlab="test-score", ylab="ability est.", pch=19)
points(mle$booklet_score, mle$theta, col="red", pch=19,)
points(eap$booklet_score, eap$theta, col="blue", pch=19)
legend("topleft", legend = c("WLE", "MLE", "EAP N(0,1)"),
       col = c("black", "red", "blue"), bty = "n", pch = 19)

close_project(db)

```

---

add_booklet	<i>Add response data to a project</i>
-------------	---------------------------------------

---

## Description

Add item response data in long or wide format.

## Usage

```

add_booklet(db, x, booklet_id, auto_add_unknown_rules = FALSE)

add_response_data(
  db,
  data,
  design = NULL,
  missing_value = "NA",
  auto_add_unknown_rules = FALSE
)

```

## Arguments

db	a connection to a dexter database, i.e. the output of <code>start_new_project</code> or <code>open_project</code>
x	A data frame containing the responses and, optionally, <code>person_properties</code> . The <code>data.frame</code> should have one row per respondent and the column names should correspond to the <code>item_id</code> 's in the rules or the names of the <code>person_properties</code> . See details.
booklet_id	A (short) string identifying the test form (booklet)
auto_add_unknown_rules	If FALSE (the default), an error will be generated if one or more responses do not appear in the scoring rules. If TRUE, unknown responses will be assumed to have a score of 0 and will be added to your scoring rules
data	response data in normalized (long) format. Must contain columns <code>person_id</code> , <code>booklet_id</code> , <code>item_id</code> and <code>response</code> and optionally <code>item_position</code> (useful if your data contains new booklets, see details)

design	data.frame with columns booklet_id, item_id and optionally item_position specifying the design of any _new_ booklets in your data.
missing_value	value to use for responses in missing rows in your data, see details

## Details

It is a common practice to keep response data in tables where each row contains the responses from a single person. `add_booklet` is provided to input data in that form, one booklet at a time.

If the dataframe `x` contains a variable named `person_id` this variable will be used to identify unique persons. It is assumed that a single person will only make a single booklet once, otherwise an error will be generated.

If a `person_id` is not supplied, dexter will generate unique `person_id`'s for each row of data.

Any column whose name has an exact match in the scoring rules inputted with function `start_new_project` will be treated as an item; any column whose name has an exact match in the `person_properties` will be treated as a person property. If a name matches both a `person_property` and an `item_id`, the item takes precedence. Columns other than items, person properties and `person_id` will be ignored.

`add_response_data` can be used to add data that is already normalized. This function takes a data.frame in long format with columns `person_id`, `booklet_id`, `item_id` and `response` such as can usually be found in databases for example. For booklets that are not already known in your project, you need to specify the design via the `design` argument. Failure to do so will result in an error. Responses to items that should be there according to the design but which do not have a corresponding row in `data` will be added with `missing_value` used for the response. If this missing value is not defined in your scoring rules and `auto_add_unknown_rules` is set to `FALSE`, this will lead to an error message.

Note that responses are always treated as strings (in both functions), and NA values are transformed to the string "NA".

## Value

A list with information about the recent import.

## Examples

```
db = start_new_project(verbAggrRules, ":memory:",
                      person_properties=list(gender="unknown"))
head(verbAggrData)
add_booklet(db, verbAggrData, "agg")

close_project(db)
```

---

add\_item\_properties *Add item properties to a project*

---

## Description

Add, change or define item properties in a dexter project

## Usage

```
add_item_properties(db, item_properties = NULL, default_values = NULL)
```

## Arguments

db	a connection to a dexter database, e.g. the output of <code>start_new_project</code> or <code>open_project</code>
item_properties	A data frame containing a column item_id (matching item_id's already defined in the project) and 1 or more other columns with item properties (e.g. item_type, subject)
default_values	a list where the names are item_properties and the values are defaults. The defaults will be used wherever the item property is unknown.

## Details

When entering response data in the form of a rectangular person x item table, it is easy to provide person properties but practically impossible to provide item properties. This function provides a possibility to do so.

Note that it is not possible to add new items with this function, use `touch_rules` if you want to add new items to your project.

## Value

nothing

## See Also

[fit\\_domains](#), [profile\\_plot](#) for possible uses of item\_properties

## Examples

```
## Not run: \donttest{
db = start_new_project(verbAggrRules, "verbAggression.db")
head(verbAggrProperties)
add_item_properties(db, verbAggrProperties)
get_items(db)

close_project(db)
}
```

```
## End(Not run)
```

---

`add_person_properties` *Add person properties to a project*

---

## Description

Add, change or define person properties in a dexter project. Person properties defined here will also be automatically imported with [add\\_booklet](#)

## Usage

```
add_person_properties(db, person_properties = NULL, default_values = NULL)
```

## Arguments

<code>db</code>	a connection to a dexter database, e.g. the output of <code>start_new_project</code> or <code>open_project</code>
<code>person_properties</code>	A data frame containing a column <code>person_id</code> and 1 or more other columns with person properties (e.g. <code>education_type</code> , <code>birthdate</code> )
<code>default_values</code>	a list where the names are <code>person_properties</code> and the values are defaults. The defaults will be used wherever the person property is unknown.

## Details

Due to limitations in the sqlite database backend that we use, the default values for a person property can only be defined once for each `person_property`

## Value

nothing

---

`close_project` *Close a project*

---

## Description

This is just an alias for `DBI::dbDisconnect(db)`, included for completeness

## Usage

```
close_project(db)
```

## Arguments

<code>db</code>	connection to a dexter database
-----------------	---------------------------------

---

coef.enorm	<i>extract enorm item parameters</i>
------------	--------------------------------------

---

## Description

extract enorm item parameters

## Usage

```
## S3 method for class 'enorm'
coef(object, hpd = 0.95, what = c("items", "var", "posterior"), ...)
```

## Arguments

object	an enorm parameters object, generated by the function <a href="#">fit_enorm</a>
hpd	width of Bayesian highest posterior density interval around mean_beta, value must be between 0 and 1, default is 0.95
what	which coefficients to return. Defaults to items (the item parameters). Can also be var for the variance-covariance matrix (CML only) or posterior for all draws of the item parameters (Bayes only)
...	further arguments to coef are ignored

## Details

The parametrisation of IRT models is far from uniform and depends on the author. Dexter uses the following parametrisation for the extended Nominal Response Model (NRM):

$$P(X = a_j | \beta, \theta) = \frac{\exp \left( a_j \theta - \sum_{g=1}^j \beta_g (a_g - a_{g-1}) \right)}{1 + \sum_h \exp \left( a_h \theta - \sum_{g=1}^h \beta_g (a_g - a_{g-1}) \right)}$$

where  $a_j$  is a shorthand for the integer score belonging to the  $j$ -th category of an item.

For dichotomous items with  $a_1 = 1$  (i.e. the only possible scores are 0 and 1) this formula simplifies to the standard Rasch model:  $P(x = 1 | \beta, \theta) = \frac{\exp(\theta - \beta)}{1 + \exp(\theta - \beta)}$ . For polytomous items, when all scores are equal to the categories (i.e.  $a_j = j$  for all  $j$ ) the NRM is equal to the Partial Credit Model, although with a different parametrisation than is commonly used. For dichotomous items and for all polytomous items where  $a_j - a_{j-1}$  is constant, the formulation is equal to the OPLM.

## Value

Depends on the calibration method and the value of 'what'. For what="items":

**CML calibration** a data.frame with columns: item\_id, item\_score, beta, SE\_beta

**Bayesian calibration** a data.frame with columns: item\_id, item\_score, mean\_beta, SD\_beta, <hpd\_b\_left>, <hpd\_b\_right>

If what="var" or what="posterior" then a matrix is returned with the variance-covariance matrix or the posterior draws respectively.

---

coef.inter	<i>Extract interaction model parameters</i>
------------	---

---

### Description

Extract interaction model parameters

### Usage

```
## S3 method for class 'inter'  
coef(object, what = c("items", "scoreprob"), ...)
```

### Arguments

object	an object returned by the function <b>fit_inter</b>
what	which coefficients to return. Defaults to <b>items</b> (the item parameters), can also be <b>scoreprob</b> for the probability of each item score per booklet score.
...	further arguments to <b>coef</b> are ignored

---

coef.latent_cor	<i>latent correlations</i>
-----------------	----------------------------

---

### Description

latent correlations

### Usage

```
## S3 method for class 'latent_cor'  
coef(object, hpd = 0.95, ...)
```

### Arguments

object	resulting value from <b>latent_cor</b>
hpd	width of the confidence envelope of the Bayesian highest posterior density interval around the correlations, value must be between 0 and 1.
...	ignored

### Value

list with matrices **cor**, **sd**, **hpd\_l** (lower boundary), **hpd\_u** (upper boundary), array **mcmc** with the complete **mcmc** sample

Extract correlations with a specified highest posterior density interval

---

coef.p2pass	<i>extract equating information</i>
-------------	-------------------------------------

---

### Description

extract equating information

### Usage

```
## S3 method for class 'p2pass'
coef(object, ...)
```

### Arguments

object	an p2pass object, generated by <b>probability_to_pass</b>
...	further arguments are currently ignored

### Value

A data.frame with columns:

**booklet\_id** id of the target booklet  
**score\_new** score on the target booklet  
**probability\_to\_pass** probability to pass on the reference test given score\_new  
**true\_positive** proportion that correctly passes  
**sensitivity** The proportion of positives that are correctly identified as such  
**specificity** The proportion of negatives that are correctly identified as such  
**proportion** proportion in sample with score\_new

---

design_info	<i>Information about the design</i>
-------------	-------------------------------------

---

### Description

This function is useful to inspect incomplete designs

### Usage

```
design_info(dataSrc, predicate = NULL)
```

### Arguments

dataSrc	a connection to a dexter database, a matrix, or a data.frame with columns: person_id, item_id, item_score
predicate	An optional expression to subset data, if NULL all data is used

**Value**

a list with the following components

**design** a data.frame with columns booklet\_id, item\_id, item\_position, n\_persons

**connected\_booklets** a data.frame with columns booklet\_id, group; booklets with the same ‘group’ are connected to each other.

**connected** TRUE/FALSE indicating whether the design is connected or not

**testlets** a data.frame with columns item\_id and testlet; items within the same testlet always occur together in a booklet

**adj\_matrix** list of two adjacency matrices: \*weighted\_by\_items\* and \*weighted\_by\_persons\*; These matrices can be useful in visually inspecting the design using a package like \*igraph\*

---

DIF

*Exploratory test for Differential Item Functioning*

---

**Description**

Exploratory test for Differential Item Functioning

**Usage**

```
DIF(dataSrc, person_property, predicate = NULL)
```

**Arguments**

**dataSrc** a connection to a dexter database or a data.frame with columns: person\_id, item\_id, item\_score

**person\_property** Defines groups of persons to calculate DIF

**predicate** An optional expression to subset data, if NULL all data is used

**Details**

Tests for equality of relative item/category difficulties across groups. Supplements the confirmatory approach of the profile plot.

**Value**

An object of class DIF\_stats holding statistics for overall-DIF and a matrix of statistics for DIF in the relative position of item-category parameters in the beta-parameterization where they represent locations on the ability scale where adjacent categories are equally likely. If there is DIF, the function ‘plot’ can be used to produce an image of the pairwise DIF statistics.

**References**

Bechger, T. M. and Maris, G (2015); A Statistical Test for Differential Item Pair Functioning. *Psychometrika*. Vol. 80, no. 2, 317-340.

**See Also**

A plot of the result is produced by the function [plot.DIF\\_stats](#)

**Examples**

```
db = start_new_project(verbAggrRules, ":memory:", person_properties=list(gender='unknown'))
add_booklet(db, verbAggrData, "agg")
dd = DIF(db, person_property="gender")
print(dd)
plot(dd)
str(dd)

close_project(db)
```

---

**distractor\_plot**      *Distractor plot*

---

**Description**

Produce a diagnostic distractor plot for an item

**Usage**

```
distractor_plot(
  dataSrc,
  item_id,
  predicate = NULL,
  legend = TRUE,
  curtains = 10,
  adjust = 1,
  col = NULL,
  ...
)
```

**Arguments**

<b>dataSrc</b>	a connection to a dexter database or a data.frame with columns: person_id, item_id, response, item_score and optionally booklet_id
<b>item_id</b>	The ID of the item to plot. A separate plot will be produced for each booklet that contains the item, or an error message if the item_id is not known. Each plot contains a non-parametric regression of each possible response on the total score.

predicate	An optional expression to subset data, if NULL all data is used
legend	logical, whether to include the legend. default is TRUE
curtains	100*the tail probability of the sum scores to be shaded. Default is 10. Set to 0 to have no curtains shown at all.
adjust	factor to adjust the smoothing bandwidth respective to the default value
col	vector of colors to use for plotting. The names of the vector can be responses. If the vector is not named, colors are assigned to the most frequent responses first.
...	further arguments to plot.

## Details

Customization of title and subtitle can be done by using the arguments main and sub. These arguments can contain references to the variables item\_id, booklet\_id, item\_position(if available), pvalue, rit and rir. References are made by prefixing these variables with a dollar sign. Variable names may be postfixed with a sprintf style format string, e.g. `distractor_plot(db, main='item: $item_id', sub='Item rest correlation: $rir:.2f')`

## Value

Silently, a data.frame of response categories and colors used. Potentially useful if you want to customize the legend or print it separately

---

fit_domains	<i>Estimate the Rasch and the Interaction model per domain</i>
-------------	--

---

## Description

Estimate the parameters of the Rasch model and the Interaction model

## Usage

```
fit_domains(dataSrc, item_property, predicate = NULL)
```

## Arguments

dataSrc	a connection to a dexter database or a data.frame with columns: person_id, item_id, item_score
item_property	The item property defining the domains (subtests)
predicate	An optional expression to subset data, if NULL all data is used

## Details

We have generalised the interaction model for items having more than two (potentially, a largish number) of response categories. This function represents scores on subtests as super-items and analyses these as normal items.

**Value**

An object of class `imp` holding results for the Rasch model and the interaction model.

**See Also**

`plot.inter`, `fit_inter`, `add_item_properties`

**Examples**

```
db = start_new_project(verbAggrRules, ":memory:")
add_booklet(db, verbAggrData, "agg")
add_item_properties(db, verbAggrProperties)
mSit = fit_domains(db, item_property= "situation")
plot(mSit)

close_project(db)
```

**fit\_enorm**

*Fit the extended nominal response model*

**Description**

Fits an Extended NOminal Response Model (ENORM) using conditional maximum likelihood (CML) or a Gibbs sampler for Bayesian estimation.

**Usage**

```
fit_enorm(
  dataSrc,
  predicate = NULL,
  fixed_params = NULL,
  method = c("CML", "Bayes"),
  nDraws = 1000,
  merge_within_persons = FALSE
)
```

**Arguments**

<code>dataSrc</code>	a connection to a dexter database, a matrix, or a <code>data.frame</code> with columns: <code>person_id</code> , <code>item_id</code> , <code>item_score</code>
<code>predicate</code>	An optional expression to subset data, if <code>NULL</code> all data is used
<code>fixed_params</code>	Optionally, an <code>enorm</code> object from a previous analysis or a <code>data.frame</code> with parameters, see details.

method	If CML, the estimation method will be Conditional Maximum Likelihood; otherwise, a Gibbs sampler will be used to produce a sample from the posterior
nDraws	Number of Gibbs samples when estimation method is Bayes.
merge_within_persons	whether to merge different booklets administered to the same person, enabling linking over persons as well as booklets.

## Details

The eNRM is a generalization of the PCM and the OPLM. It reduces to the Rasch model for dichotomous items when all itemscores are 0 or 1, is equal to the PCM for polytomous items if all itemscores up to the maximum score occur. It is equal to the oplm if all itemscores have an equal common divisor larger than 1.

To support some flexibility in fixing parameters, fixed\_params can be a dexter enorm object or a data.frame. If it is a data.frame, it should contain the columns item\_id, item\_score and a difficulty parameter beta

## Value

An object of type enorm. The following methods are supported:

- [coef](#)
- [plot](#)
- [logLik](#)

In addition, many dexter functions accept an enorm object as input, e.g.

- [ability](#)
- [plausible\\_values](#)
- [plausible\\_scores](#)
- [expected\\_score](#)

## References

Maris, G., Bechger, T.M. and San-Martin, E. (2015) A Gibbs sampler for the (extended) marginal Rasch model. *Psychometrika*. 80(4), 859-879.

Koops, J. and Bechger, T.M. and Maris, G. (2024); Bayesian inference for multistage and other incomplete designs. In *Research for Practical Issues and Solutions in Computerized Multistage Testing*. Routledge, London.

---

fit_inter	<i>Estimate the Interaction and the Rasch model</i>
-----------	---

---

## Description

Estimate the parameters of the Interaction model and the Rasch model

## Usage

```
fit_inter(dataSrc, predicate = NULL)
```

## Arguments

dataSrc	a connection to a dexter database, a matrix, or a data.frame with columns: person_id, item_id, item_score
predicate	An optional expression to subset data, if NULL all data is used

## Details

Unlike the Rasch model, the interaction model cannot be computed concurrently for a whole design of test forms. This function therefore fits the Rasch model and the interaction model on complete data. This typically consist of responses to items in one booklet but can also consist of the intersection (common items) in two or more booklets. If the intersection is empty (no common items for all persons), the function will exit with an error message.

## Value

An object of class `inter` holding results for the Rasch model and the interaction model.

## See Also

[plot.inter](#), [fit\\_domains](#)

## Examples

```
db = start_new_project(verbAggrRules, ":memory:")
add_booklet(db, verbAggrData, "agg")

m = fit_inter(db, booklet_id=='agg')
plot(m, "S1DoScold", show.observed=TRUE)

close_project(db)
```

---

get_booklets	<i>Booklets entered in a project</i>
--------------	--------------------------------------

---

### Description

Retrieve information about the booklets entered in the db so far

### Usage

```
get_booklets(db)
```

### Arguments

db	a connection to a dexter database, i.e. the output of <code>start_new_project</code> or <code>open_project</code>
----	---

### Value

A data frame with columns: booklet\_id, n\_persons, n\_items and booklet\_max\_score. booklet\_max\_score gives the maximum theoretically possible score according to the scoring rules

---

get_design	<i>Test design</i>
------------	--------------------

---

### Description

Retrieve all items that have been entered in the db so far by booklet and position in the booklet

### Usage

```
get_design(  
  dataSrc,  
  format = c("long", "wide"),  
  rows = c("booklet_id", "item_id", "item_position"),  
  columns = c("item_id", "booklet_id", "item_position"),  
  fill = NA  
)
```

### Arguments

dataSrc	a dexter database or any object form which a design can be inferred
format	return format, see below
rows	variable that defines the rows, ignored if format='long'
columns	variable that defines the columns, ignored if format='long'
fill	If set, missing values will be replaced with this value, ignored if format='long'

**Value**

A data.frame with the design. The contents depend on the rows, columns and format parameters if format is 'long' a data.frame with columns: booklet\_id, item\_id, item\_position (if available) if format is 'wide' a data.frame with the rows defined by the rows parameter and the columns by the columns parameter, with the remaining variable (i.e. item\_id, booklet\_id or item\_position) making up the cells

---

`get_items`*Items in a project*

---

**Description**

Retrieve all items that have been entered in the db so far together with the item properties

**Usage**

```
get_items(db)
```

**Arguments**

<code>db</code>	a connection to a dexter database, e.g. the output of <code>start_new_project</code> or <code>open_project</code>
-----------------	---

**Value**

A data frame with column item\_id and a column for each item property

---

`get_persons`*Persons in a project*

---

**Description**

Retrieve all persons/respondents that have been entered in the db so far together with their properties

**Usage**

```
get_persons(db)
```

**Arguments**

<code>db</code>	a connection to a dexter database, e.g. the output of <code>start_new_project</code> or <code>open_project</code>
-----------------	---

**Value**

A data frame with columns person\_id and columns for each person\_property

---

get_responses	<i>Selecting data</i>
---------------	-----------------------

---

## Description

Extract data from a dexter database

## Usage

```
get_responses(  
  dataSrc,  
  predicate = NULL,  
  columns = c("person_id", "item_id", "item_score")  
)
```

## Arguments

dataSrc	a connection to a dexter database, a matrix, or a data.frame with columns: person_id, item_id, item_score
predicate	an expression to select data on
columns	the columns you wish to select, can include any column in the project, see: <a href="#">get_variables</a>

## Details

Many functions in Dexter accept a data source and a predicate. Predicates are extremely flexible but they have a few limitations because they work on the individual response level. It is therefore not possible for example, to remove complete person cases from an analysis based on responses to a single item by using just a predicate expression.

For such cases, Dexter supports selecting the data and manipulating it before passing it back to a Dexter function or possibly doing something else with it. The following example will hopefully clarify this.

## Value

a data.frame of responses

## Examples

```
## Not run:  
# goal: fit the extended nominal response model using only persons  
# without any missing responses  
library(dplyr)  
  
# the following would not work since it will omit only the missing  
# responses, not the persons; which is not what we want in this case  
wrong = fit_enorm(db, response != 'NA')
```

```

# to select on an aggregate level, we need to gather the data and
# manipulate it ourselves
data = get_responses(db,
  columns=c('person_id','item_id','item_score','response')) |>
  group_by(person_id) |>
  mutate(any_missing = any(response=='NA')) |>
  filter(!any_missing)

correct = fit_enorm(data)

## End(Not run)

```

---

get\_resp\_data            *Functions for developers*

---

## Description

These functions are meant for people who want to develop their own models based on the data management structure of dexter. The benefit is some extra speed and less memory usage compared to using `get_responses` or `get_testscores`. The return value of `get_resp_data` can be used as the `'dataSrc'` argument in analysis functions.

## Usage

```

get_resp_data(
  dataSrc,
  qtpredicate = NULL,
  extra_columns = NULL,
  summarised = FALSE,
  env = NULL,
  protect_x = TRUE,
  retain_person_id = TRUE,
  merge_within_persons = FALSE,
  parms_check = NULL,
  raw = FALSE
)
get_resp_matrix(dataSrc, qtpredicate = NULL, env = NULL)

```

## Arguments

<code>dataSrc</code>	data.frame, integer matrix, dexter database or <code>'dx_resp_data'</code> object
<code>qtpredicate</code>	quoted predicate, e.g. <code>quote(booklet_id=='bk01')</code>
<code>extra_columns</code>	to be returned in addition to <code>person_id</code> , <code>booklet_id</code> , <code>item_score</code> , <code>item_id</code>
<code>summarised</code>	if <code>TRUE</code> , no item scores are returned, just booklet scores

env environment for evaluation of qtpredicate, defaults to caller environment  
 protect\_x best set TRUE (default)  
 retain\_person\_id whether to retain the original person\_id levels or just use arbitrary integers  
 merge\_within\_persons merge different booklets for the same person together  
 parms\_check data.frame of item\_id, item\_score to check for coverage of data  
 raw if raw is TRUE, no sum scores, booklets, or design is provided and arguments, 'parms\_check' and 'summarised' are ignored

## Details

Regular users are advised not to use these functions as incorrect use can crash your R-session or lead to unexpected results.

## Value

**get\_resp\_data** returns a list with class 'dx\_resp\_data' with elements

- x when summarised is FALSE, a tibble(person\_id, booklet\_id, item\_id, item\_score, booklet\_score [, extra\_columns]), sorted in such a way that all rows pertaining to the same person-booklet are together
- when summarised is TRUE, a tibble(person\_id, booklet\_id, booklet\_score [, extra\_columns])
- design** tibble(booklet\_id, item\_id), sorted

**get\_resp\_matrix** returns a matrix of item scores as commonly used in other IRT packages, facilitating easy connection of your own package to the data management capabilities of dexter

get\_rules

*Get scoring rules*

## Description

Retrieve the scoring rules currently present in the dexter project db

## Usage

get\_rules(db)

## Arguments

db a connection to a Dexter database

## Value

data.frame of scoring rules containing columns: item\_id, response, item\_score

---

get_testscores	<i>Get test scores</i>
----------------	------------------------

---

### Description

Supplies the sum of item scores for each person selected.

### Usage

```
get_testscores(dataSrc, predicate = NULL)
```

### Arguments

dataSrc	a connection to a dexter database, a matrix, or a data.frame with columns: person_id, item_id, item_score
predicate	An optional expression to filter data, if NULL all data is used

### Value

A tibble with columns person\_id, item\_id, booklet\_score

---

get_variables	<i>Variables that are defined in the project</i>
---------------	--

---

### Description

Inspect the variables defined in your dexter project and their datatypes

### Usage

```
get_variables(db)
```

### Arguments

db	a dexter project database
----	---------------------------

### Details

The variables in Dexter consist of the item properties and person properties you specified and a number of reserved variables that are automatically defined like response and booklet\_id.

Variables in Dexter are most useful when used in predicate expressions. A number of functions can take a dataSrc argument and an optional predicate. Predicates are a concise and flexible way to filter data for the different psychometric functions in Dexter.

The variables can also be used to retrieve data in [get\\_responses](#)

**Value**

a data.frame with name and type of the variables defined in your dexter project

---

individual\_differences

*Test individual differences*

---

**Description**

Test individual differences

**Usage**

```
individual_differences(dataSrc, predicate = NULL)
```

**Arguments**

dataSrc	a connection to a dexter database, a matrix, or a data.frame with columns: person_id, item_id, item_score
predicate	An optional expression to subset data, if NULL all data are used.

**Details**

This function uses a score distribution to test whether there are individual differences in ability. First, it estimates ability based on the score distribution. Then, the observed distribution is compared to the one expected from the single estimated ability. The data are typically from one booklet but can also consist of the intersection (i.e., the common items) of two or more booklets. If the intersection is empty (i.e., no common items for all persons), the function will exit with an error message.

**Value**

An object of type tind. Printing the object will show test results. Plotting it will produce a plot of expected and observed score frequencies. The former under the hypothesis that there are no individual differences.

**Examples**

```
db = start_new_project(verbAggrRules, ":memory:")
add_booklet(db, verbAggrData, "agg")

dd = individual_differences(db)
print(dd)
plot(dd)

close_project(db)
```

---

information	<i>Functions of theta</i>
-------------	---------------------------

---

## Description

returns information function, expected score function, score simulation function, or score distribution for a single item, an arbitrary group of items or all items

## Usage

```
information(
  parms,
  items = NULL,
  booklet_id = NULL,
  parms_draw = c("average", "sample")
)

expected_score(
  parms,
  items = NULL,
  booklet_id = NULL,
  parms_draw = c("average", "sample")
)

r_score(
  parms,
  items = NULL,
  booklet_id = NULL,
  parms_draw = c("average", "sample")
)

p_score(
  parms,
  items = NULL,
  booklet_id = NULL,
  parms_draw = c("average", "sample")
)
```

## Arguments

parms	object produced by <a href="#">fit_enorm</a> or a data.frame with columns item_id, item_score and, depending on parametrization, a column named either beta/delta, eta or b
items	vector of one or more item_id's. If NULL and booklet_id is also NULL, all items in parms are used
booklet_id	id of a single booklet (e.g. the test information function), if items is not NULL this is ignored

**parms\_draw** when the item parameters are estimated with method "Bayes" (see: [fit\\_enorm](#)), parms\_draw specifies whether to use a sample (a different item parameter draw for each output column) or the posterior mean of the item draws. Alternatively, it can be an integer specifying a specific draw. It is ignored when parms is not estimated Bayesianly.

### Value

Each function returns a new function which accepts a vector of theta's. These return the following values:

**information** an equal length vector with the information estimate at each value of theta.

**expected\_score** an equal length vector with the expected score at each value of theta

**r\_score** a matrix with length(theta) rows and one column for each item containing simulated scores based on theta. To obtain test scores, use rowSums on this matrix

**p\_score** a matrix with length(theta) rows and one column for each possible sumscore containing the probability of the score given theta

### Examples

```
db = start_new_project(verbAggrRules, ':memory:')
add_booklet(db, verbAggrData, "agg")
p = fit_enorm(db)

# plot information function for single item

ifun = information(p, "S1DoScold")

plot(ifun, from=-4, to=4)

# compare test information function to the population ability distribution

ifun = information(p, booklet="agg")

pv = plausible_values(db, p)

oldpar = par(mar = c(5,4,2,4))

plot(ifun, from=-4, to=4, xlab='theta', ylab='test information')

par(new=TRUE)

plot(density(pv$PV1), col='green', axes=FALSE, xlab=NA, ylab=NA, main=NA)
axis(side=4)
mtext(side = 4, line = 2.5, 'population density (green)')

par(oldpar)
close_project(db)
```

---

keys_to_rules	<i>Derive scoring rules from keys</i>
---------------	---------------------------------------

---

## Description

For multiple choice items that will be scored as 0/1, derive the scoring rules from the keys to the correct responses

## Usage

```
keys_to_rules(keys, include_NA_rule = FALSE)
```

## Arguments

keys                    A data frame containing columns `item_id`, `noptions`, and `key` See details.

include\_NA\_rule                    whether to add an option 'NA' (which is scored 0) to each item

## Details

This function might be useful in setting up the scoring rules when all items are multiple-choice and scored as 0/1.

The input data frame must contain the exact id of each item, the number of options, and the key. If the keys are all integers, it will be assumed that responses are coded as 1 through `noptions`. If they are all letters, it is assumed that responses are coded as A,B,C,... All other cases result in an error.

## Value

A data frame that can be used as input to `start_new_project`

---

latent_cor	<i>Latent correlations</i>
------------	----------------------------

---

## Description

Estimates correlations between latent traits using plausible values as described in Marsman, et al. (2022). An `item_property` is used to distinguish the different scales.

## Usage

```
latent_cor(
  dataSrc,
  item_property,
  predicate = NULL,
  nDraws = 500,
  hpd = 0.95,
  use = c("complete.obs", "pairwise.complete.obs")
)
```

## Arguments

dataSrc	A connection to a dexter database or a data.frame with columns: person_id, item_id, item_score and the item_property
item_property	The name of the item property used to define the domains. If dataSrc is a dexter db then the item_property must match a known item property. If dataSrc is a data.frame, item_property must be equal to one of its column names.
predicate	An optional expression to subset data, if NULL all data is used
nDraws	Number of draws for plausible values
hpd	deprecated, use the ‘coef’ method to set the highest posterior density interval.
use	complete.obs uses only persons with answers on all domains. Pairwise.complete.obs uses all cases for which there are responses in at least two domains.

## Details

To compute latent correlations, a model is estimated for each subscale. If a design for any subscale is not connected this will result in an error.

Latent correlations are generated using a Bayesian approach. ‘Use’ is “pairwise.complete.obs” works slightly different from ‘cor’ since complete matrices are imputed. Therefore individual correlation matrices in the mcmc sample are positive semi-definite even with the pairwise option (assuming the matrix is not degenerate). However the mean of the mcmc sample need never be positive semidefinite.

## Value

‘latent\_cor’ object, which is a list containing an estimated (mean) correlation matrix, the corresponding standard deviations, and the complete mcmc sample. Use the coef method to extract highest posterior density intervals around the estimated correlation matrix.

## References

Marsman, M., Bechger, T. M., & Maris, G. K. (2022). Composition algorithms for conditional distributions. In Essays on Contemporary Psychometrics (pp. 219-250). Cham: Springer International Publishing.

## See Also

[coef.latent\\_cor](#)

---

open_project	<i>Open an existing project</i>
--------------	---------------------------------

---

### Description

Opens a database created by function `start_new_project`

### Usage

```
open_project(db_name = "dexter.db")
```

### Arguments

db\_name      The name of the database to be opened.

### Value

a database connection object

---

plausible_scores	<i>Draw plausible test scores</i>
------------------	-----------------------------------

---

### Description

Draw plausible, i.e. posterior predictive sumscores on a set of items.

### Usage

```
plausible_scores(
  dataSrc,
  parms = NULL,
  predicate = NULL,
  items = NULL,
  parms_draw = c("sample", "average"),
  covariates = NULL,
  nPS = 1,
  prior_dist = c("normal", "mixture"),
  keep.observed = TRUE,
  by_item = FALSE,
  merge_within_persons = FALSE
)
```

## Arguments

dataSrc	a connection to a dexter database, a matrix, or a data.frame with columns: person_id, item_id, item_score
parms	An object returned by function <code>fit_enorm</code> and containing parameter estimates. If parms is given the function provides plausible scores conditional on the item parameters. These are considered known. If <code>parms</code> is <code>NULL</code> , Bayesian parameters are calculated from the <code>dataSrc</code>
predicate	an expression to filter data. If missing, the function will use all data in <code>dataSrc</code>
items	vector of item_id's, this specifies the itemset to generate the testscores for. If <code>items</code> is <code>NULL</code> all items occurring in <code>dataSrc</code> are used.
parms_draw	when the item parameters are estimated Bayesianly (see: <code>fit_enorm</code> ), <code>parms_draw</code> specifies whether to use a sample(a different item parameter draw for each plausible values draw) or the posterior mean of the item draws. Alternatively, it can be an integer specifying a specific draw. Ignored when <code>parms</code> is not estimated Bayesianly.
covariates	name or a vector of names of the variables to group the population, used to update the prior. A covariate must be a discrete person covariate that indicates nominal categories, e.g. gender or school If <code>dataSrc</code> is a data.frame, it must contain the covariate.
nPS	Number of plausible testscores to generate per person.
prior_dist	use a normal prior for the plausible values or a mixture of two normals. A mixture is only possible when there are no covariates.
keep.observed	If responses to one or more of the items have been observed, the user can choose to keep these observations or generate new ones.
by_item	return scores per item instead of sumscores
merge_within_persons	If a person took multiple booklets, this indicates whether plausible scores are generated per person (TRUE) or per booklet (FALSE)

## Details

A typical use of this function is to generate plausible scores on a complete item bank when data is collected using an incomplete design

## Value

A data.frame with columns booklet\_id, person\_id, booklet\_score and nPS plausible scores named PS1...PSn.

---

<code>plausible_values</code>	<i>Draw plausible values</i>
-------------------------------	------------------------------

---

## Description

Draws plausible values based on test scores

## Usage

```
plausible_values(
  dataSrc,
  parms = NULL,
  predicate = NULL,
  covariates = NULL,
  nPV = 1,
  parms_draw = c("sample", "average"),
  prior_dist = c("normal", "mixture"),
  merge_within_persons = FALSE
)
```

## Arguments

<code>dataSrc</code>	a connection to a dexter database, a matrix, or a data.frame with columns: <code>person_id</code> , <code>item_id</code> , <code>item_score</code>
<code>parms</code>	An object returned by function <code>fit_enorm</code> containing parameter estimates or a data.frame with columns <code>item_id</code> , <code>item_score</code> and, <code>beta</code> . If <code>parms</code> are provided, item parameters are considered known. If <code>parms</code> is <code>NULL</code> , they will be estimated Bayesianly.
<code>predicate</code>	an expression to filter data. If missing, the function will use all data in <code>dataSrc</code>
<code>covariates</code>	name or a vector of names of the variables to group the populations used to improve the prior. A covariate must be a discrete person property (e.g. not a float) that indicates nominal categories, e.g. gender or school. If <code>dataSrc</code> is a data.frame, it must contain the covariate.
<code>nPV</code>	Number of plausible values to draw per person.
<code>parms_draw</code>	when the item parameters are estimated with method "Bayes" (see: <a href="#">fit_enorm</a> ), <code>parms_draw</code> specifies whether to use a sample (a different item parameter draw for each plausible values draw) or the posterior mean of the item draws. Alternatively, it can be an integer specifying a specific draw. It is ignored when <code>parms</code> is not estimated Bayesianly.
<code>prior_dist</code>	use a normal prior for the plausible values or a mixture of two normals. A mixture is only possible when there are no covariates.
<code>merge_within_persons</code>	If a person took multiple booklets, this indicates whether plausible values are generated per person (TRUE) or per booklet (FALSE)

## Details

When the item parameters are estimated using `fit_enorm(..., method='Bayes')` and `parms_draw = 'sample'`, the uncertainty of the item parameters estimates is taken into account when drawing multiple plausible values.

If there are covariates, the prior distribution is a hierarchical normal with equal variances across groups. When there is only one group this becomes a regular normal distribution. When there are no covariates and `prior_dist = "mixture"`, the prior is a mixture distribution of two normal distributions which gives a little more flexibility than a normal prior.

## Value

A data.frame with columns `booklet_id`, `person_id`, `booklet_score`, any covariate columns, and `nPV` plausible values named `PV1...PVn`.

## References

Marsman, M., Maris, G., Bechger, T. M., and Glas, C.A.C. (2016) What can we learn from plausible values? *Psychometrika*. 2016; 81: 274-289. See also the vignette.

## Examples

```
db = start_new_project(verbAggrRules, ":memory:",
  person_properties=list(gender=<unknown>))
add_booklet(db, verbAggrData, "agg")
add_item_properties(db, verbAggrProperties)

f=fit_enorm(db)
pv_M=plausible_values(db,f,(mode=="Do")&(gender=="Male"))
pv_F=plausible_values(db,f,(mode=="Do")&(gender=="Female"))

oldpar = par(mfrow=c(1,2))

plot(ecdf(pv_M$PV1),
  main="Do: males versus females", xlab="Ability", col="red")
lines(ecdf(pv_F$PV1), col="green")
legend(-2.2,0.9, c("female", "male"),
  lty=1, col=c('green', 'red'), bty='n', cex=.75)

pv_M=plausible_values(db,f,(mode=="Want")&(gender=="Male"))
pv_F=plausible_values(db,f,(mode=="Want")&(gender=="Female"))

plot(ecdf(pv_M$PV1),
  main="Want: males versus females", xlab=" Ability", col="red")
lines(ecdf(pv_F$PV1),col="green")
legend(-2.2,0.9, c("female", "male"),
  lty=1, col=c('green', 'red'), bty='n', cex=.75)

par(oldpar)
close_project(db)
```

---

<b>plot.DIF_stats</b>	<i>plot method for pairwise DIF statistics</i>
-----------------------	--

---

## Description

plot method for pairwise DIF statistics

## Usage

```
## S3 method for class 'DIF_stats'
plot(
  x,
  items = NULL,
  itemsX = items,
  itemsY = items,
  cluster = FALSE,
  alpha = 0.05,
  ...
)
```

## Arguments

<b>x</b>	object produced by <b>DIF</b>
<b>items</b>	character vector of item id's for a subset of the plot. Useful if you have many items. If NULL all items are plotted.
<b>itemsX</b>	character vector of item id's for the X axis
<b>itemsY</b>	character vector of item id's for the Y axis
<b>cluster</b>	arrange items by similarity.
<b>alpha</b>	significance level used to color the plot (two sided)
<b>...</b>	further arguments to plot

## Details

Plotting produces an image of the matrix of pairwise DIF statistics. The statistics are standard normal deviates and colored to distinguish significant from non-significant values. If there is no DIF, a proportion alpha off the cells will be colored significant by chance alone.

---

plot.enorm*Plot for the extended nominal Response model*

---

## Description

The plot shows 'fit' by comparing the expected score based on the model (grey line) with the average scores based on the data (black line with dots) for groups of students with similar estimated ability.

## Usage

```
## S3 method for class 'enorm'
plot(
  x,
  item_id = NULL,
  dataSrc = NULL,
  predicate = NULL,
  nbins = 5,
  ci = 0.95,
  sort = c("none", "mse-desc", "mse-asc"),
  add = FALSE,
  col = "black",
  col.model = "grey80",
  ...
)
```

## Arguments

<code>x</code>	object produced by <code>fit_enorm</code>
<code>item_id</code>	which item to plot, if <code>NULL</code> , one plot for each item is made
<code>dataSrc</code>	data source, see details
<code>predicate</code>	an expression to subset data in <code>dataSrc</code>
<code>nbins</code>	number of ability groups
<code>ci</code>	confidence interval for the error bars, between 0 and 1. Use 0 to suppress the error bars. Default = 0.95 for a 95% confidence interval
<code>sort</code>	for multiple items, sort <code>item_id</code> by mean squared error (i.e. the mean squared distance between the data and the model prediction per plot), either ascending (best to worst) or descending (worst to best). If <code>none</code> (the default) the order of items is not changed
<code>add</code>	logical; if <code>TRUE</code> add to an already existing plot
<code>col</code>	color for the observed score average
<code>col.model</code>	color for the expected score based on the model
<code>...</code>	further arguments to plot

**Details**

The standard plot shows the fit against the sample on which the parameters were fitted. If dataSrc is provided, the fit is shown against the observed data in dataSrc. This may be useful for plotting the fit in different subgroups as a visual test for item level DIF. The confidence intervals denote the uncertainty about the predicted pvalues within the ability groups for the sample size in dataSrc (if not NULL) or the original data on which the model was fit.

**Value**

Silently, a data.frame with observed and expected values possibly useful to create a numerical fit measure.

**Examples**

```
db = start_new_project(verbAggrRules, ":memory:",
  person_properties=list(gender=""))

add_booklet(db, verbAggrData, "agg")

f = fit_enorm(db)

plot(f, item_id="S1DoShout")

# side by side for two different groups
# (it is also possible to show two lines in the same plot
# by specifying add=TRUE as an argument in the second plot)

oldpar = par(mfrow=c(1,2))

plot(f,item_id="S1WantCurse",dataSrc=db, predicate = gender=='Male',
  main='men - $item_id')

plot(f,items="S1WantCurse",dataSrc=db, predicate = gender=='Female',
  main='women - $item_id')

par(oldpar)
close_project(db)
```

**Description**

Plot the item-total regressions fit by the interaction (or Rasch) model. Shows the Interaction model in a thicker (gray) line and the Rasch model in a thinner (black) line.

**Usage**

```
## S3 method for class 'inter'
plot(
  x,
  items = NULL,
  summate = TRUE,
  overlay = FALSE,
  curtains = 10,
  show.observed = TRUE,
  ...
)
```

**Arguments**

x	An object produced by function <code>fit_inter</code>
items	The items to plot (item_id's). If NULL, all items will be plotted
summate	If FALSE, regressions for polytomous items will be shown for each response option separately; default is TRUE.
overlay	If TRUE and more than one item is specified, there will be two plots, one for the Rasch model and the other for the interaction model, with all items overlayed; otherwise, one plot for each item with the two models overlayed. Ignored if summate is FALSE. Default is FALSE
curtains	100*the tail probability of the sum scores to be shaded. Default is 10. Set to 0 to have no curtains shown at all.
show.observed	If TRUE, the observed proportion correct at each sum score will be shown as dots. Default is FALSE.
...	Any additional plotting parameters.

**Details**

Customization of title and subtitle can be done by using the arguments `main` and `sub`. These arguments can contain references to the variables `item_id` (if `overlay=FALSE`) or `model` (if `overlay=TRUE`) by prefixing them with a dollar sign, e.g. `plot(m, main='item: $item_id')`

**Description**

Plot equating information from `probability_to_pass`

**Usage**

```
## S3 method for class 'p2pass'
plot(
  x,
  what = c("all", "equating", "sens/spec", "roc"),
  booklet_id = NULL,
  ...
)
```

**Arguments**

x	An object produced by function <code>probability_to_pass</code>
what	information to plot, 'equating', 'sens/spec', 'roc, or 'all'
booklet_id	vector of booklet_id's to plot, if NULL all booklets are plotted
...	Any additional plotting parameters; e.g., cex = 0.7.

`probability_to_pass` *The probability to pass on a reference test given a score on a new booklet*

**Description**

Given response data that form a connected design, compute the probability to pass on the reference set conditional on each score on one or more target tests.

**Usage**

```
probability_to_pass(
  dataSrc,
  parms,
  ref_items,
  pass_fail,
  predicate = NULL,
  target_booklets = NULL,
  nDraws = 1000
)
```

**Arguments**

<code>dataSrc</code>	a connection to a dexter database, a matrix, or a data.frame with columns: person_id, item_id, item_score
<code>parms</code>	object produced by <code>fit_enorm</code> or a data.frame with columns item_id, item_score and beta. If uncertainty about parameter estimation should be included in the computations, use a 'parms' object computed with 'method='Bayes'' and nDraws equal or larger than nDraws in <code>probability_to_pass</code>

ref_items	vector with id's of items in the reference set, they must all occur in dataSrc
pass_fail	pass-fail score on the reference set, the lowest score with which one passes
predicate	An optional expression to subset data in dataSrc, if NULL all data is used
target_booklets	The target test booklet(s). A data.frame with columns booklet_id (if multiple booklets) and item_id, if NULL (default) this will be derived from the dataSrc and the probability to pass will be computed for each test score for each booklet in your data.
nDraws	The function uses an Markov-Chain Monte-Carlo method to calculate the probability to pass and this is the number of Monte-Carlo samples used.

## Details

Note that this function is computationally intensive and can take some time to run, especially when computing the probability to pass for multiple target booklets. Further technical details can be found in a vignette.

## Value

An object of type p2pass. Use coef() to extract the probability to pass for each booklet and score. Use plot() to plot the probabilities, sensitivity and specificity or a ROC-curve.

## See Also

The function used to plot the results: [plot.p2pass](#)

---

profile\_plot

*Profile plot*

---

## Description

Compare how subgroups attain a test score with respect to an item property. **Note:** this function works for complete data (i.e. a single booklet/test form). If incomplete data is supplied, it will attempt to make a profile plot only for those items that were administered to all respondents.

## Usage

```
profile_plot(
  dataSrc,
  item_property,
  covariate,
  predicate = NULL,
  model = c("IM", "RM"),
  x = NULL,
  col = NULL,
  col.diagonal = "lightgray",
  ...
)
```

**Arguments**

<code>dataSrc</code>	a connection to a dexter database or a data.frame with columns: <code>person_id</code> , <code>item_id</code> , <code>item_score</code> and the <code>item_property</code> and the covariate of interest.
<code>item_property</code>	The name of the item property defining the domains. The item property should have exactly two distinct values in your data
<code>covariate</code>	name of the person property used to create the groups. There will be one line for each distinct value.
<code>predicate</code>	An optional expression to filter data, if NULL all data is used
<code>model</code>	"IM" (default) or "RM" where "IM" is the interaction model and "RM" the Rasch model. The interaction model is the default as it fits the data better or at least as good as the Rasch model.
<code>x</code>	Which category of the <code>item_property</code> to draw on the x axis, if NULL, one is chosen automatically
<code>col</code>	vector of colors to use for plotting
<code>col.diagonal</code>	color of the diagonal lines representing the testscores
<code>...</code>	further graphical arguments to plot. Graphical parameters for the legend can be postfixed with <code>.legend</code>

**Details**

Profile plots can be used to investigate whether typically two, but possibly more, groups of respondents attain the same test score in the same way. The user must provide a meaningful classification of the items in two non-overlapping subsets such that the test score is the sum of the score on the subsets. The plot shows the expected scores on each subset of items given the test score, with diagonal lines indicating the same test score. The colored lines connect the most likely combination for each test score in each group. When applied to educational test data, the plots can be used to detect differences in the relative difficulty of (sets of) items for respondents that belong to different groups. This provides a content-driven way to investigate differential item functioning.

**Examples**

```
db = start_new_project(verbAggrRules, ":memory:",
                      person_properties=list(gender="unknown"))
add_booklet(db, verbAggrData, "agg")
add_item_properties(db, verbAggrProperties)
profile_plot(db, item_property='mode', covariate='gender')

close_project(db)
```

---

profile_tables	<i>Profile analysis</i>
----------------	-------------------------

---

## Description

Expected and observed domain scores, conditional on the test score, per person or test score. Domains are specified as categories of items using item\_properties.

## Usage

```
profile_tables(parms, domains, item_property, design = NULL)

profiles(
  dataSrc,
  parms,
  item_property,
  predicate = NULL,
  merge_within_persons = FALSE
)
```

## Arguments

parms	An object returned by <a href="#">fit_enorm</a> or a data.frame of item parameters
domains	data.frame with column item_id and a column with name equal to item_property
item_property	the name of the item property used to define the domains. If dataSrc is a dexter db then the item_property must match a known item property. If dataSrc is a data.frame, item_property must be equal to one of its column names. For profile_tables item_property must match a column name in domains.
design	data.frame with columns item_id and booklet_id. You can use this to make profile_tables for any design. If NULL, profile_tables will use the design used to estimate parms if parms is an 'enorm' object, otherwise it will assume a single booklet containing all items in parms
dataSrc	a connection to a dexter database or a data.frame with columns: person_id, item_id, item_score, an arbitrarily named column containing an item property and optionally booklet_id
predicate	An optional expression to subset data in dataSrc, if NULL all data is used
merge_within_persons	whether to merge different booklets administered to the same person.

## Details

When using a unidimensional IRT Model like the extended nominal response model in dexter (see: [fit\\_enorm](#)), the model is typically too simple to catch all the relevant dimensions in a test. Nevertheless, a simple model is quite useful in practice. Profile analysis can complement the model in this case by indicating how a test-taker, conditional on their test score, performs on a number of

pre-specified domains, e.g. in case of a mathematics test the domains could be numbers, algebra and geometry or in case of a digital test the domains could be animated versus non-animated items. This can be done by comparing the achieved score on a domain with the expected domain score, given the test score.

### Value

**profiles** a data.frame with columns person\_id, booklet\_id, booklet\_score, <item\_property>, domain\_score, expected\_domain\_score

**profile\_tables** a data.frame with columns booklet\_id, booklet\_score, <item\_property>, expected\_domain\_score

### References

Verhelst, N. D. (2012). Profile analysis: a closer look at the PISA 2000 reading data. Scandinavian Journal of Educational Research, 56 (3), 315-332.

ratedData

*Rated data*

### Description

A data set with rated data. A number of student performances are rated twice on several aspects by independent judges. The ratings are binary and have been summed following the theory discussed by Maris and Bechger (2006, Handbook of Statistics). Data are a small subset of data collected on the State Exam Dutch as a second language for Speaking.

### Format

A data set with 75 rows and 15 columns.

ratedDataProperties

*Item properties in the rated data*

### Description

A data set of item properties related to the rated data. These are the aspects: IH = content, WZ = word choice and phrasing, and WK = vocabulary.

### Format

A data set with 14 rows and 2 columns: item\_id and aspect

---

ratedDataRules	<i>Scoring rules for the rated data</i>
----------------	---

---

### Description

A set of (trivial) scoring rules for the rated data set

### Format

A data set with 42 rows and 3 columns (item\_id, response, item\_score).

---

read_oplm_par	<i>Read item parameters from oplm PAR or CML files</i>
---------------	--

---

### Description

Read item parameters from oplm PAR or CML files

### Usage

```
read_oplm_par(par_path)
```

### Arguments

par_path	path to a file in the (binary) OPLM PAR format or the human readable CML format
----------	---

### Details

It is very occasionally useful to calibrate new items on an existing scale. This function offers the possibility to read parameters from the proprietary oplm format so that they can be used to fix a new calibration in Dexter on an existing scale of items that were calibrated in oplm.

### Value

depends on the input. For .PAR files a data.frame with columns: item\_id, item\_score, beta, nbr, for .CML files also several statistics columns that are outputted by OPLM as part of the calibration.

### Examples

```
## Not run:
\donttest{
par = read_oplm_par('/parameters.PAR')
f = fit_enorm(db, fixed_params=par)
}
## End(Not run)
```

---

**r\_score\_IM***Simulation from the interaction model*

---

**Description**

Simulate item scores conditional on test scores using the interaction model

**Usage**

```
r_score_IM(m, scores)
```

**Arguments**

m	an object produced by function <code>fit_inter</code>
scores	vector of test scores

**Value**

a matrix with item scores, one column per item and one row per test score. Row order equal to scores

---

**standards\_3dc***Standard setting*

---

**Description**

Set performance standards on one or more test forms using the data driven direct consensus (3DC) method

**Usage**

```
standards_3dc(parms, design)

## S3 method for class 'sts_par'
coef(object, ...)

## S3 method for class 'sts_par'
plot(x, booklet_id = NULL, ...)
```

## Arguments

parms	parameters object returned from fit_enorm
design	a data.frame with columns ‘cluster_id’, ‘item_id’ and optionally ‘booklet_id’
object	an object containing parameters for the 3DC standard setting procedure
...	ignored Optionally you can include a column ‘booklet_id’ to specify multiple test forms for standard setting and/or columns ‘cluster_nbr’ and ‘item_nbr’ to specify ordering of clusters and items in the forms and application.
x	an object containing parameters for the 3DC standard setting procedure
booklet_id	which test form to plot

## Details

The data driven direct consensus (3DC) method of standard setting was invented by Gunter Maris and described in Keuning et. al. (2017). To easily apply this procedure, we advise to use the free digital 3DC application. This application can be downloaded from the Cito website, see the [3DC application download page](#). If you want to apply the 3DC method using paper forms instead, you can use the plot method to generate the forms from the sts\_par object.

Although the 3DC method is used as explained in Keuning et. al., the method we use for computing the forms is a simple maximum likelihood scaling from an IRT model, described in Moe and Verhelst (2017)

## Value

an object of type ‘sts\_par’

## References

Keuning J., Straat J.H., Feskens R.C.W. (2017) The Data-Driven Direct Consensus (3DC) Procedure: A New Approach to Standard Setting. In: Blomeke S., Gustafsson JE. (eds) Standard Setting in Education. Methodology of Educational Measurement and Assessment. Springer, Cham

Moe E., Verhelst N. (2017) Setting Standards for Multistage Tests of Norwegian for Adult Immigrants In: Blomeke S., Gustafsson JE. (eds) Standard Setting in Education. Methodology of Educational Measurement and Assessment. Springer, Cham

## See Also

how to make a database for the 3DC standard setting application: [standards\\_db](#)

## Examples

```
library(dplyr)
db = start_new_project(verbAggrRules, ":memory:")

add_booklet(db, verbAggrData, "agg")
add_item_properties(db, verbAggrProperties)
```

```

design = get_items(db) |>
  rename(cluster_id='behavior')

f = fit_enorm(db)

sts_par = standards_3dc(f, design)

plot(sts_par)

# db_sts = standards_db(sts_par, 'test.db', c('mildly aggressive', 'dangerously aggressive'))

```

---

**standards\_db**

*Export a standard setting database for use by the free 3DC application*

---

### Description

This function creates an export (an sqlite database file) which can be used by the 3DC application. This is a free application with which a standard setting session can be facilitated through a LAN network using the Chrome browser. The 3DC application can be downloaded from [3DC application download page](#)

### Usage

```

standards_db(
  par.sts,
  file_name,
  standards,
  population = NULL,
  group_leader = "admin"
)

```

### Arguments

par.sts	an object containing parameters for the 3DC standard setting procedure produced by <a href="#">standards_3dc</a>
file_name	name of the exported database file
standards	vector of 1 or more standards. In case there are multiple test forms and they should use different performance standards, a list of such vectors. The names of this list should correspond to the names of the testforms
population	optional, a data.frame with three columns: 'booklet_id', 'booklet_score', 'n' (where n is a count)
group_leader	login name of the group leader. The login password will always be 'admin' but can be changed in the 3DC application

---

start_new_project	<i>Start a new project</i>
-------------------	----------------------------

---

## Description

Imports a complete set of scoring rules and starts a new project (database)

## Usage

```
start_new_project(rules, db_name = "dexter.db", person_properties = NULL)
```

## Arguments

rules	A data frame with columns <code>item_id</code> , <code>response</code> , and <code>item_score</code> . The order is not important but spelling is. Any other columns will be ignored.
db_name	A string specifying a filename for a new sqlite database to be created. If this name does not contain a path, the file will be created in the work directory. Any existing file with the same name will be overwritten. For an in-memory database you can use the string " <code>:memory:</code> ". A connection object is also allowed.
person_properties	An optional list of person properties. Names should correspond to <code>person_properties</code> intended to be used in the project. Values are used as default (missing) values. The datatype will also be inferred from the values. Known <code>person_properties</code> will be automatically imported when adding response data with <a href="#">add_booklet</a> .

## Details

This package only works with closed items (e.g. likert, MC or possibly short answer) it does not score any open items. The first step to creating a project is to import an exhaustive list of all items and all admissible responses, along with the score that any of the latter will be given. Responses may be integers or strings but they will always be treated as strings. Scores must be integers, and the minimum score for an item must be 0. When inputting data, all responses not specified in the rules can optionally be treated as missing and ultimately scored 0, but it is good style to include the missing responses in the list. NA values will be treated as the string "NA".

## Value

a database connection object.

## Examples

```
head(verbAggrRules)
db_name = tempfile(fileext = '.db')
db = start_new_project(verbAggrRules, db_name,
                      person_properties = list(gender = "unknown"))
```

---

**start\_new\_project\_from\_oplm***Start a new project from oplm files*

---

**Description**

Creates a dexter project database and fills it with response data based on a .dat and .scr file

**Usage**

```
start_new_project_from_oplm(
  dbname,
  scr_path,
  dat_path,
  booklet_position = NULL,
  responses_start = NULL,
  response_length = 1,
  person_id = NULL,
  missing_character = c(" ", "9"),
  use_discrim = FALSE,
  skip_invalid_booklets = FALSE
)
```

**Arguments**

dbname	filename/path of new dexter project database (will be overwritten if already exists)
scr_path	path to the .scr file
dat_path	path to the .dat file
booklet_position	vector of start and end of booklet position in the dat file, e.g. c(1,4), all positions are counted from 1, start and end are both inclusive. If NULL, this is read from the scr file.
responses_start	start position of responses in the .dat file. If NULL, this is read from the scr file.
response_length	length of individual responses, default=1
person_id	optionally, a vector of start and end position of person_id in the .dat file. If NULL, person id's will be auto-generated.
missing_character	vector of character(s) used to indicate missing in .dat file, default is to use both a space and a 9 as missing characters.
use_discrim	if TRUE, the scores for the responses will be multiplied by the discrimination parameters of the items

**skip\_invalid\_booklets**

whether to skip lines that have a booklet number that is not listed in the .scr file. This supports an extremely poor but unfortunately common practice of excluding students by changing their booklets id's or inserting random comments in the data file. If ‘skip\_invalid\_booklets’ is TRUE such lines will be skipped, if FALSE they will generate an error

**Details**

`start_new_project_from_oplm` builds a complete dexter database from a .dat and .scr file in the proprietary oplm format. Four custom variables are added to the database: booklet\_on\_off, oplm\_marginal, item\_local\_on\_off, item\_global\_on\_off. These are taken from the .scr file and can be used in predicates in the various dexter functions.

‘booklet\_position’ and ‘responses\_start’ can be inferred from the .scr file but since they are sometimes misspecified in the .scr file they can be overridden. ‘response\_length’ is not inferred from the .scr file since any value other than 1 is usually a mistake.

**Value**

a database connection object.

**Examples**

```
## Not run: \donttest{
db = start_new_project_from_oplm('test.db',
  'path_to_scr_file', 'path_to_dat_file',
  booklet_position=c(1,3), responses_start=101,
  person_id=c(50,62))

prms = fit_enorm(db,
  item_global_on_off==1 & item_local_on_off==1 & booklet_on_off==1)

}

## End(Not run)
```

**Description**

Show simple Classical Test Analysis statistics at item and test level

**Usage**

```
tia_tables(
  dataSrc,
  predicate = NULL,
```

```

type = c("raw", "averaged", "compared"),
max_scores = c("observed", "theoretical"),
distractor = FALSE,
omit_item_novar = TRUE
)

```

### Arguments

dataSrc	a connection to a dexter database, a matrix, or a data.frame with columns: person_id, item_id, item_score
predicate	An optional expression to subset data, if NULL all data is used
type	How to present the item level statistics: raw for each test booklet separately, averaged booklets are ignored, with the exception of rit and rir which are averaged over the test booklets, with the number of persons as weights, or compared, in which case the pvalues, correlations with the sum score (rit), and correlations with the rest score (rit) are shown in separate tables and compared across booklets
max_scores	use the observed maximum item score or the theoretical maximum item score according to the scoring rules in the database to determine pvalues and maximum scores for items and booklets
distractor	add a tia for distractors, only useful for selected response (MC) items
omit_item_novar	completely omit items without score variance from the computation of booklet statistics (they will still be included in the item statistics)

### Value

A list containing:

booklets	a data.frame of statistics at booklet level
items	a data.frame (or list if type='compared') of statistics at item level
distractors	a data.frame of statistics at the response level (if distractor==TRUE), i.e. rvalue (pvalue for response) and rar (rest-alternative correlation)

---

touch_rules	<i>Add or modify scoring rules</i>
-------------	------------------------------------

---

### Description

It is occasionally necessary to alter or add a scoring rule, e.g. in case of a key error. This function offers the possibility to do so and also allows you to add new items to your project

### Usage

`touch_rules(db, rules)`

### Arguments

db	a connection to a dexter project database
rules	A data frame with columns <code>item_id</code> , <code>response</code> , and <code>item_score</code> . The order is not important but spelling is. Any other columns will be ignored. See details

### Details

The rules should contain all rules that you want to change or add. This means that in case of a key error in a single multiple choice question, you typically have to change two rules.

### Value

If the scoring rules pass a sanity check, a small summary of changes is printed and nothing is returned. Otherwise this function returns a data frame listing the problems found, with 4 columns:

- item\_id** id of the problematic item
- less\_than\_two\_scores** if TRUE, the item has only one distinct score
- duplicated\_responses** if TRUE, the item contains two or more identical response categories
- min\_score\_not\_zero** if TRUE, the minimum score of the item was not 0

### Examples

```
## Not run: \donttest{
# given that in your dexter project there is an mc item with id 'itm_01',
# which currently has key 'A' but you want to change it to 'C'.

new_rules = data.frame(item_id='itm_01', response=c('A', 'C'), item_score=c(0,1))
touch_rules(db, new_rules)
}
## End(Not run)
```

### Description

A data set of self-reported verbal behaviour in different frustrating situations (Vansteelandt, 2000). The dataset also contains participants reported gender and scores on the 'anger' questionnaire.

### Format

A data set with 316 rows and 26 columns.

---

verbAggrProperties      *Item properties in the verbal aggression data*

---

**Description**

A data set of item properties related to the verbal aggression data

**Format**

A data set with 24 rows and 5 columns.

---

verbAggrRules      *Scoring rules for the verbal aggression data*

---

**Description**

A set of (trivial) scoring rules for the verbal aggression data set

**Format**

A data set with 72 rows and 3 columns (item\_id, response, item\_score).

# Index

\* **datasets**  
    ratedData, 42  
    ratedDataProperties, 42  
    ratedDataRules, 43  
    verbAggrData, 51  
    verbAggrProperties, 52  
    verbAggrRules, 52

ability, 4, 17  
ability\_tables (ability), 4  
add\_booklet, 6, 9, 47  
add\_item\_properties, 8, 16  
add\_person\_properties, 9  
add\_response\_data (add\_booklet), 6

close\_project, 9  
coef, 17  
coef.enorm, 10  
coef.inter, 11  
coef.latent\_cor, 11, 29  
coef.p2pass, 12  
coef.sts\_par (standards\_3dc), 44

design\_info, 12  
dexter (dexter-package), 3  
dexter-package, 3  
DIF, 13, 34  
distractor\_plot, 14

expected\_score, 17  
expected\_score (information), 26

fit\_domains, 8, 15, 18  
fit\_enorm, 4, 10, 16, 26, 27, 31, 32, 38, 41  
fit\_inter, 11, 16, 18

get\_booklets, 19  
get\_design, 19  
get\_items, 20  
get\_persons, 20  
get\_resp\_data, 22

get\_resp\_matrix (get\_resp\_data), 22  
get\_responses, 21, 24  
get\_rules, 23  
get\_testscores, 24  
get\_variables, 21, 24

individual\_differences, 25  
information, 26

keys\_to\_rules, 28

latent\_cor, 28  
logLik, 17

open\_project, 30

p\_score (information), 26  
plausible\_scores, 17, 30  
plausible\_values, 17, 32  
plot, 17  
plot.DIF\_stats, 14, 34  
plot.enorm, 35  
plot.inter, 16, 18, 36  
plot.p2pass, 37, 39  
plot.sts\_par (standards\_3dc), 44  
probability\_to\_pass, 12, 38, 38  
profile\_plot, 8, 39  
profile\_tables, 41  
profiles (profile\_tables), 41

r\_score (information), 26  
r\_score\_IM, 44  
ratedData, 42  
ratedDataProperties, 42  
ratedDataRules, 43  
read\_oplm\_par, 43

standards\_3dc, 44, 46  
standards\_db, 45, 46  
start\_new\_project, 47  
start\_new\_project\_from\_oplm, 48

`tia_tables`, 49  
`touch_rules`, 8, 50  
`verbAggrData`, 51  
`verbAggrProperties`, 52  
`verbAggrRules`, 52