

Package ‘tm.plugin.alceste’

July 22, 2025

Type Package

Title Import Texts from Files in the 'Alceste' Format Using the 'tm'
Text Mining Framework

Version 1.1.2

Date 2025-02-27

Imports NLP, tm (>= 0.6)

Suggests stringi

Description Provides a 'tm' Source to create corpora from
a corpus prepared in the format used by the 'Alceste' application (i.e.
a single text file with inline meta-data). It is able to import both
text contents and meta-data (starred) variables.

License GPL (>= 2)

URL <https://github.com/nalimilan/R.TeMiS>

BugReports <https://github.com/nalimilan/R.TeMiS/issues>

NeedsCompilation no

Author Milan Bouchet-Valat [aut, cre]

Maintainer Milan Bouchet-Valat <nalimilan@club.fr>

Repository CRAN

Date/Publication 2025-02-28 09:50:02 UTC

Contents

tm.plugin.alceste-package	2
AlcesteSource	3
readAlceste	4

Index	5
--------------	----------

tm.plugin.alceste-package

A plug-in for the tm text mining framework to import corpora from Alceste files

Description

This package provides a tm Source to create corpora from files formatted in the format used by the Alceste application.

Details

Typical usage is to create a corpus from an Alceste file prepared manually (here called myAlcesteCorpus.txt). Frequently, it is necessary to specify the encoding of the texts via link{AlcesteSource}'s encoding argument.

```
# Import corpus
source <- europresseSource("myAlcesteCorpus.txt")
corpus <- Corpus(source)

# See how many articles were imported
corpus

# See the contents of the first article and its meta-data
inspect(corpus[1])
meta(corpus[[1]])
```

See link{AlcesteSource} for more details and real examples.

Author(s)

Milan Bouchet-Valat <nalimilan@club.fr>

References

<https://image-zafar.com/Logicieluk.html>

AlcesteSource

Alceste Source

Description

Construct a source for an input containing a set of texts saved in the Alceste format in a single text file.

Usage

```
AlcesteSource(x, encoding = "auto")
```

Arguments

x	Either a character identifying the file or a connection.
encoding	A character string: if non-empty declares the encoding used when reading the file, so the character data can be re-encoded. See the ‘Encoding’ section of the help for file . The default, “auto”, uses stri_enc_detect to try to guess the encoding; this may fail, in which case the native encoding is used.

Details

Several texts are saved in a single Alceste-formatted file, separated by lines starting with “***” or digits, followed by starred variables (see links below). These variables are set as document meta-data that can be accessed via the [meta](#) function.

Currently, “theme” lines starting with “-*” are ignored.

Value

An object of class `AlcesteSource` which extends the class `Source` representing set of articles from Alceste.

Author(s)

Milan Bouchet-Valat

See Also

https://image-zafar.com/sites/default/files/telechargements/formatage_alceste.pdf
(in French) about the Alceste format

[readAlceste](#) for the function actually parsing individual articles.

[getSources](#) to list available sources.

Examples

```
library(tm)
file <- system.file("texts", "alceste_test.txt",
                    package = "tm.plugin.alceste")
corpus <- Corpus(AlcesteSource(file))

# See the contents of the documents
inspect(corpus)

# See meta-data associated with first article
meta(corpus[[1]])
```

readAlceste	<i>Read in a text in the Alceste format</i>
-------------	---

Description

Read in a text in the Alceste format using starred variables.

Usage

```
readAlceste(elem, language, id)
```

Arguments

elem	A list with the named element content which must hold the document to be read in.
language	A character vector giving the text's language. If set to NA, the language will automatically be set to the value reported in the document (which is usually correct).
id	A character vector representing a unique identification string for the returned text document.

Value

A PlainTextDocument with the contents of the article and the available meta-data set.

Author(s)

Milan Bouchet-Valat

See Also

[getReaders](#) to list available reader functions.

Index

AlcesteSource, [3](#)

eoi.AlcesteSource (AlcesteSource), [3](#)

file, [3](#)

getElem.AlcesteSource (AlcesteSource), [3](#)

getReaders, [4](#)

getSources, [3](#)

meta, [3](#)

readAlceste, [3](#), [4](#)

stri_enc_detect, [3](#)

tm.plugin.alceste

(tm.plugin.alceste-package), [2](#)

tm.plugin.alceste-package, [2](#)