

Package ‘spray’

December 15, 2021

Type Package

Title Sparse Arrays and Multivariate Polynomials

Version 1.0-18

Maintainer Robin K. S. Hankin <hankin.robin@gmail.com>

Description Sparse arrays interpreted as multivariate polynomials.

License GPL (>= 2)

Depends methods

Suggests polynom, testthat

Imports Rcpp (>= 0.12.3),partitions,magic,mathjaxr,disordR (>= 0.0-8)

LinkingTo Rcpp

SystemRequirements C++11

URL <https://github.com/RobinHankin/spray>

BugReports <https://github.com/RobinHankin/spray/issues>

RdMacros mathjaxr

R topics documented:

spray-package	2
arity	3
as.array	3
as.function.spray	4
asum	5
constant	7
deriv	8
Extract.spray	9
homog	10
knight	11
nterms	12
oom	13
Ops.spray	14
pmax	15
print.spray	17
rspray	18
spray	19
spray-class	20

spraycross	21
spray_cpp	22
spray_missing_accessor	23
subs	24
zap	25
zero	25

Index	27
--------------	-----------

spray-package	<i>Sparse arrays and multivariate polynomials</i>
---------------	---

Description

Functionality for sparse arrays, with emphasis on sparse arrays interpreted as multivariate polynomials.

Details

Base R has the capability of dealing with arbitrary dimensioned numerical arrays, with the array class.

A sparse array is a type of array in which nonzero elements are stored along with an index vector describing their coordinates—instead of arrays. This allows for efficient storage and manipulation as base arrays often require the storing of many zero elements which consume computational and memory resources.

One natural application for sparse arrays is multivariate polynomials and the package vignette presents an extended discussion.

In the package, sparse arrays are represented as objects of class spray. They use the C++ standard template library (STL) map class, with keys being (unsigned) integer vectors, and values floats.

Author(s)

Robin K. S. Hankin

Examples

```
# define a spray using a matrix of indices and a vector of values:
M <- matrix(sample(0:3,21,replace=TRUE),ncol=3)
a <- spray(M,sample(7))

# there are many pre-defined simple sprays:
b <- homog(3,4)

# arithmetic operators work:
a + 2*b
a - a*b^2/4
a+b

# we can sum over particular dimensions:
asum(a+b,1)

# differentiation is supported:
deriv(a^6,2)
```

```
# extraction and replacement work as expected:
```

```
b[1,2,1]
b[1,2,1,drop=TRUE]
```

```
b[diag(3)] <- 3
```

arity	<i>The arity of a spray object</i>
-------	------------------------------------

Description

The arity of a spray object: the number of indices needed to retrieve an entry, or the number of columns in the index matrix.

Usage

```
arity(S)
```

Arguments

S a spray object

Value

Returns an integer

Author(s)

Robin K. S. Hankin

Examples

```
arity(spray(diag(1:6)))
```

as.array	<i>Coerce spray objects to arrays</i>
----------	---------------------------------------

Description

Coerces spray objects to arrays. Includes off-by-one functionality via option offbyone.

Usage

```
## S3 method for class 'spray'
as.array(x, offbyone=FALSE, compact=FALSE, ...)
## S3 method for class 'spray'
dim(x)
```

Arguments

x	spray object
offbyone	Boolean with default FALSE meaning to interpret the index entries as positions in their dimension, and TRUE meaning to add one to index values so that zero entries appear in the first place
compact	Boolean with default FALSE meaning to translate the spray as is, and TRUE meaning to add constants to each column of the index matrix so that the resulting array is as small as possible
...	Further arguments, currently ignored

Details

Argument offbyone defaults to FALSE; but if it is set to TRUE, it effectively adds one from the index matrix, so a zero entry in the index matrix means the first position in that dimension.

After the subtraction, if performed, the function will not operate if any index is less than 1.

Value

Returns an array of dimension `dim(S)`. The “meat” of the function is

```
out <- array(0, dS)
out[ind] <- coeffs(S)
```

Author(s)

Robin K. S. Hankin

Examples

```
M <- matrix(sample(0:4,28,replace=TRUE),ncol=4)
S <- spray(M,sample(7),addrepeats=TRUE)
A <- as.array(S,offbyone=TRUE)

S <- spray(matrix(sample(1:4,28,replace=TRUE),ncol=4),sample(7))
A <- as.array(S) # S has no zero indices

stopifnot(all(S[index(S),drop=TRUE] == A[index(S)]))
```

as.function.spray	<i>Coerce a spray object to a function</i>
-------------------	--

Description

Coerce a spray object to a function

Usage

```
## S3 method for class 'spray'
as.function(x,...)
```

Arguments

`x` spray object, interpreted as a multivariate polynomial
`...` Further arguments, currently ignored

Value

Returns a function; this function returns a numeric vector.

Note

Coercion is possible even if some indices are zero or negative. The function is not vectorized in the arity of its argument.

Author(s)

Robin K. S. Hankin

Examples

```
S <- spray(matrix(1:6,3,2),1:3)
f <- as.function(S)
f(2:3) == 3*2^3*3^6 + 2*2^2*3^5 + 1*2^1*3^4 # should be TRUE

S1 <- spray(matrix(sample(-2:2,replace=TRUE,21),ncol=3),rnorm(7),addrepeats=TRUE)
S2 <- spray(matrix(sample(-2:2,replace=TRUE,15),ncol=3),rnorm(5),addrepeats=TRUE)

f1 <- as.function(S1)
f2 <- as.function(S2)

f3 <- as.function(S1*S2)

x <- 4:6

f1(x)*f2(x)-f3(x) # should be zero

# coercion is vectorized:

f1(matrix(1:33,ncol=3))
```

asum

Sum over dimension margins

Description

Sum over specified dimension margins.

Usage

```
## S3 method for class 'spray'
asum(S, dims, drop=TRUE, ...)
asum_inverted(S, dims)
process_dimensions(S,dims)
```

Arguments

<code>S</code>	spray object
<code>dims</code>	Vector of strictly positive integers corresponding to dimensions to be summed over
<code>drop</code>	Boolean, with default TRUE meaning to drop the summed dimensions, and FALSE meaning to retain them.
<code>...</code>	Further arguments, currently ignored

Details

Function `asum.spray()` is the method for `asum()`. This takes a `spray`, and a vector of integers corresponding to dimensions to be summed over.

Function `asum_inverted()` is the same, but takes a vector of integers corresponding to dimensions not to sum over. This function is here because there is nice C++ idiom for it.

Function `process_dimensions()` ensures that the `dims` argument is consistent with the `spray S` and returns a cleaned version thereof.

Value

Returns a `spray` object.

Author(s)

Robin K. S. Hankin

Examples

```
S <- spray(matrix(sample(0:2,60,replace=TRUE),ncol=3),addrepeats=TRUE)
S

asum(S,1)
asum(S,1:2)

asum(S,1:2,drop=FALSE)

asum(S,c(1,3)) == asum_inverted(S,2)
```

constant	<i>Get or set the constant term of a spray object</i>
----------	---

Description

The constant term of a spray object is the coefficient corresponding to an index of all zeros. These functions get or set the constant of a spray object.

Usage

```
is.constant(x)
constant(x, drop=FALSE)
constant(x) <- value
drop(x)
```

Arguments

x	Object of class spray
value	Numeric value to set the constant coefficient to
drop	Boolean, with default FALSE meaning to return a spray object and TRUE meaning to return a numeric value

Value

In function `constant()`, return the coefficient, or a constant multivariate polynomial, depending on the value of `drop`.

Note

The behaviour of the `drop` argument (sort of) matches that of the `spray` extractor method. Function `drop()` returns the elements of the coefficients.

Function `constant()` ensures that zero spray objects retain the argument's arity.

It might have been better to call `is.constant()` `is.scalar()`, for consistency with the `stokes` and `clifford` packages. But this is not clear.

Author(s)

Robin K. S. Hankin

See Also

[Extract](#)

Examples

```
S <- spray(partitions::blockparts(rep(2,4),3,TRUE))

constant(S)

constant(S) <- 33
```

S

drop(constant(S,drop=FALSE))

deriv

*Partial differentiation of spray objects***Description**

Partial differentiation of spray objects interpreted as multivariate polynomials

Usage

```
## S3 method for class 'spray'
deriv(expr, i , derivative = 1, ...)
aderiv(S,orders)
```

Arguments

expr	A spray object, interpreted as a multivariate polynomial
i	Dimension to differentiate with respect to
derivative	How many times to differentiate
...	Further arguments, currently ignored
S	spray object
orders	The orders of the differentials

Details

Function `deriv.spray()` is the method for generic `spray()`; if S is a spray object, then `spray(S, i, n)` returns $\partial^n S / \partial x_i^n = S^{(x_i, \dots, x_i)}$.

Function `aderiv()` is the generalized derivative; if S is a spray of arity 3, then `aderiv(S, c(i, j, k))` returns $\frac{\partial^{i+j+k} S}{\partial x_1^i \partial x_2^j \partial x_3^k}$.

Value

Both functions return a spray object.

Author(s)

Robin K. S. Hankin

See Also

[asum](#)

Examples

```
S <- spray(matrix(sample(-2:2,15,replace=TRUE),ncol=3),addrepeats=TRUE)

deriv(S,1)
deriv(S,2,2)

# differentiation is invariant under order:
aderiv(S,1:3) == deriv(deriv(deriv(S,1,1),2,2),3,3)

# Leibniz's rule:
S1 <- spray(matrix(sample(0:3,replace=TRUE,21),ncol=3),sample(7),addrepeats=TRUE)
S2 <- spray(matrix(sample(0:3,replace=TRUE,15),ncol=3),sample(5),addrepeats=TRUE)

S1*deriv(S2,1) + deriv(S1,1)*S2 == deriv(S1*S2,1)

# Generalized Leibniz:
aderiv(S1*S2,c(1,1,0)) == (
  aderiv(S1,c(0,0,0))*aderiv(S2,c(1,1,0)) +
  aderiv(S1,c(0,1,0))*aderiv(S2,c(1,0,0)) +
  aderiv(S1,c(1,0,0))*aderiv(S2,c(0,1,0)) +
  aderiv(S1,c(1,1,0))*aderiv(S2,c(0,0,0))
)
```

Extract.spray	<i>Extract or Replace Parts of a spray</i>
---------------	--

Description

Extract or replace subsets of sprays.

Usage

```
## S3 method for class 'spray'
S[... , drop=FALSE]
## S3 replacement method for class 'spray'
S[index, ...] <- value
```

Arguments

S	A spray object
index	elements to extract or replace
value	replacement value
...	Further arguments
drop	Boolean, with default FALSE meaning to return a spray object and TRUE meaning to drop the spray structure and return a numeric vector

Details

These methods should work as expected, although the off-by-one issue might be a gotcha.

If `drop` is `TRUE`, a numeric vector is returned but the elements may be in any order.

If `a <- spray(diag(3))`, for example, then idiom such as `a[c(1,2,3)]` cannot work, because one would like `a[1,2,3]` and `a[1:3,2,3]` to work.

If `p <- 1:3`, then one might expect idiom such as `S[1,,p,1:3]` to work but this is problematic and a discussion is given in `inst/missing_accessor.txt`.

Examples

```
a <- spray(diag(5))
a[rbind(rep(1,5))] <- 5

a[3,4,5,3,1] # the NULL polynomial

a[0,1,0,0,0]
a[0,1,0,0,0,drop=TRUE]

a[2,3:5,4,3,3] <- 9

options(polyform = TRUE) # print as a multivariate polynomial
a

options(polyform = FALSE) # print in sparse array form
a

S1 <- spray(diag(5),1:5)
S2 <- spray(1-diag(5),1:5)
S3 <- spray(rbind(c(1,0,0,0,0),c(1,2,1,1,1)))

S1[] <- 3
S1[] <- S2

S1[S3] <- 99
```

homog

Various functions to create simple spray objects

Description

Various functions to create simple spray objects such as single-term, homogeneous, and constant multivariate polynomials.

Usage

```
product(power)
homog(d,power=1)
linear(x,power=1)
lone(n,d=n)
one(d)
```

```
as.id(S)
xyz(d)
```

Arguments

d	An integer; generally, the dimension or arity of the resulting spray object
power	Integer vector of powers
x	Numeric vector of coefficients
S	A spray object
n	In function lone(), the term to raise to power 1

Value

All functions documented here return a spray object

Note

The functions here are related to their equivalents in the multipol package, but are not exactly the same.

Function zero() is documented at zero.Rd, but is listed below for convenience.

Author(s)

Robin K. S. Hankin

See Also

[constant](#), [zero](#)

Examples

```
product(1:3)      # x * y^2 * z^3
homog(3)          # x + y + z
homog(3,2)        # x^2 + xy + xz + y^2 + yz + z^2
linear(1:3)       # 1*x + 2*y + 3*z
linear(1:3,2)     # 1*x^2 + 2*y^2 + 3*z^2
lone(3)           # z
lone(2,3)         # y
one(3)            # 1
zero(3)           # 0
xyz(3)           # xyz
```

knight

Generating function for a chess knight and king

Description

Generating function for a chess knight and king on an arbitrarily-dimensioned chessboard

Usage

```
knight(d=2)
king(d=2)
```

Arguments

d Dimensionality of the board, defaulting to 2

Value

Returns the generating function of the piece in question.

Note

The pieces are forced to move; if they have the option of not moving, add 1 to the returned spray.
The vignette contains a short discussion.

Author(s)

Robin K. S. Hankin

Examples

```
## How many ways can a knight return to its starting square in 6 moves?
constant(knight()^6)

## How many in 6 or fewer?
constant((1+knight())^6)

## Where does a randomly-moving knight end up?
d <- xyz(2)
kt <- (1+knight())*d^2/9
persp(1:25,1:25,as.array(d*kt^6))

## what is the probability that a 4D king is a knight's move from
## (0,0,0,0) after 6 moves?

sum(coeffs(((king(4)/80)^4)[knight(4)]))
```

nterms

Number of nonzero terms in a spray object

Description

Number of nonzero terms in a spray object

Usage

```
nterms(S)
```

Arguments

S Object of class spray

Author(s)

Robin K. S. Hankin

Examples

```
nterms(spray(diag(seq_len(5))))
```

oom

One-over-one-minus for spray objects

Description

One-over-one-minus for spray objects; the nearest to ‘division’ that we can get.

Usage

```
oom(S, n)
```

Arguments

S object of class spray
n Order of the approximation

Details

Returns the Taylor expansion to order n of $1/(1 - S)$, that is, $1 + S + S^2 + S^3 + \dots + S^n$.

Value

Returns a spray object of the same arity as S.

Note

Uses Horner’s method for efficiency

Author(s)

Robin K. S. Hankin

Examples

```
x <- spray(matrix(1))
oom(x,5) # 1 + x + x^2 + x^3 + x^4 + x^5

a <- homog(4,2)
d <- (1-a)*oom(a,3)

constant(d) # should be 1
rowSums(index(d)) # a single 0 and lots of 8s.
```

Ops.spray

Arithmetic Ops Group Methods for sprays

Description

Allows arithmetic operators to be used for spray calculations, such as addition, multiplication, division, integer powers, etc. Objects of class `spray` are interpreted as sparse multivariate polynomials.

Usage

```
## S3 method for class 'spray'
Ops(e1, e2 = NULL)
spray_negative(S)
spray_times_spray(S1,S2)
spray_times_scalar(S,x)
spray_plus_spray(S1,S2)
spray_plus_scalar(S,x)
spray_power_scalar(S,n)
spray_eq_spray(S1,S2)
spray_eq_numeric(S1,x)
```

Arguments

<code>e1, e2, S, S1, S2</code>	Objects of class <code>spray</code> , here interpreted as sparse multivariate polynomials
<code>x</code>	Real valued scalar
<code>n</code>	Non-negative integer

Details

The function `Ops.spray()` passes unary and binary arithmetic operators (“+”, “-”, “*”, “/”, “==”, and “^”) to the appropriate specialist function.

The most interesting operators are “*” and “+” which execute multivariate polynomial multiplication and addition respectively.

Testing for equality uses `spray_eq_spray()`. Note that `spray_eq_spray(S1, S2)` is algebraically equivalent to `is.zero(S1-S2)`, but faster (FALSE is returned as soon as a mismatch is found).

Value

The functions all return spray objects except “==”, which returns a logical.

Note

Notes here

Author(s)

Robin K. S. Hankin

See Also

[oom](#)

Examples

```
M <- matrix(sample(0:3,21,replace=TRUE),ncol=3)
a <- spray(M,sample(7))
b <- homog(3,4)

# arithmetic operators mostly work as expected:
a + 2*b
a - a*b^2/4
a+b

S1 <- spray(partitions::compositions(4,3))
S2 <- spray(diag(3)) # S2 = x+y+z

stopifnot( (S1+S2)^3 == S1^3 + 3*S1^2*S2 + 3*S1*S2^2 + S2^3 )
```

pmax

Parallel maxima and minima for sprays

Description

Parallel (pairwise) maxima and minima for sprays.

Usage

```
maxpair_spray(S1,S2)
minpair_spray(S1,S2)
## S3 method for class 'spray'
pmax(x, ...)
## S3 method for class 'spray'
pmin(x, ...)
```

Arguments

<code>x, S1, S2</code>	Spray objects
<code>...</code>	spray objects to be compared

Details

Function `maxpair_spray()` finds the pairwise maximum for two sprays. Specifically, if `S3 <- maxpair_spray(S1, S2)`, then `S3[v] == max(S1[v], S2[v])` for every index vector `v`.

Function `pmax.spray()` is the method for the generic `pmax()`, which takes any number of arguments. If `S3 <- maxpair_spray(S1, S2, ...)`, then `S3[v] == max(S1[v], S2[v], ...)` for every index vector `v`.

Function `pmax.spray()` operates right-associatively:

`pmax(S1, S2, S3, S4) == f(S1, f(S2, f(S3, S4)))` where `f()` is short for `maxpair_spray()`. So if performance is important, put the smallest spray (in terms of number of nonzero entries) last.

In these functions, a scalar is interpreted as a sort of global maximum. Thus if `S3 <- pmax(S, x)` we have `S3[v] == max(S[v], x)` for every index `v`. Observe that this operation is not defined if `x > 0`, for then there would be an infinity of `v` for which `S3[v] != 0`, an impossibility (or at least counter to the principles of a sparse array). Note also that `x` cannot have length `> 1` as the elements of a spray object are stored in an arbitrary order.

Functions `minpair_spray()` and `pmin.spray()` are analogous. Note that `minpair_spray(S1, S2)` is algebraically equivalent to `-pmax_spray(-S1, -S2)`; see the examples.

The value of `pmax(S)` is problematic. Suppose `all(coeffs(S) < 0)`; the current implementation returns `pmax(S) == S` but there is a case for returning the null polynomial.

Value

Returns a spray object

Author(s)

Robin K. S. Hankin

Examples

```
S1 <- rspray(100, vals=sample(100)-50)
S2 <- rspray(100, vals=sample(100)-50)
S3 <- rspray(100, vals=sample(100)-50)

# following comparisons should all be TRUE:

jj <- pmax(S1, S2, S3)
jj == maxpair_spray(S1, maxpair_spray(S2, S3))
jj == maxpair_spray(maxpair_spray(S1, S2), S3)

pmax(S1, S2, S3) == -pmin(-S1, -S2, -S3)
pmin(S1, S2, S3) == -pmax(-S1, -S2, -S3)

pmax(S1, -Inf) == S1
pmin(S1, Inf) == S2
```



```

pmax(S1,-3)

## Not run:
pmax(S1,3) # not defined

## End(Not run)

```

print.spray

Print methods for spray objects

Description

Print methods for spray objects with options for printing in matrix form or multivariate polynomial form

Usage

```

## S3 method for class 'spray'
print(x, ...)
print_spray_matrixform(S)
print_spray_polyform(S)

```

Arguments

x, S	spray object
...	Further arguments (currently ignored)

Details

The print method, `print.spray()`, dispatches to helper functions `print_spray_matrixform()` and `print_spray_polyform()` depending on the value of option `polyform`; see the examples section.

Option `sprayvars` is a character vector with entries corresponding to the variable names for printing. The `sprayvars` option has no algebraic significance: all it does is affect the print method.

Note that printing a spray object (in either matrix form or polynomial form) generally takes much longer than calculating it.

Value

Returns its argument invisibly.

Note

There are a couple of hard-wired symbols for multiplication and equality which are defined near the top of the helper functions.

Author(s)

Robin K. S. Hankin

Examples

```
(a <- spray(diag(3)))

options(polyform = FALSE)
a^3

options(polyform = TRUE)
a^3

options(sprayvars=letters)
a <- diag(26)
spray(a)

## Following example from mpoly:
a[1 + cbind(0:25, 1:26) %% 26] <- 2
spray(a)
```

rspray*Random spray objects*

Description

Creates random spray objects as quick-and-dirty examples of multivariate polynomials

Usage

```
rspray(n=9, vals = seq_len(n), arity = 3, powers = 0:2)
```

Arguments

n	Number of distinct rows (maximum); repeated rows are merged (argument <code>addrepeats</code> is TRUE)
vals	Values to use for coefficients
arity	Arity of the spray; the number of columns in the index matrix
powers	Set from which to sample the entries of the index matrix

Value

Returns a spray object

Note

If the index matrix contains repeated rows, the returned spray object will contain fewer than `n` entries

Author(s)

Robin K. S. Hankin

See Also[spray](#)**Examples**

```
rspray()

rspray(4)*rspray(3,rnorm(3))

rspray(3,arity=7,powers=-2:2)^3

rspray(1000,vals=rnorm(1000))
```

spray	<i>Sparse arrays: spray objects</i>
-------	-------------------------------------

Description

Create, coerce, and test for sparse array objects

Usage

```
spray(M, x, addrepeats=FALSE)
spraymaker(L, addrepeats=FALSE, arity=ncol(L[[1]]))
is.spray(S)
as.spray(arg1, arg2, addrepeats=FALSE, offbyone=FALSE)
index(S)
coeffs(S)
coeffs(S) <- value
is_valid_spray(L)
```

Arguments

M	Integer matrix with rows corresponding to index positions
x	Numeric value with elements corresponding to spray entries
S	Object to be tested for being a spray
L	A list, nominally of two elements (index matrix and value) which is to be tested for acceptability to be coerced to class spray
arg1, arg2	Various arguments to be coerced to a spray
addrepeats	Boolean, with default FALSE meaning to check for repeated index rows and, if any are found, return an error
value	In the assignment operator <code>coeffs<-()</code> , a disorder object (or a length-one numeric vector), so that <code>coeffs(S) <-x</code> works as expected
offbyone	In function <code>as.spray()</code> , when converting from an array. Argument <code>offbyone</code> is Boolean with default FALSE meaning to insert array elements in positions corresponding to index elements, and TRUE meaning to add one
arity	In function <code>spraymaker()</code> , integer specifying the arity (number of columns of the index matrix <code>L[[1]]</code>); ignored if <code>L</code> is non-empty. See details

Details

The user should use `spray()`, if a matrix of indices and vector of values is available, or as `.spray()` which tries hard to do the Right Thing (tm).

Function `spraymaker()` is the formal creator function, and it is written to take the output of the C++ routines and return a spray object. The reason this needs an `arity` argument is that C++ sometimes returns NULL (in lieu of a zero-row matrix, which it cannot deal with). In this case, we need some way to tell R the arity of the corresponding spray object.

Functions `index()` and `coeffs()` are accessor methods.

Note

Function `coeffs()` was formerly known as `value()`; function `value()` will be deprecated

Author(s)

Robin K. S. Hankin

Examples

```
S <- spray(diag(5))    # missing second argument interpreted as '1'.
as.array(S,offbyone=TRUE) # zero indices interpreted as ones.

M <- matrix(1:5,6,5) # note first row matches the sixth row

## Not run:  spray(M,1:6) # will not work because addrepeats is not TRUE

spray(M,1:6,addrepeats=TRUE) # 7=1:6

S <- spray(matrix(1:7,5,7))
a <- as.array(S)    # will not work if any(M<1)
S1 <- as.spray(a)
stopifnot(S==S1)

a <- rspray(20)
coeffs(a)[coeffs(a) %% 2 == 1] <- 99 # every odd coefficient -> 99
```

spray-class

Class “spray”

Description

The formal S4 class for sprays.

Objects from the Class

Objects *can* be created by calls of the form `new("spray", ...)` but this is not encouraged. Use functions `spray()` or `as.spray()` instead.

Slots

index: Index matrix

value: Numeric vector holding coefficients

Author(s)

Robin K. S. Hankin

See Also

[spray](#)

spraycross

Cross product for spray objects

Description

Provides a natural cross product for spray objects, useful for tensors and k -forms

Usage

```
spraycross(S, ...)
```

```
spraycross2(S1,S2)
```

Arguments

S, S1, S2, ... spray objects

Details

Cross products for sprays. This is *not* an algebraic product of sprays interpreted as multivariate polynomials. The function is used in the **stokes** package.

Function spraycross2() is a helper function that takes exactly two arguments. Function spraycross() is a more general function that takes any number of arguments.

Value

Returns a spray object

Author(s)

Robin K. S. Hankin

Examples

```
a <- spray(matrix(1:4,2,2),c(2,5))
b <- spray(matrix(c(10,11,12,13),2,2),c(7,11))

spraycross2(a,b)
spraycross2(b,a)

spraycross(a,b,b)
```

Description

Low-level functions that call C++ source code, as detailed in the automatically generated `RcppExports.R` file.

Usage

```
spray_maker(M, d)
spray_add(M1, d1, M2, d2)
spray_mult(M1, d1, M2, d2)
spray_overwrite(M1, d1, M2, d2)
spray_accessor(M, d, Mindex)
spray_setter(M1, d1, M2, d2)
spray_equality(M1, d1, M2, d2)
spray_asum_include(M,d,n)
spray_asum_exclude(M,d,n)
spray_deriv(M,d,n)
spray_pmax(M1,d1,M2,d2)
spray_pmin(M1,d1,M2,d2)
spray_power(M,d,pow)
spray_spray_accessor()
spray_spray_add()
spray_spray_asum_exclude()
spray_spray_asum_include()
spray_spray_deriv()
spray_spray_equality()
spray_spray_maker()
spray_spray_mult()
spray_spray_overwrite()
spray_spray_pmax()
spray_spray_pmin()
spray_spray_setter()
spray_spray_power()
```

Arguments

<code>M,M1,M2,Mindex</code>	Integer valued matrices with rows corresponding to array indices
<code>d,d1,d2</code>	Vector of values corresponding to nonzero array entries
<code>n</code>	Integer vector corresponding to dimensions to sum over for the sum functions
<code>pow</code>	Nonnegative integer for <code>spray_power()</code>

Value

These functions return a two-element list which is coerced to an object of class `spray` by function `spraymaker()`.

Note

These functions aren't really designed for the end-user.

Function `spray_equality()` cannot simply check for equality of `$value` because the order of the index rows is not specified in a `spray` object. Function `spray_crush()` has been removed as it is redundant.

Author(s)

Robin K. S. Hankin

See Also

[spraymaker](#), [spray](#)

spray_missing_accessor

Discussion document

Description

Discussion about the difficulties of implementing idiom like `S[, , 5, ,]` in the package

Usage

```
spray_missing_accessor(S, dots)
```

Arguments

<code>S</code>	Object of class <code>spray</code>
<code>dots</code>	further arguments

Details

Look at the source which contains an extended discussion of the difficulties

Author(s)

Robin K. S. Hankin

subs	<i>Substitute values into a spray object</i>
------	--

Description

Substitute values into a spray object, interpreted as a multivariate polynomial

Usage

```
subs(S, dims, x, drop=TRUE)
```

Arguments

S	spray object
dims	Integer or logical vector with entries corresponding to the dimensions to be substituted
x	Numeric vector of values to be substituted
drop	Boolean, with default TRUE meaning to return the drop() of the result, and FALSE meaning to return a spray object consistently

Note

It is much easier if argument dims is sorted into increasing order. If not, caveat emptor!

Author(s)

Robin K. S. Hankin

See Also

[process_dimensions](#)

Examples

```
S <- spray(matrix(sample(0:3,60,replace=TRUE),nrow=12))

subs(S,c(2,5),1:2)

subs(homog(3,3),1,3)
```

zap

Zap small values in a spray object

Description

Generic version of zapsmall()

Usage

```
zap(x, digits = getOption("digits"))
## S4 method for signature 'spray'
zapsmall(x, digits = getOption("digits"))
```

Arguments

x	spray object
digits	number of digits to retain

Details

Given a spray object, coefficients close to zero are ‘zapped’, i.e., replaced by ‘0’, using `base::zapsmall()`. Function `zap()` is an easily-typed alias; `zapsmall()` is the S4 generic.

Note, `zap()` actually changes the numeric value, it is not just a print method.

Author(s)

Robin K. S. Hankin

Examples

```
S <- spray(matrix(sample(1:50), ncol=2), 10^-(1:25))
zap(S)

S-zap(S)      # print method will probably print zeros...
coeffs(S-zap(S)) # ...but they are nevertheless nonzero
```

zero

The zero polynomial

Description

Test for the zero, or empty, polynomial

Usage

```
zero(d)
is.zero(x)
is.empty(L)
```

Arguments

<code>L, x</code>	A two-element list of indices and values, possibly a spray object or numeric vector
<code>d</code>	Integer specifying dimensionality of the spray (the arity)

Details

Functions `is.empty()` and `is.zero()` are synonyms. If spray objects are interpreted as multivariate polynomials, “`is.zero()`” is more intuitive, if sprays are interpreted as sparse arrays, “`is.empty()`” is better (for me).

If `spray()` is passed a zero-row index matrix, the return value does not remember the dimensionality of the input:

```
> dput(spray(matrix(0,1,5),0))
structure(list(index = NULL, value = NULL), class = "spray")
```

Arguably, the output should include the fact that we are dealing with a 5-dimensional array; but the index matrix is `NULL` so this information is lost (note that the value is `NULL` too). However, observe that the following works:

```
> a1 <- spray(matrix(0,1,5),0)
> a2 <- spray(t(1:5))
> a1+a2
      val
1 2 3 4 5 = 1
>
```

Examples

```
a <- lone(1,3)

is.zero(a-a) # should be TRUE

is.zero(zero(6))

x <- spray(t(0:1))
y <- spray(t(1:0))

is.zero((x+y)*(x-y)-(x^2-y^2)) # TRUE
```

Index

- * **classes**
 - spray-class, 20
- * **datasets**
 - zero, 25
- * **mathsymbol**
 - deriv, 8
- * **package**
 - spray-package, 2
- * **symbolmath**
 - arity, 3
 - as.array, 3
 - as.function.spray, 4
 - asum, 5
 - constant, 7
 - Extract.spray, 9
 - homog, 10
 - oom, 13
 - Ops.spray, 14
 - print.spray, 17
 - rspray, 18
 - spray, 19
 - spray_cpp, 22
 - spraycross, 21
 - subs, 24
- [.spray (Extract.spray), 9
- [<-.spray (Extract.spray), 9
- aderiv (deriv), 8
- arity, 3
- as.array, 3
- as.function.spray, 4
- as.id (homog), 10
- as.spray (spray), 19
- asum, 5, 8
- asum_inverted (asum), 5
- chess_knight (knight), 11
- coeff (spray), 19
- coeffs (spray), 19
- coeffs, spray-method (spray), 19
- coeffs.spray (spray), 19
- coeffs<- (spray), 19
- coeffs<-, spray-method (spray), 19
- coeffs<- .spray (spray), 19
- constant, 7, 11
- constant, spray-method (constant), 7
- constant.spray (constant), 7
- constant<- (constant), 7
- constant<-, spray-method (constant), 7
- constant<- .spray (constant), 7
- cross (spraycross), 21
- cross_product (spraycross), 21
- deriv, 8
- dim.spray (as.array), 3
- drop (constant), 7
- drop, spray-method (constant), 7
- empty (zero), 25
- Extract, 7
- extract (Extract.spray), 9
- Extract.spray, 9
- homog, 10
- index (spray), 19
- is.constant (constant), 7
- is.empty (zero), 25
- is.scalar (constant), 7
- is.spray (spray), 19
- is.zero (zero), 25
- is_valid_spray (spray), 19
- king (knight), 11
- knight, 11
- linear (homog), 10
- lone (homog), 10
- maxpair_spray (pmax), 15
- minpair_spray (pmax), 15
- nterms, 12
- one (homog), 10
- oom, 13, 15
- Ops (Ops.spray), 14
- Ops.spray, 14
- pmax, 15

pmin (pmax), 15
 print.spray, 17
 print_spray_matrixform (print.spray), 17
 print_spray_polyform (print.spray), 17
 process_dimensions, 24
 process_dimensions (asum), 5
 product (homog), 10

 replace (Extract.spray), 9
 rspray, 18

 scalar (constant), 7
 spray, 19, 19, 21, 23
 spray-class, 20
 spray-package, 2
 spray_accessor (spray_cpp), 22
 spray_add (spray_cpp), 22
 spray_asum_exclude (spray_cpp), 22
 spray_asum_include (spray_cpp), 22
 spray_cpp, 22
 spray_crush (spray_cpp), 22
 spray_deriv (spray_cpp), 22
 spray_eq_numeric (Ops.spray), 14
 spray_eq_spray (Ops.spray), 14
 spray_equality (spray_cpp), 22
 spray_maker (spray_cpp), 22
 spray_missing_accessor, 23
 spray_mult (spray_cpp), 22
 spray_negative (Ops.spray), 14
 spray_overwrite (spray_cpp), 22
 spray_plus_scalar (Ops.spray), 14
 spray_plus_spray (Ops.spray), 14
 spray_pmax (spray_cpp), 22
 spray_pmin (spray_cpp), 22
 spray_power (spray_cpp), 22
 spray_power_scalar (Ops.spray), 14
 spray_rcpp (spray_cpp), 22
 spray_setter (spray_cpp), 22
 spray_spray_accessor (spray_cpp), 22
 spray_spray_add (spray_cpp), 22
 spray_spray_asum_exclude (spray_cpp), 22
 spray_spray_asum_include (spray_cpp), 22
 spray_spray_crush (spray_cpp), 22
 spray_spray_deriv (spray_cpp), 22
 spray_spray_equality (spray_cpp), 22
 spray_spray_maker (spray_cpp), 22
 spray_spray_mult (spray_cpp), 22
 spray_spray_overwrite (spray_cpp), 22
 spray_spray_pmax (spray_cpp), 22
 spray_spray_pmin (spray_cpp), 22
 spray_spray_power (spray_cpp), 22
 spray_spray_setter (spray_cpp), 22
 spray_times_scalar (Ops.spray), 14
 spray_times_spray (Ops.spray), 14
 spraycross, 21
 spraycross2 (spraycross), 21
 spraymaker, 23
 spraymaker (spray), 19
 sprayvars (print.spray), 17
 subs, 24
 substitute (subs), 24

 value (spray), 19
 value, spray-method (spray), 19
 value.spray (spray), 19
 value<- (spray), 19
 values (spray), 19

 xyz (homog), 10

 zap, 25
 zapsmall (zap), 25
 zapsmall, ANY-method (zap), 25
 zapsmall, spray-method (zap), 25
 zapsmall.spray (zap), 25
 zaptiny (zap), 25
 zero, 11, 25